

# STAR

## コンビネーションベアラ

### 部 品 表

製品コード

K93362

型

式

JCB1810

部品供給型式

JCB1810-02

- ・ 部品ご注文の際は、必ず部品供給型式をご連絡ください。
- ・ 補用部品の一部には、まとめ・セット販売のみの部品があります。


---

株式会社IHIアグリテック



パーツカタログの見方

- 1. このパーツカタログに記載されている部品は、必ずしも標準装備部品ではありません。
- 2. 部品変更は、予告なく行うことがあります。
- 3. パーツカタログリスト様式



① 見出しNo.(REF.No.)  
リスト頁の見出しNo.とイラスト図番の末尾が一致しない場合があります。

(例) イラスト図番 1 (変更前) → 1-1 (変更後)  
互換性記号 N、R、K の場合は新部品のイラストを省略している場合があります。

② レベル (LEV.)  
レベル  
1... 表示している数字はレベルを表し、親子の関係を示します。(1 は親部品です)  
2... は、1 に含まれる子部品です。  
3... は、2 に含まれる子部品(1 から見れば孫部品)です。  
(注) 非販売部品のイラストは一部展開しておりませんが、リストには記載しておりません。

③ 互換性記号  
部分変更が行われた場合、その部品に対して下記の互換性記号が表示されます。

| 記号 | 互換性    | 内 容                          |
|----|--------|------------------------------|
| N  | 旧 ←→ 新 | 新部品は、旧部品に対して互換性有り、その逆は無し。    |
| Q  | 旧 ←→ 新 | 新部品は、旧部品に対して互換性無し、その逆は有り。    |
| R  | 旧 ←→ 新 | 新・旧部品の双方に対して互換性有り。           |
| S  | 旧 ←→ 新 | 新・旧部品の双方に対して互換性無し。           |
| W  |        | 新規追加となった部品。                  |
| Z  |        | 廃止された部品。                     |
| F  |        | 単品では、互換性無し。但し関連部品セットにて互換性有り。 |
| K  |        | 使用個数のみの変更                    |

④ 実施記号  
部品が変更された時には、適用される商品形式の実施号機が(A)～(F)欄毎に表示されます。

| 商品記号 | 商品No.            | 商品記号 | 商品No.      |
|------|------------------|------|------------|
| C    | クラッチNo.コンプレッサNo. | F    | 走行ユニット製造番号 |
| D    | ドライブNo.          | M    | 本機製造番号     |
| E    | エンジン番号           |      |            |

注1) 記号の後に西暦年月を記載している事もあります。(例) ※1990.02  
注2) 実施号機が「XXXXX」・「ZZZZZ」は、部品変更の予告又は、実施号機が確定できなかった部品です。  
注3) (A=E00185) は、A欄の商品形式(=4AH-DT)の部品変更実施号機は、E(=エンジンNo.)が00185号機以降であることを示します。


⑤ 備考 (リマークス)  
R... 欄に数字又は、英字(記号)を表示してあります。  
イラスト下段に上記の記号と同一記号を表記して当該部品に対するコメント(備考)を表示してあります。

## 部品中の実施記号について


前項④実施記号欄の実施号機番号は、各銘板で確認することができます。

車両銘板は、エンジン防塵装置（ロータリースクリーン）下のフレーム部に、エンジン銘板はエンジン上部にそれぞれ貼り付けられています。

- (1) エンジン部実施号機番号 (E00□□□等)  
エンジン番号がそのまま該当します



- (2) 走行ユニット部実施号機番号 (F11△△△△等)  
走行ユニット製造番号がそのまま該当します



- (3) 本機部実施号機番号 (MOOOOOOOO等)  
本機製造番号がそのまま該当します



# 目次

| 項目番号 | 項目名称         |
|------|--------------|
| 1    | エンジン関連部      |
| 1.   | エンジン関連       |
| 2.   | エンジンプーリ      |
| 3.   | エンジンマウント     |
| 4.   | 燃料タンク（１）     |
| 5.   | 燃料タンク（２）     |
| 6.   | 尿素タンク        |
| 7.   | エアクリーナ       |
| 8.   | プレクリーナ（キャビン） |
| 9.   | インタークーラ      |
| 10.  | マフラー         |
| 11.  | ラジエータ        |
| 12.  | ロータリースクリーン   |
| 13.  | スクリーン吸引      |
| 2    | 走行部（１）       |
| 14.  | ミッションカバー     |
| 15.  | 走行駆動         |
| 16.  | ペーラ駆動（１）     |
| 17.  | ペーラ駆動（２）     |
| 18.  | パーキングブレーキ    |
| 19.  | ミッションケース     |
| 20.  | センサー         |
| 21.  | 車軸ケース        |
| 22.  | 入力軸          |

| 項目番号 | 項目名称        |
|------|-------------|
| 23.  | 走行駆動軸（１番）   |
| 24.  | 旋回駆動軸（１番）   |
| 25.  | 走行駆動軸（２番）   |
| 26.  | 走行駆動軸（３番）   |
| 27.  | 走行駆動軸（４番）   |
| 28.  | P T Oシャフト   |
| 29.  | 旋回駆動軸（２番）   |
| 30.  | 旋回駆動軸（３番）   |
| 31.  | 旋回駆動軸（４番）   |
| 32.  | 旋回駆動軸（５番）   |
| 33.  | プラネタリ       |
| 34.  | リダクションシャフト  |
| 35.  | スプロケット軸     |
| 36.  | H S T       |
| 37.  | 副変速         |
| 38.  | 配管          |
| 39.  | カウンターケース（１） |
| 40.  | カウンターケース（２） |
| 41.  | カウンターケース（３） |
| 42.  | カウンターケース（４） |
| 43.  | カウンターケース取付  |
| 3    | 走行部（２）      |
| 44.  | ステアリング（１）   |
| 45.  | ステアリング（２）   |

# 目 次

| 項目番号 | 項目名称        |
|------|-------------|
| 46.  | ステアリングコラム   |
| 47.  | サイドコラム（１）   |
| 48.  | サイドコラム（２）   |
| 49.  | フロントコラム     |
| 50.  | ブレーキ操作      |
| 51.  | コントロール（主変速） |
| 52.  | 副変速操作（１）    |
| 53.  | 副変速操作（２）    |
| 54.  | クラッチ操作（脱穀）  |
| 55.  | 油圧バルブ       |
| 56.  | 配管（カウンタケース） |
| 57.  | 配管（H S T）   |
| 58.  | 配管（１）       |
| 59.  | 配管（２）       |
| 60.  | 回動支点        |
| 61.  | ステップ（１）     |
| 62.  | ステップ（２）     |
| 63.  | フロア防振（後）    |
| 64.  | フロア防振（前）    |
| 65.  | フロアオープン     |
| 66.  | ステップ        |
| 67.  | ドライバーシート    |
| 68.  | シートチルト      |
| 69.  | フロア艀装（下）    |
| 70.  | フロアシール      |

| 項目番号 | 項目名称         |
|------|--------------|
| 4    | 走行部（３）       |
| 71.  | シャーシフレーム     |
| 72.  | コントロール（シャーシ） |
| 73.  | ミッション取付      |
| 74.  | トラックフレーム     |
| 75.  | アイドラ         |
| 76.  | トラックローラ      |
| 77.  | イコライザー       |
| 78.  | クローラガイド      |
| 79.  | スプロケット       |
| 80.  | キャリアローラ      |
| 81.  | クローラ         |
| 82.  | スイング（１）      |
| 83.  | スイング（２）      |
| 84.  | フロアフレーム      |
| 85.  | エンジンルームカバー   |
| 86.  | バックミラー       |

|     |           |
|-----|-----------|
| 5   | キャビン部     |
| 87. | キャビンルーフ   |
| 88. | キャビン（天井）  |
| 89. | キャビン（本体）  |
| 90. | ウォッシャータンク |
| 91. | キャビン艀装（左） |

# 目次

| 項目番号 | 項目名称        |
|------|-------------|
| 92.  | キャビン艀装（後）   |
| 93.  | キャビン艀装（前）   |
| 94.  | キャビン艀装（前—下） |
| 95.  | キャビンシール（１）  |
| 96.  | キャビンシール（２）  |
| 97.  | ステレオ        |
| 98.  | キャビン取付      |
| 99.  | エアコン（１）     |
| 100. | エアコン（２）     |
| 101. | エアコン（３）     |
| 102. | エアコン取付（１）   |
| 103. | エアコン取付（２）   |
| 104. | エアコンダクト     |
| 105. | キャビンドア（１）   |
| 106. | キャビンドア（２）   |
| 107. | キャビンドア（３）   |
| 108. | ドアロック       |
| 109. | コンプレッサ取付    |

## 6 電装品部

|      |                   |
|------|-------------------|
| 110. | バッテリー             |
| 111. | ワイヤーハーネス（走行）      |
| 112. | ワイヤーハーネス（コンプレッサー） |
| 114. | ワイヤーハーネス（キャビン）    |
| 115. | モニター              |

| 項目番号 | 項目名称 |
|------|------|
|------|------|

## 7 銘板&付属品部

|      |           |
|------|-----------|
| 117. | ポンプ入力     |
| 118. | ポンプ入力ベルト  |
| 119. | ポンプテンション  |
| 122. | 銘板（安全）（１） |
| 123. | 銘板（安全）（２） |

## 8 梱包部

|      |              |
|------|--------------|
| 401. | リフトフレーム      |
| 402. | 駆動；ハーベスタ     |
| 403. | 駆動；ハーベスタクラッチ |
| 404. | ホッパ          |
| 405. | コンベアフレーム     |
| 406. | コンベア         |
| 407. | 駆動； 1        |
| 408. | 駆動； 2        |
| 409. | サブフレーム       |
| 410. | ベールイジェクタ     |
| 411. | フレーム・ゲート     |
| 412. | ローラ          |
| 413. | ローラ駆動        |
| 414. | 成形ベルト（１）     |
| 415. | 成形ベルト（２）     |
| 416. | 成形ベルト（３）     |
| 417. | コボレ止め        |

# 目次


| 項目番号 | 項目名称          |
|------|---------------|
| 418. | 駆動（ネット）       |
| 419. | ネットバインディング（１） |
| 420. | ネットバインディング（２） |
| 421. | ネットバインディング（３） |
| 422. | ネットバインディング（４） |
| 423. | ナイフリセット       |
| 424. | ネットブレーキ       |
| 425. | ネットケーシング      |
| 426. | カバー（１）        |
| 427. | カバー（２）        |
| 428. | カバー（３）        |
| 429. | ハシゴ           |
| 430. | 給油            |
| 431. | 油圧（メイン）       |
| 432. | 油圧（ゲート）       |
| 433. | ニューサンキン       |
| 434. | マフラー          |
| 435. | 電装（１）         |
| 436. | 電装（２）         |
| 437. | 電装（３）         |
| 438. | ゲートロック        |
| 439. | ラベル           |

| 項目番号 | 項目名称        |
|------|-------------|
| 9    | 刈取部         |
| 501. | メインフレーム     |
| 502. | 駆動；フライホイール  |
| 503. | リバースボックス    |
| 504. | フライホイール     |
| 505. | シュート        |
| 506. | グラインダ       |
| 507. | クラッチボックス（１） |
| 508. | クラッチボックス（２） |
| 509. | クラッチボックス（３） |
| 510. | ロール；L o     |
| 511. | ロール；U       |
| 512. | カリトリフレーム    |
| 513. | 駆動；ドラム      |
| 514. | ベベルボックス     |
| 515. | ユウセイボックス    |
| 516. | ドラム         |
| 517. | カッター        |
| 518. | デバイダ        |
| 519. | ストークガイド     |
| 520. | 給油          |
| 521. | 給脂          |
| 522. | インジケータ      |
| 523. | ハリマーク       |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=


| No. | ラベル | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A40-00150 | ベース(トレン)         | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 104200-55080 | プラグ(トレン M12)     | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 129A00-77930 | ブラケット(コネクタ)      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C70-84440 | プレート(ハーネス)       | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 22190-120002 | シールワッシャー(コマル 12) | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 26014-080162 | ホルト(ヒラ+ハネ 8X16)  | 3   |     |     |     |     |     |   |   |
| 7   | 1   | 26014-080162 | ホルト(ヒラ+ハネ 8X16)  | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 26014-080202 | ホルト(ヒラ+ハネ 8X20)  | 2   |     |     |     |     |     |   |   |



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-00060 | プーリ(エンジン 167-200 | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 26013-120302 | ホルト(パネ 12X30     | 4   |     |     |     |     |     |   |   |



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6C70-01100 | マウント(エンジン ウシロ L | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-01150 | マウント(エンジン マイ L  | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-01180 | ストップ            | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-01204 | マウント(エンジン マイ R  | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E8380-01200 | ゴム(ボウシン カク 600  | 4   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-01250 | マウント(エンジン ウシロ R | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 26013-100252 | ボルト(バネ 10X25    | 12  |     |     |     |     |     |   |   |
| 8   | 1   | 26013-100302 | ボルト(バネ 10X30    | 2   |     |     |     |     |     |   |   |
| 9   | 1   | 26367-120002 | ワッシャ(ナット M12    | 8   |     |     |     |     |     |   |   |





Fig.4. 燃料タンク(1)




(A)=DS1C-6101T,101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号           | 部品名称                | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|---------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                     | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6D00-03000   | タンク(ネリヨウ)           | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1E9110-03080   | シート(カンショウ A)        | 4   |     |     |     |     |     |   |   |
| 3   | 1   | 1E9110-03090   | シート(カンショウ B)        | 2   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6D00-03250   | ブランク(ネリヨウタンク)       | 2   |     |     |     |     |     |   |   |
| 6   | 1   | 1E9570-03300   | ホース(ブリーザー 950)      | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 7E8380-03400-1 | キューユウCMP            | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E8820-03490   | ホース(キューユウ)          | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1A6380-04120   | キャップ CMP (ネリヨウタンク)  | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 101504-55101   | ストレーナ(ネリヨウ)         | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 194205-63550   | ブリーザー(エア)           | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E9110-81500   | センサ(ネリヨウ)           | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 23000-016000   | ホースリップ(16)          | 2   |     |     |     |     |     |   |   |
| 16  | 1   | 23000-090000   | ホースリップ(90)          | 2   |     |     |     |     |     |   |   |
| 18  | 1   | BSZ08020       | コガタボルト 7 M8×2.5     | 2   |     |     |     |     |     |   |   |
| 19  | 1   | 26022-050122   | ナベコネシ(ハネ 5X12)      | 5   |     |     |     |     |     |   |   |
| 20  | 1   | 26116-081004   | ボルト(8X100)          | 2   |     |     |     |     |     |   |   |
| 21  | 1   | 26717-080002   | ナット(M8)             | 2   |     |     |     |     |     |   |   |
| 22  | 1   | 933110-00301   | キ-CMP               | 1   |     |     |     |     |     |   |   |
| 23  | 1   | WSA08          | バネザガネ 3ゴウ M8        | 2   |     |     |     |     |     |   |   |
| 24  | 1   | NSZ08          | コガタナット 8 2シュ M8     | 2   |     |     |     |     |     |   |   |
| 25  | 1   | BSPZ08016      | コガタSWツキボルト 7 M8×1.6 | 1   |     |     |     |     |     |   |   |




Fig.5. 燃料タンク(2)



(A)=DS10-6101T.101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称                 | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                      | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6G30-03300 | ケーラ(ネリヨウ) 3          | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-03310 | ステー(ケーラ) A           | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-03400 | パイプ CMP (ネリヨウ) L750  | 3   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A80-03420 | パイプ CMP (ネリヨウ) L2100 | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E9441-03430 | パイプ CMP (ネリヨウ) L3600 | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-03451 | パイプ CMP (ネリヨウ) L2350 | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-03490 | パイプ (ネリヨウ) FKM L75   | 2   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A80-03502 | ベント CMP (パイプ)        | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6G30-03900 | ベース CMP (フィルタ)       | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 198448-04250 | シヨイント                | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 129978-52100 | ホップ CMP (ネリヨウワイヤ)    | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 129G20-55701 | フィルタ (FOフィル)         | 1   |     |     |     |     |     |   |   |
| 14  | 2   | 129A00-55710 | ボディ CMP              | 1   |     |     |     |     |     |   |   |
| 15  | 3   | 129A00-55751 | ブラケット (エクス)          | 1   |     |     |     |     |     |   |   |
| 16  | 3   | 129A00-55760 | リング                  | 1   |     |     |     |     |     |   |   |
| 17  | 3   | 24311-000110 | リング (1AP11.0)        | 1   |     |     |     |     |     |   |   |
| 18  | 2   | 129G20-55720 | カップ (FOフィル)          | 1   |     |     |     |     |     |   |   |
| 19  | 2   | 129A00-55730 | エレメント (ネリヨウフィル)      | 1   |     |     |     |     |     |   |   |
| 20  | 2   | 129A00-55740 | リング                  | 1   |     |     |     |     |     |   |   |
| 21  | 2   | 129A00-55770 | フロート                 | 1   |     |     |     |     |     |   |   |
| 22  | 2   | 129917-55870 | センサ CMP (シベル)        | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 114270-59010 | クランプ (ホース マル 12)     | 4   |     |     |     |     |     |   |   |
| 24  | 1   | 114270-59010 | クランプ (ホース マル 12)     | 10  |     |     |     |     |     |   |   |
| 25  | 1   | 114270-59010 | クランプ (ホース マル 12)     | 2   |     |     |     |     |     |   |   |
| 26  | 1   | 1E6102-84960 | バンド (ワイヤメ) 250       | 2   |     |     |     |     |     |   |   |
| 27  | 1   | 26013-080952 | ホルスト (パイプ) 8X95      | 2   |     |     |     |     |     |   |   |
| 28  | 1   | 26014-060162 | ホルスト (ヒラハネ) 6X16     | 2   |     |     |     |     |     |   |   |
| 29  | 1   | 26014-080162 | ホルスト (ヒラハネ) 8X16     | 2   |     |     |     |     |     |   |   |
| 30  | 1   | 26014-080202 | ホルスト (ヒラハネ) 8X20     | 2   |     |     |     |     |     |   |   |
| 31  | 1   | 26014-080202 | ホルスト (ヒラハネ) 8X20     | 2   |     |     |     |     |     |   |   |
| 32  | 1   | 26014-080202 | ホルスト (ヒラハネ) 8X20     | 2   |     |     |     |     |     |   |   |



| No. | レバール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I R |
|-----|------|--------------|-----------------|-----|-----|-----|-----|-----|-----|-----|
|     |      |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 2   | 1    | 1E8940-03480 | シート(スポンジ)       | 5   |     |     |     |     |     |     |
| 3   | 1    | 1E6C70-03503 | タンクCMP(UREA)    | 1   |     |     |     |     |     |     |
| 4   | 2    | 1E6C70-03450 | ホース(スライ)        | 1   |     |     |     |     |     |     |
| 5   | 2    | 1E6C70-03510 | タンク(UREA)       | 1   |     |     |     |     |     |     |
| 6   | 2    | 1E6C70-03522 | センサ(ハツタ)ユニット    | 1   |     |     |     |     |     |     |
| 7   | 3    | 1E6C70-03530 | フィルタ(ハツタ)ー      | 1   |     |     |     |     |     |     |
| 8   | 3    | 1E6C70-03540 | エルボ(クワラント)      | 2   |     |     |     |     |     |     |
| 9   | 3    | 1E6C70-03550 | エルボ(ニョウソ 3/8)   | 1   |     |     |     |     |     |     |
| 10  | 3    | 1E6C70-03560 | エルボ(ニョウソ 5/16)  | 1   |     |     |     |     |     |     |
| 11  | 3    | 1E6C70-03570 | ハツタ(ハツタ)ー       | 1   |     |     |     |     |     |     |
| 12  | 3    | 1E6C70-03590 | センサ(ハツタ)        | 1   |     |     |     |     |     |     |
| 13  | 2    | 1E6C75-03550 | ホース(トレン)        | 1   |     |     |     |     |     |     |
| 14  | 2    | 1E6C75-03560 | コネクタ(フリース) 3/8  | 1   |     |     |     |     |     |     |
| 15  | 2    | 1E6C70-03580 | キヤツフ(UREA)      | 1   |     |     |     |     |     |     |
| 16  | 2    | 1E6C70-03600 | フィルタ(ニョウソ)      | 1   |     |     |     |     |     |     |
| 17  | 1    | 1E6D00-03501 | サホート(タンクミキ)シタ   | 1   |     |     |     |     |     |     |
| 18  | 1    | 1E6D00-03601 | サホート(タンク)       | 1   |     |     |     |     |     |     |
| 19  | 1    | 1E6C70-03631 | ホース(ジョイント)      | 2   |     |     |     |     |     |     |
| 20  | 1    | 1E6C70-03641 | ホースCMP(ヒータ F)   | 1   |     |     |     |     |     |     |
| 21  | 1    | 1E6C70-03670 | パントCMP(タンク B)   | 1   |     |     |     |     |     |     |
| 22  | 1    | 1E6C70-03690 | ソレノイド(LLC)バルブ   | 1   |     |     |     |     |     |     |
| 23  | 1    | 1E6C70-03700 | ホース(ニョウソ A)     | 1   |     |     |     |     |     |     |
| 24  | 1    | 1E6C70-03710 | ホース(ニョウソ B)     | 1   |     |     |     |     |     |     |
| 25  | 1    | 1E6C70-03720 | ホース(ニョウソ C)     | 1   |     |     |     |     |     |     |
| 26  | 1    | 1E6C70-03730 | ホースCMP(ヒータ D)   | 2   |     |     |     |     |     |     |
| 27  | 1    | 1E6C70-03750 | コネクタ(14)        | 4   |     |     |     |     |     |     |
| 28  | 1    | 1E6C70-03760 | コネクタ(10)        | 2   |     |     |     |     |     |     |
| 29  | 1    | 1E6C70-03770 | コネクタ(14-12)     | 2   |     |     |     |     |     |     |
| 30  | 1    | 1E6C70-03780 | ホース(L)          | 2   |     |     |     |     |     |     |
| 31  | 1    | 1E6C70-03790 | ホースCMP(ヒータ A)   | 1   |     |     |     |     |     |     |
| 33  | 1    | 1E6C70-03850 | ホースCMP(ヒータ B)   | 2   |     |     |     |     |     |     |
| 34  | 1    | 1E6C70-03881 | ホースCMP(ヒータ C)   | 2   |     |     |     |     |     |     |
| 36  | 1    | 1E6C70-03911 | ホースCMP(ヒータ E)   | 1   |     |     |     |     |     |     |
| 37  | 1    | 1E6C70-03921 | ホース(フリース) 1350  | 1   |     |     |     |     |     |     |
| 38  | 1    | 1E6C70-03940 | カイトCMP(ハイガン A)  | 2   |     |     |     |     |     |     |
| 42  | 1    | 1E6102-84970 | パント(ワイヤメ 140)   | 2   |     |     |     |     |     |     |
| 43  | 1    | 23000-022000 | ホースクランプ(22)     | 14  |     |     |     |     |     |     |
| 44  | 1    | 23080-014000 | ホースクランプ(14)     | 4   |     |     |     |     |     |     |
| 45  | 1    | 23080-015000 | ホースクランプ(15)     | 4   |     |     |     |     |     |     |
| 46  | 1    | 23080-015000 | ホースクランプ(15)     | 1   |     |     |     |     |     |     |
| 47  | 1    | 23080-016000 | ホースクランプ(16)     | 4   |     |     |     |     |     |     |
| 48  | 1    | 26367-080002 | ツバツキナツト(M8)     | 2   |     |     |     |     |     |     |
| 49  | 1    | 26014-080202 | ボルト(ヒラ+ハネ 8X20) | 4   |     |     |     |     |     |     |
| 51  | 1    | 26014-080162 | ボルト(ヒラ+ハネ 8X16) | 4   |     |     |     |     |     |     |


N:旧  $\leftrightarrow$  新, Q:旧  $\leftrightarrow$  新, R:旧  $\leftrightarrow$  新, S:旧  $\leftrightarrow$  新, W:追加, Z:廃止, F:セット互換, K:個数変更  
++ CONTINUE ++



OCNP7-M01300 Fig.7  
(A)=DS1C-6101T, 101  
(B)=  
(C)=  
(D)=  
(E)=  
(F)=  
数量  
I R

| No. | レベル | 部品番号         | 部品名称              | (A) | (B) | (C) | (D) | (E) | (F) | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
| 1   | 1   | 1E6C30-04080 | パイプ (50. 6X57X70) | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8940-04100 | ホース (キューキ A)      | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6C30-04170 | ホース (キューキ B)      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-04380 | ステー (エアクリーナ)      | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 129978-12510 | クリーナCMP (エア 8インチ) | 1   |     |     |     |     |     |   |   |
| 6   | 2   | 119117-12530 | カバー (エアクリーナ)      | 1   |     |     |     |     |     |   |   |
| 7   | 2   | 119160-12540 | バルブ (バキューエータ)     | 1   |     |     |     |     |     |   |   |
| 8   | 2   | 123950-12560 | エレメント (アウタ)       | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 121820-12590 | ニップル              | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 23000-060000 | ホースクリップ (60)      | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 23000-080000 | ホースクリップ (80)      | 2   |     |     |     |     |     |   |   |
| 12  | 1   | 23000-115000 | ホースクリップ (115)     | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 23000-115000 | ホースクリップ (115)     | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 26014-080162 | ボルト (ヒラ+ハネ 8X16)  | 4   |     |     |     |     |     |   |   |
| 15  | 1   | 26014-080202 | ボルト (ヒラ+ハネ 8X20)  | 2   |     |     |     |     |     |   |   |
| 16  | 1   | 1E6A80-04150 | ホース (キューキ A)      | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 23000-080000 | ホースクリップ (80)      | 1   |     |     |     |     |     |   |   |

Fig.8. プレクリーナ(キャビン)




0CNP7-M01300 Fig.8

(A)=DS10-6101T, 101 (D)=  
(B)= (E)=  
(C)= (F)=

| No. | レベル | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A85-04160 | ホース(プレクリーナ      | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6C35-04170 | ホース(プレクリーナレンサツ  | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6C35-04180 | パイプ (57X60X220  | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C35-04200 | パイプ (レンサツ       | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6C35-04300 | パイプ GMP (プレクリーナ | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6C35-04350 | フレーム(プレクリーナ     | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 123500-12901 | プレクリーナGMP       | 1   |     |     |     |     |     |   |   |
| 8   | 2   | 123500-12940 | クランプ            | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 23000-080000 | ホースクリップ (80     | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 23000-080000 | ホースクリップ (80     | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 23000-127000 | ホースクリップ (127    | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 26014-080202 | ボルト (ヒラ+パネ 8X20 | 2   |     |     |     |     |     |   |   |
| 13  | 1   | 26014-080202 | ボルト (ヒラ+パネ 8X20 | 4   |     |     |     |     |     |   |   |
| 14  | 1   | 804272000M   | プレート:プレクリーナ     | 2   |     |     |     |     |     |   |   |
| 15  | 1   | BSZ08025     | コガタボルト 7 M8X20  | 2   |     |     |     |     |     |   |   |
| 16  | 1   | WSA08        | パネザガネ 3コウ M8    | 2   |     |     |     |     |     |   |   |
| 17  | 1   | WRA08        | ヒラザガネ M8        | 2   |     |     |     |     |     |   |   |
| 18  | 1   | 155570000R   | ウインドウストッパC P    | 1   |     |     |     |     |     |   |   |


Fig.9. インタークーラ



(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称           | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6C30-04350 | インターラ(33       | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6C30-04410 | ホース(キューキ C     | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6C30-04420 | ホース(キューキ D     | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C30-04430 | ホース(ジョイント      | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6C30-04440 | パイプ(ジョイント      | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-04950 | シール(45X160X3   | 2   |     |     |     |     |     |   |   |
| 7   | 1   | 23000-060000 | ホースクリップ (60    | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 23000-060000 | ホースクリップ (60    | 2   |     |     |     |     |     |   |   |
| 9   | 1   | 23000-080000 | ホースクリップ (80    | 2   |     |     |     |     |     |   |   |
| 10  | 1   | 26014-080202 | ボルト(ヒラ+ハネ 8X20 | 4   |     |     |     |     |     |   |   |
| 11  | 1   | 26014-080202 | ボルト(ヒラ+ハネ 8X20 | 2   |     |     |     |     |     |   |   |



| No. | レベ | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I R |
|-----|----|--------------|------------------|-----|-----|-----|-----|-----|-----|-----|
|     |    |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 1   | 1  | 1E6C70-03990 | ﾌﾞﾚｰﾄﾞ(ﾌﾞﾘｶﾅｸﾞ   | 1   |     |     |     |     |     |     |
| 2   | 1  | 1E6C20-04351 | ﾊﾞｲﾌﾞ(ﾃｰﾙ A      | 1   |     |     |     |     |     |     |
| 3   | 1  | 1E6C70-04500 | ﾌﾞﾚｰﾄﾞ(ﾌﾞﾘｶﾅｸﾞ L | 1   |     |     |     |     |     |     |
| 16  | 1  | 1E6C70-04940 | ｲﾝｼｭﾚｰﾀ(490X460  | 1   |     |     |     |     |     |     |
| 17  | 1  | 1E6C70-04960 | ﾊﾞｲﾌﾞ(SFｼﾀ A     | 1   |     |     |     |     |     |     |
| 18  | 1  | 1E6C70-04970 | ﾊﾞｲﾌﾞ(SFｼﾀ B     | 1   |     |     |     |     |     |     |
| 19  | 1  | 1E6C10-04980 | ﾊﾞｲﾌﾞCMP         | 1   |     |     |     |     |     |     |
| 20  | 1  | 128300-13230 | ｶﾞｽｹｯﾄ(ｻｲﾚﾝｻ     | 1   |     |     |     |     |     |     |
| 21  | 1  | 128300-13230 | ｶﾞｽｹｯﾄ(ｻｲﾚﾝｻ     | 4   |     |     |     |     |     |     |
| 23  | 1  | 23000-115000 | ﾎｰｽｸﾘｯﾌﾟ(115     | 2   |     |     |     |     |     |     |
| 31  | 1  | 26106-100202 | ｳﾊﾞﾎﾞﾙﾄ(10X20    | 8   |     |     |     |     |     |     |
| 33  | 1  | 26106-100302 | ｳﾊﾞﾎﾞﾙﾄ(10X30    | 2   |     |     |     |     |     |     |
| 34  | 1  | 26106-100952 | ｳﾊﾞﾎﾞﾙﾄ(10X95    | 4   |     |     |     |     |     |     |
| 35  | 1  | 26367-100002 | ｳﾊﾞﾎﾞﾙﾄ(10X10    | 2   |     |     |     |     |     |     |
| 36  | 1  | 26367-100002 | ｳﾊﾞﾎﾞﾙﾄ(10X10    | 4   |     |     |     |     |     |     |
| 37  | 1  | 26367-100002 | ｳﾊﾞﾎﾞﾙﾄ(10X10    | 4   |     |     |     |     |     |     |

Fig.11. ラジエータ



(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8860-03300 | パイプ (ネリヨウ L=1050) | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8645-04010 | タンク (サブ)          | 1   |     |     |     |     |     |   |   |
| 3   | 2   | 1E8645-04040 | ホース               | 1   |     |     |     |     |     |   |   |
| 4   | 2   | 121820-44810 | タンク (リザーブ)        | 1   |     |     |     |     |     |   |   |
| 7   | 2   | 121850-44850 | キャップ              | 1   |     |     |     |     |     |   |   |
| 8   | 2   | 121850-44860 | ガスケット (キャップ)      | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 121850-44880 | クランプ (ホース)        | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6C70-04050 | フレームCMP (シュラウド)   | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6C70-04111 | ベース (インタークーラ)     | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A80-04130 | シール (ホウジン 1495)   | 2   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6D00-04140 | ラジエータCMP          | 1   |     |     |     |     |     |   |   |
| 14  | 2   | 129457-44520 | キャップ              | 1   |     |     |     |     |     |   |   |
| 15  | 2   | 129457-44530 | クランプ              | 1   |     |     |     |     |     |   |   |
| 16  | 2   | 129973-44580 | シール (ラジエータ)       | 4   |     |     |     |     |     |   |   |
| 17  | 2   | 119156-44600 | コックCMP            | 1   |     |     |     |     |     |   |   |
| 18  | 2   | 129972-44600 | キャップ (ラジエータ)      | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 1E6C30-04160 | プレート (フウロマイ A)    | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 1E6C70-04200 | フレームCMP (ラジエータ)   | 1   |     |     |     |     |     |   |   |
| 21  | 1   | 1E6A80-04250 | フィラCMP            | 1   |     |     |     |     |     |   |   |
| 22  | 1   | 1E8230-04301 | パイプ (ネリヨウ L=800)  | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 1E6C30-04321 | プレートCMP (フウロマイ B) | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 1E8785-04480 | パイプ (910)         | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 1E6A80-04840 | ステー (ラジエータ ウェ)    | 2   |     |     |     |     |     |   |   |
| 26  | 1   | 1E6A80-04900 | ホース (ウォーター A)     | 1   |     |     |     |     |     |   |   |
| 27  | 1   | 1E6A80-04910 | ホース (ウォーター B)     | 1   |     |     |     |     |     |   |   |
| 28  | 1   | 1E6A80-04920 | ホース (ウォーター C)     | 1   |     |     |     |     |     |   |   |
| 29  | 1   | 1E6B90-04950 | カバー (オイル)         | 1   |     |     |     |     |     |   |   |
| 30  | 1   | 129171-44600 | フィラCMP            | 1   |     |     |     |     |     |   |   |
| 31  | 1   | 120445-44640 | ガスケット (フィラ)       | 1   |     |     |     |     |     |   |   |
| 32  | 1   | 119255-44660 | ホウジンゴム (ラジエータ)    | 2   |     |     |     |     |     |   |   |
| 33  | 1   | 184016-44700 | ホウジンゴム (ラジエータ ウェ) | 2   |     |     |     |     |     |   |   |
| 34  | 1   | 184015-44910 | ブラケット (サブタンク)     | 1   |     |     |     |     |     |   |   |
| 35  | 1   | 129150-49100 | コックCMP (3ホウ)      | 1   |     |     |     |     |     |   |   |
| 36  | 1   | 1E8400-74091 | シール (10X10X430)   | 1   |     |     |     |     |     |   |   |
| 37  | 1   | 1E8490-74601 | シール (10X10X155)   | 1   |     |     |     |     |     |   |   |
| 38  | 1   | 23000-060000 | ホースクリップ (60)      | 2   |     |     |     |     |     |   |   |
| 39  | 1   | 23000-060000 | ホースクリップ (60)      | 2   |     |     |     |     |     |   |   |
| 40  | 1   | 23000-060000 | ホースクリップ (60)      | 2   |     |     |     |     |     |   |   |
| 41  | 1   | 23080-012000 | ホースクランプ (12)      | 2   |     |     |     |     |     |   |   |
| 42  | 1   | 23080-012000 | ホースクランプ (12)      | 4   |     |     |     |     |     |   |   |
| 43  | 1   | 26014-060122 | ボルト (ヒラ+ハ) 6X12   | 5   |     |     |     |     |     |   |   |
| 44  | 1   | 26014-060122 | ボルト (ヒラ+ハ) 6X12   | 2   |     |     |     |     |     |   |   |
| 45  | 1   | 26014-060162 | ボルト (ヒラ+ハ) 6X16   | 2   |     |     |     |     |     |   |   |
| 46  | 1   | 26014-060162 | ボルト (ヒラ+ハ) 6X16   | 4   |     |     |     |     |     |   |   |
| 47  | 1   | 26014-080202 | ボルト (ヒラ+ハ) 8X20   | 2   |     |     |     |     |     |   |   |
| 48  | 1   | 26014-080202 | ボルト (ヒラ+ハ) 8X20   | 4   |     |     |     |     |     |   |   |
| 49  | 1   | 26014-080202 | ボルト (ヒラ+ハ) 8X20   | 4   |     |     |     |     |     |   |   |
| 50  | 1   | 26014-080202 | ボルト (ヒラ+ハ) 8X20   | 1   |     |     |     |     |     |   |   |
| 51  | 1   | 26014-080202 | ボルト (ヒラ+ハ) 8X20   | 2   |     |     |     |     |     |   |   |
| 52  | 1   | 26014-080202 | ボルト (ヒラ+ハ) 8X20   | 4   |     |     |     |     |     |   |   |
| 53  | 1   | 26014-080202 | ボルト (ヒラ+ハ) 8X20   | 4   |     |     |     |     |     |   |   |

N:旧 → 新, Q:旧 → 新, R:旧 → 新, S:旧 → 新, W:追加, Z:廃止, F:セット互換, K:個数変更

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=




| No. | レール | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6681-05010 | アブソーバ (サンジ)       | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-06100 | スクリーン (ロータリ)      | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-06130 | ギヤ (80)           | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-06203 | スクリーンフレーム         | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A80-06260 | ブラケット (モータ)       | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-06301 | シール (スクリーン)       | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-06400 | ギヤ (クト) 9         | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 7E6B90-06460 | タクトCMP (キウイン PL   | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E8940-06472 | シール (キウインタクト)     | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6B90-06480 | ボルト (ノブ) 6X16     | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E4970-11080 | カラー (2シク)         | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E9570-14340 | スベーサ (2.0)        | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E6C30-81600 | モータ (DCモータ63      | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 22242-000150 | トメワC (シク 15       | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 22252-000320 | トメワC (アサ 32       | 2   |     |     |     |     |     |   |   |
| 18  | 1   | 24104-060024 | ベアリング (ホール 6002UU | 2   |     |     |     |     |     |   |   |
| 19  | 1   | 26014-060162 | ボルト (ヒラハネ) 6X16   | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 26014-060162 | ボルト (ヒラハネ) 6X16   | 3   |     |     |     |     |     |   |   |
| 21  | 1   | 26014-060162 | ボルト (ヒラハネ) 6X16   | 3   |     |     |     |     |     |   |   |
| 22  | 1   | 26014-080202 | ボルト (ヒラハネ) 8X20   | 4   |     |     |     |     |     |   |   |
| 23  | 1   | 26014-080202 | ボルト (ヒラハネ) 8X20   | 2   |     |     |     |     |     |   |   |
| 24  | 1   | 26051-080002 | ナット (ハネ) 8        | 1   |     |     |     |     |     |   |   |




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=


| No. | レール | 部品番号         | 部品名称         | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |              | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-06560 | ホース(キューイン)   | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-06571 | ステー(ホース)     | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-06681 | シール(キュージン)   | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 22137-120000 | サガネ(ミガキ 12)  | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 22217-120000 | バネサガネ(12)    | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 23000-115000 | ホースクリップ(115) | 2   |     |     |     |     |     |   |   |
| 7   | 1   | 25122-004700 | Vベルト(トク A47) | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 26717-120002 | ナット(M12)     | 1   |     |     |     |     |     |   |   |





| No. | レール | 部品番号           | 部品名称          | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|---------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |               | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-51410   | カバー(ヒレイン マ    | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-51450   | カバー(ヒレイン ウ    | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6B90-51951   | カバー(センサ       | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C30-66450-1 | ジョイント(R1/8    | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6C30-66460   | ホース(L=720     | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E8350-75300   | プロテクタ(ガード     | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 23080-015000   | ホースクランプ (15   | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 26014-060162   | ボルト(ヒラハネ 6X16 | 4   |     |     |     |     |     |   |   |
| 9   | 1   | 26014-080202   | ボルト(ヒラハネ 8X20 | 2   |     |     |     |     |     |   |   |
| 10  | 1   | 26014-080202   | ボルト(ヒラハネ 8X20 | 2   |     |     |     |     |     |   |   |

Fig.15. 走行駆動



(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-51000 | スプリング (30X174      | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-51022 | ゲージ (テンション         | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-51051 | アーム (リコウテンション      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-51300 | ロッド (テンション         | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6B80-51310 | Vベルト (B64 H4       | 3   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-51330 | ホルト (シテン M16       | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-51340 | カラー (17X22X17.5    | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-56010 | ローラ (100           | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E8945-79110 | シール (ト アシタ B       | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 22217-160000 | パネサカネ (16          | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 22217-160000 | パネサカネ (16          | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 22252-000401 | トメワC (ア+ 40        | 2   |     |     |     |     |     |   |   |
| 13  | 1   | 22252-000521 | トメワC (ア+ 52        | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 24104-062034 | ベアリング (ホー ル 6203UU | 2   |     |     |     |     |     |   |   |
| 15  | 1   | 24104-063044 | ベアリング (ホー ル 6304UU | 2   |     |     |     |     |     |   |   |
| 16  | 1   | 26014-060162 | ホルト (ヒラ+パネ 6X16    | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 26717-120002 | ナット (M12           | 2   |     |     |     |     |     |   |   |
| 18  | 1   | 26737-160002 | ナット (ホソ M16        | 1   |     |     |     |     |     |   |   |

(A)=DS10-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=


| No. | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6C13-51500 | ベース(リテーナ シタ      | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-56010 | ロー(100           | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-56040 | Vベルト(LB68-AG8    | 3   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-56200 | オサエサ( Dベルト       | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A80-56253 | リテーナ(ベルトウシロ      | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-56451 | ステー(ベルトオサエ       | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-56602 | アーム(Dテンション 145   | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6C30-56900 | リテーナ(ベルト B       | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 22157-080000 | ザカネ(タマール 8       | 2   |     |     |     |     |     |   |   |
| 10  | 1   | 22217-100000 | バネサカネ(10         | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 22217-160000 | バネサカネ(16         | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 22252-000521 | トメワ(アナ 52        | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 24104-063044 | ベアリング(ボール 6304UU | 2   |     |     |     |     |     |   |   |
| 14  | 1   | 26013-080202 | ホルト(バネ 8X20      | 2   |     |     |     |     |     |   |   |
| 15  | 1   | 26014-080202 | ホルト(ヒラバネ 8X20    | 2   |     |     |     |     |     |   |   |
| 16  | 1   | 26014-080202 | ホルト(ヒラバネ 8X20    | 2   |     |     |     |     |     |   |   |
| 17  | 1   | 26014-100602 | ホルト(ヒラバネ 10X60   | 2   |     |     |     |     |     |   |   |
| 18  | 1   | 26116-100952 | ホルト(10X95        | 2   |     |     |     |     |     |   |   |
| 19  | 1   | 26737-160002 | ナット(ボ M16        | 1   |     |     |     |     |     |   |   |




(A)=DS10-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レバ | 部品番号         | 部品名称                | 数量  |     |     |     |     |     | I | R |
|-----|----|--------------|---------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |    |              |                     | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1  | 1E6681-05010 | アブソーバ(サージ)          | 1   |     |     |     |     |     |   |   |
| 2   | 1  | 1C6140-47210 | ワッシャ(9X32X3.2)      | 1   |     |     |     |     |     |   |   |
| 3   | 1  | 1A8060-52130 | スイッチCMP(ブレーキリンク NO) | 1   |     |     |     |     |     |   |   |
| 4   | 2  | 1A8060-52140 | スイッチ(ブレーキリンク NO)    | 1   |     |     |     |     |     |   |   |
| 5   | 2  | 1A8060-52170 | マグネット(ブレーキリンク)      | 1   |     |     |     |     |     |   |   |
| 6   | 1  | 1A8060-52150 | スイッチCMP(ブレーキリンク)    | 1   |     |     |     |     |     |   |   |
| 7   | 2  | 1A8060-52160 | スイッチ(ブレーキリンク)       | 1   |     |     |     |     |     |   |   |
| 8   | 2  | 1A8060-52170 | マグネット(ブレーキリンク)      | 1   |     |     |     |     |     |   |   |
| 9   | 1  | 1E6A80-56050 | スプリング(27X200)       | 1   |     |     |     |     |     |   |   |
| 10  | 1  | 1E6C70-56300 | スタントCMP(クラッチ)       | 1   |     |     |     |     |     |   |   |
| 11  | 1  | 1E6A80-56380 | ギヤ(Dクラッチ 9)         | 1   |     |     |     |     |     |   |   |
| 12  | 1  | 1E6A80-56550 | ロッド(テンション D)        | 1   |     |     |     |     |     |   |   |
| 13  | 1  | 1E6A80-56650 | アーム(リンク)            | 1   |     |     |     |     |     |   |   |
| 14  | 1  | 1E6C70-56701 | レバー(Dクラッチ)          | 1   |     |     |     |     |     |   |   |
| 15  | 1  | 1E6C70-56750 | プレート(スイッチ)          | 1   |     |     |     |     |     |   |   |
| 16  | 1  | 1E6C70-56820 | ブラケット(スイッチ A)       | 1   |     |     |     |     |     |   |   |
| 17  | 1  | 1E6C70-56830 | ブラケット(スイッチ B)       | 1   |     |     |     |     |     |   |   |
| 18  | 1  | 1E6150-73410 | ワッシャ(12334.5)       | 1   |     |     |     |     |     |   |   |
| 19  | 1  | 1E6A80-81600 | モータ(DC)             | 1   |     |     |     |     |     |   |   |
| 20  | 1  | 22117-080000 | サグネ(コマル 8)          | 1   |     |     |     |     |     |   |   |
| 21  | 1  | 22217-100000 | ハネサグネ(10)           | 1   |     |     |     |     |     |   |   |
| 22  | 1  | 22242-000150 | トメワG(ジク 15)         | 1   |     |     |     |     |     |   |   |
| 23  | 1  | 22252-000350 | トメワG(アナ 35)         | 1   |     |     |     |     |     |   |   |
| 24  | 1  | 22252-000471 | トメワG(アナ 47)         | 2   |     |     |     |     |     |   |   |
| 25  | 1  | 24104-060054 | ベアリング(ボール 6005UU)   | 2   |     |     |     |     |     |   |   |
| 26  | 1  | 24104-062024 | ベアリング(ボール 6202UU)   | 1   |     |     |     |     |     |   |   |
| 27  | 1  | 26014-060162 | ボール(ヒラハネ 6X16)      | 1   |     |     |     |     |     |   |   |
| 28  | 1  | 26014-060162 | ボール(ヒラハネ 6X16)      | 1   |     |     |     |     |     |   |   |
| 29  | 1  | 26014-060162 | ボール(ヒラハネ 6X16)      | 1   |     |     |     |     |     |   |   |
| 30  | 1  | 26014-060162 | ボール(ヒラハネ 6X16)      | 3   |     |     |     |     |     |   |   |
| 31  | 1  | 26014-060162 | ボール(ヒラハネ 6X16)      | 1   |     |     |     |     |     |   |   |
| 32  | 1  | 26014-060162 | ボール(ヒラハネ 6X16)      | 2   |     |     |     |     |     |   |   |
| 33  | 1  | 26014-100252 | ボール(ヒラハネ 10X25)     | 4   |     |     |     |     |     |   |   |
| 34  | 1  | 26022-050102 | ナベコネシ(ハネ 5X10)      | 2   |     |     |     |     |     |   |   |
| 35  | 1  | 26023-050252 | ナベコネシ(ヒラハネ M5X25)   | 2   |     |     |     |     |     |   |   |
| 36  | 1  | 26346-080002 | Uナット(M8)            | 1   |     |     |     |     |     |   |   |
| 37  | 1  | 26717-100002 | ナット(M10)            | 2   |     |     |     |     |     |   |   |
| 38  | 1  | 26717-100002 | ナット(M10)            | 2   |     |     |     |     |     |   |   |



OCNP7-M01300 走行部(1)  
Fig.18. パーキングブレーキ



OCNP7-M01300 Fig.18


(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称                 | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                      | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 187A13-52200 | ブレーキ ASY             | 1   |     |     |     |     |     |   |   |
| 2   | 2   | 187A13-52220 | ブレーキカバー              | 1   |     |     |     |     |     |   |   |
| 3   | 2   | 187A13-52240 | ドラムCMP (ブレーキ)        | 1   |     |     |     |     |     |   |   |
| 4   | 2   | 187A13-52250 | シューSET (ブレーキ)        | 1   |     |     |     |     |     |   |   |
| 5   | 2   | 1E6140-52260 | カムシャフト (パーキングブレーキ)   | 1   |     |     |     |     |     |   |   |
| 6   | 2   | 187A13-52280 | レバー (ブレーキ)           | 1   |     |     |     |     |     |   |   |
| 7   | 2   | 1E6140-52280 | スプリング (ブレーキシューモーション) | 1   |     |     |     |     |     |   |   |
| 8   | 2   | 22137-100000 | サガネ (ミガキ 10)         | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 22217-100000 | バネサガネ (10)           | 1   |     |     |     |     |     |   |   |
| 10  | 2   | 24311-000140 | Oリング (1AP14.0)       | 1   |     |     |     |     |     |   |   |
| 11  | 2   | 26716-100002 | ナット (M10)            | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E8650-52340 | スプリング (モーション)        | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 187A13-52420 | アウタケ CMP             | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 22137-100000 | サガネ (ミガキ 10)         | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 22287-100000 | スーパースローサガネ (10)      | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 24341-001000 | Oリング (1AS100.0)      | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 26016-060162 | ボルト (スーパースロー 6X16)   | 4   |     |     |     |     |     |   |   |
| 18  | 1   | 26106-100502 | ワッシャー (10X50)        | 2   |     |     |     |     |     |   |   |
| 19  | 1   | 26716-100002 | ナット (M10)            | 3   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=



| No. | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 198071-24350 | プレート(ケユマト)       | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1A1040-28470 | ウインドウ(ケユ 25      | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 194850-42500 | キャップ(オイル 33      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 187A13-53013 | ケース(ミッション L      | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 187A13-53041 | ケース(トランスミッション R  | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 187A13-53070 | パッキン(ミッションケース    | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 105430-67110 | クランプ(コート         | 7   |     |     |     |     |     |   |   |
| 8   | 1   | 22190-080000 | シールワッシャー(ホルトヨウ 8 | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 22312-080160 | ヘイコウピン(M8X16     | 2   |     |     |     |     |     |   |   |
| 10  | 1   | 23491-140002 | ドレンプラグ(14        | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 24311-000160 | リング(1AP16.0      | 2   |     |     |     |     |     |   |   |
| 12  | 1   | 24351-240300 | リング(1A24030      | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 26106-080162 | ワハホルト(8X16       | 8   |     |     |     |     |     |   |   |
| 14  | 1   | 26106-100502 | ワハホルト(10X50      | 3   |     |     |     |     |     |   |   |
| 15  | 1   | 26106-100602 | ワハホルト(10X60      | 12  |     |     |     |     |     |   |   |
| 16  | 1   | 26106-100852 | ワハホルト(10X85      | 8   |     |     |     |     |     |   |   |
| 17  | 1   | 27260-250000 | ホフプラグ(25         | 1   |     |     |     |     |     |   |   |

Fig.20. センサー

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 187A13-53350 | ケースCMP (センサ     | 2   |     |     |     |     |     |   |   |
| 2   | 2   | 1A7180-52611 | センサ(カイトン Oケンシユツ | 4   |     |     |     |     |     |   |   |
| 3   | 2   | 187A13-53360 | ケース (センサ        | 2   |     |     |     |     |     |   |   |
| 4   | 2   | 24341-000460 | Oリング (1AS46. 0  | 2   |     |     |     |     |     |   |   |
| 5   | 2   | 26106-080302 | ツバホルト (8X30     | 2   |     |     |     |     |     |   |   |
| 6   | 2   | 26106-080402 | ツバホルト (8X40     | 2   |     |     |     |     |     |   |   |
| 7   | 2   | 26450-060142 | 6カク7ナホルト (M6X14 | 4   |     |     |     |     |     |   |   |







Fig.21. 車軸ケース




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 187A13-53453 | ケース(アスル L       | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 187A13-53462 | ケース(アスル R       | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 187A19-53470 | パッキン(アスルケース MRC | 2   |     |     |     |     |     |   |   |
| 4   | 1   | 22312-080160 | ヘイコウピン(M8X16    | 4   |     |     |     |     |     |   |   |
| 5   | 1   | 23491-140002 | ドレンブラグ(14       | 4   |     |     |     |     |     |   |   |
| 6   | 1   | 24311-000160 | リング(1AP16.0     | 4   |     |     |     |     |     |   |   |
| 7   | 1   | 26106-100502 | ワッシャー(10X50     | 22  |     |     |     |     |     |   |   |


Fig.22. 入力軸




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 187A13-54010 | ニュウリョクシク        | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 187A13-54030 | キヤ(31T          | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 187A13-54050 | Vフーリ(169-B3     | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 22157-160000 | サガネ(タイマル 16     | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 22217-160000 | バネサガネ(16        | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 22242-000400 | トメ7C(シク 40      | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 22551-070400 | キー(7X40         | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 24101-063064 | ヘアリンク(ホー 6306   | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 24101-063074 | ヘアリンク(ホー 6307   | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 24421-355008 | オイルシール(TC355008 | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 26737-160002 | ナット(ホソ M16      | 1   |     |     |     |     |     |   |   |




| No. | レール | 部品番号         | 部品名称           | 数量  |     |     |     |     |     | I R |
|-----|-----|--------------|----------------|-----|-----|-----|-----|-----|-----|-----|
|     |     |              |                | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 1   | 1   | 187A13-54100 | キヤ(30T D1      | 1   |     |     |     |     |     |     |
| 2   | 1   | 24101-060074 | ベアリング(ホ-ル 6007 | 1   |     |     |     |     |     |     |
| 3   | 1   | 24101-062074 | ベアリング(ホ-ル 6207 | 1   |     |     |     |     |     |     |



| No. | レベル | 部品番号         | 部品名称          | 数量  |     |     |     |     |     | I R |
|-----|-----|--------------|---------------|-----|-----|-----|-----|-----|-----|-----|
|     |     |              |               | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 1   | 1   | 187A13-54131 | キヤ(30T S1     | 1   |     |     |     |     |     |     |
| 2   | 1   | 24101-060074 | ベアリング(本) 6007 | 2   |     |     |     |     |     |     |

Fig.25. 走行駆動軸(2番)



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=


| No. | レール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 187A13-54200 | ギヤ(32T D2       | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 22242-000240 | トメ7C(シク 24      | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 22242-000500 | トメ7C(シク 50      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 24101-062104 | ペーリング(ホー ル 6210 | 1   |     |     |     |     |     |   |   |

OCNP7-M01300 走行部(1)  
Fig.26. 走行駆動軸(3番)


(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1N3590-25430 | ワッシャ(スラスト 20X34X2 | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 187A13-54300 | シャフト(D3           | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 187A13-54310 | ギヤ(ハイ 40T         | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 187A13-54330 | ギヤ(L 18T          | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 187A13-54350 | ギヤ(25TD3          | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 22242-000400 | トメグC(シク 40        | 2   |     |     |     |     |     |   |   |
| 7   | 1   | 24101-062044 | ベアリング(ホール 6204    | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 24101-063074 | ベアリング(ホール 6307    | 1   |     |     |     |     |     |   |   |



OCNP7-M01300 走行部(1)  
Fig.27. 走行駆動軸(4番)




(A)=DS1C-6101T, 101  
(B)=  
(C)=

OCNP7-M01300 Fig.27

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 148605-51080 | シール(オイル 25X40X8  | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 187A13-54400 | シャフト(D4          | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 187A13-54410 | ギヤ(ハイ 27T        | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 187A13-54441 | ギヤCMP(L 25T      | 1   |     |     |     |     |     |   |   |
| 5   | 2   | 187A19-54670 | ブッシュ(30X34X15    | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 187A13-54451 | シフトSET           | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 187A13-54480 | ギヤ(26T D4        | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 187A13-54500 | ギヤ(センサ 16T       | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E8540-55130 | カラー(30X44X2      | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 22242-000300 | トマC(ジク 30        | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 24101-063054 | ベアリング(ホール 6305   | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 24101-063064 | ベアリング(ホール 6306   | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 24423-153007 | シール TC153007     | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 26016-080202 | ボルト(スーパ ロック 8X20 | 1   |     |     |     |     |     |   |   |

Fig.28. PTOシャフト




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レベル | 部品番号         | 部品名称                | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|---------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                     | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 192180-25990 | ベアリング (205RSH2      | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 187A13-54600 | シャフト (PTO           | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 187A13-54610 | ギヤ (PTO 25T         | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 187A13-54651 | Vベルト (154C          | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 187A19-54910 | ワッシャ (12. 1X35X4. 5 | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 22242-000220 | トメグC (シク 22         | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 22252-000520 | トメグC (ア 52          | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 22551-050200 | キー (5X20            | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 24421-255210 | オイルシール (TC255210    | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 26366-120002 | ナット (M12            | 1   |     |     |     |     |     |   |   |



Fig.29. 旋回駆動軸(2番)




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称                | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|---------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                     | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8770-52280 | プレート(フリクション 60      | 7   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8770-52290 | プレート(スチール 1.52T     | 6   |     |     |     |     |     |   |   |
| 3   | 1   | 187A13-55002 | カラー(ダ'ンツキ 11C       | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 187A13-55030 | シャフト(S2             | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 187A03-55041 | カラー(43X60X13.5      | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 187A13-55041 | ギ'ヤ(S 16T S2        | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 187A13-55051 | カラー(カム              | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 187A03-55060 | カラー(ダ'ンツキ           | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 187A13-55080 | カラー(32.9X38X30      | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 187A03-55090 | カラー(ダ'ンツキ 2         | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 187A13-55101 | センカイブ'レーキース S2      | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 187A13-55121 | スプ'リンク' (Sフ'レーキ     | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 22242-000300 | トメ'グ(シ'ク 30         | 2   |     |     |     |     |     |   |   |
| 14  | 1   | 22252-000620 | トメ'グ(ア'ナ 62         | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 24101-062064 | ベ'アリンク' (ホ'ール 6206  | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 24105-060064 | ベ'アリンク' (ホ'ール 6006Z | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 24321-000700 | リング' (1AG70.0       | 1   |     |     |     |     |     |   |   |
| 18  | 1   | 26106-080302 | ワ'ハ'ホ'ルト(8X30       | 3   |     |     |     |     |     |   |   |

Fig.30. 巡回駆動軸(3番)



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 187A13-54500 | ギヤ(センサ 16T       | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 187A13-55150 | シャフト(S3          | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 187A13-55160 | ギヤ(27TS3         | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 24101-063054 | ベアリング(ボール 6305   | 2   |     |     |     |     |     |   |   |
| 5   | 1   | 24423-153007 | シール TC153007     | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 26016-080202 | ボルト(スーパ ロック 8X20 | 1   |     |     |     |     |     |   |   |

Fig.31. 巡回駆動軸(4番)

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称           | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 187A12-55431 | シャフト(S6        | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 24101-063064 | ベアリング(ボール 6306 | 2   |     |     |     |     |     |   |   |




Fig.32. 巡回駆動軸(5番)

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 192180-25800 | ニートル(30X37X20     | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8540-55130 | カラー(30X44X2       | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 187A12-55411 | シャフト(S7イトル 7      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 187A12-55492 | ギヤ(イトル 19T        | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 187A12-55510 | カラー(30X35X8       | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E8780-55540 | ワッシャ(スラスト マワリトメツキ | 1   |     |     |     |     |     |   |   |






Fig.33. プラネタリ



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レベ | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |    |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1  | 194311-13550 | スベ-サ(キヤケース        | 2   |     |     |     |     |     |   |   |
| 2   | 1  | 194850-25760 | ベアリング(ホ-ル 6203    | 2   |     |     |     |     |     |   |   |
| 3   | 1  | 1E8680-55171 | キヤ(サン             | 1   |     |     |     |     |     |   |   |
| 4   | 1  | 1E8730-55192 | ピニオン(プラネタリ        | 8   |     |     |     |     |     |   |   |
| 5   | 1  | 1E8540-55270 | トメワ(ジク 36         | 2   |     |     |     |     |     |   |   |
| 6   | 1  | 1E8540-55401 | カラ- (78X94X1      | 2   |     |     |     |     |     |   |   |
| 7   | 1  | 187A13-55530 | キャリ7(プラネタリ 4      | 2   |     |     |     |     |     |   |   |
| 8   | 1  | 1E8730-55563 | キヤ(センタ            | 1   |     |     |     |     |     |   |   |
| 9   | 1  | 1E8730-55570 | ワッシャ(スラスト 18X30X1 | 16  |     |     |     |     |     |   |   |
| 10  | 1  | 187A12-55590 | シャフト(プラネタリ        | 8   |     |     |     |     |     |   |   |
| 11  | 1  | 187A14-55601 | キヤCMP(インターナル      | 2   |     |     |     |     |     |   |   |
| 12  | 1  | 22252-000950 | トメワC(ア+ 95        | 2   |     |     |     |     |     |   |   |
| 13  | 1  | 22252-001200 | トメワC(ア+ 120       | 2   |     |     |     |     |     |   |   |
| 14  | 1  | 24101-063114 | ベアリング(ホ-ル 6311    | 2   |     |     |     |     |     |   |   |
| 15  | 1  | 24161-182412 | ベアリング(ニ-トル 182412 | 16  |     |     |     |     |     |   |   |




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 187A13-55601 | シャフト(リダクション 12T AG | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 24101-063094 | ベアリング(ボール 6309     | 2   |     |     |     |     |     |   |   |

OCNP7-M01300 走行部(1)  
Fig.35. スプロケット軸




OCNP7-M01300 Fig.35

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称                 | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                      | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8680-55561 | カラー(ターハ)             | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 187A13-55622 | ギヤ(ファイナル 35T AG      | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 187A13-55652 | シャフト(アックス L          | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 187A13-55672 | シャフト(アックス R          | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 187A13-55700 | シールSET(アックス          | 2   |     |     |     |     |     |   |   |
| 6   | 2   | 1B1604-14840 | シール(オイル QLFY508014.5 | 2   |     |     |     |     |     |   |   |
| 7   | 2   | 1E8540-55380 | ワッシャ(スラスト 40X60X2.3  | 2   |     |     |     |     |     |   |   |
| 8   | 2   | 187A13-55710 | カラー(シール 40X50X21     | 2   |     |     |     |     |     |   |   |
| 9   | 2   | 24341-000400 | Oリング(1AS40.0         | 2   |     |     |     |     |     |   |   |
| 10  | 1   | 187A13-55800 | ベアリング(6208 2RS SH2   | 4   |     |     |     |     |     |   |   |
| 11  | 1   | 22252-000800 | トモC(ア 80             | 2   |     |     |     |     |     |   |   |
| 12  | 1   | 24101-063084 | ベアリング(ホール 6308       | 2   |     |     |     |     |     |   |   |
| 13  | 1   | 24102-063094 | ベアリング(ホール 6309U      | 2   |     |     |     |     |     |   |   |

Fig.36. HST




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=


| No. | レール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 168HQ3-29004 | HT-42SA ASSY    | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 22312-080160 | ヘイコピン(M8X16     | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 24321-000850 | Oリング(1AG85.0    | 3   |     |     |     |     |     |   |   |
| 4   | 1   | 24321-001000 | Oリング(1AG100.0   | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 26106-120402 | ワッシャー(12X40     | 2   |     |     |     |     |     |   |   |
| 6   | 1   | 26226-120402 | ウエコミット(2D 12X40 | 2   |     |     |     |     |     |   |   |
| 7   | 1   | 26366-120002 | ワッシャー(M12       | 2   |     |     |     |     |     |   |   |





| No. | レベル | 部品番号         | 部品名称                | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|---------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                     | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 194197-27681 | ﾌﾞﾚｰﾄ(ｷｰﾌﾟ          | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8350-54900 | ｽﾌﾟﾘﾝｸﾞ(ﾌｵｰｸｲﾝﾅ     | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6210-54920 | ｽﾌﾟﾘﾝｸﾞ(23          | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 187A13-56100 | ﾌｵｰｸ(ﾌｹﾍﾝｿｸ         | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 187A13-56120 | ｼｬﾌﾄ(ﾌｵｰｸ           | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 187A13-56150 | ｼｬﾌﾄCMP(ﾌｹﾍﾝｿｸ      | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 187A13-56190 | ﾌｹﾍﾝｿｸﾚﾊﾞｰCMP       | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 22351-035032 | ｽﾌﾟﾘﾝｸﾞﾋﾞﾝ(3.5AX32  | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 22351-060032 | ｽﾌﾟﾘﾝｸﾞﾋﾞﾝ(6.0AX32  | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 24190-100001 | ｽﾁｰﾙﾎｰﾙ(5/16        | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 24311-000125 | ｵﾘﾝｸﾞ(1AP12.5       | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 26016-080202 | ﾎｰﾙﾄﾞ(ｽｰﾊﾟｰﾛｯｸ 8X20 | 1   |     |     |     |     |     |   |   |

Fig.38. 配管




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レベ | 部品番号         | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-----|----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |    |              |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1  | 194856 24920 | ベント (サクション)        | 1   |     |     |     |     |     |   |   |
| 2   | 1  | 187A13-56480 | サクションフタ            | 1   |     |     |     |     |     |   |   |
| 3   | 1  | 187A13-56510 | サクションCMP           | 1   |     |     |     |     |     |   |   |
| 4   | 1  | 187A13-56760 | ツキテ (フィルター)        | 1   |     |     |     |     |     |   |   |
| 5   | 1  | 187A13-56950 | センカイバ イブ CMP       | 1   |     |     |     |     |     |   |   |
| 6   | 1  | 1E8540-66140 | エルボ (サツキ G3/4-20)  | 1   |     |     |     |     |     |   |   |
| 7   | 1  | 1E8050-66790 | フィルタ (150メッシュ)     | 1   |     |     |     |     |     |   |   |
| 8   | 1  | 23414-180000 | パツキン (マル 18X1.0)   | 2   |     |     |     |     |     |   |   |
| 9   | 1  | 23857-120000 | カンツキテボルト (12)      | 1   |     |     |     |     |     |   |   |
| 10  | 1  | 24311-000140 | リング (1AP14.0)      | 1   |     |     |     |     |     |   |   |
| 11  | 1  | 24311-000150 | リング (1AP15.0)      | 1   |     |     |     |     |     |   |   |
| 12  | 1  | 24311-000320 | リング (1AP32.0)      | 1   |     |     |     |     |     |   |   |
| 13  | 1  | 24321-000250 | リング (1AG25.0)      | 1   |     |     |     |     |     |   |   |
| 14  | 1  | 24341-000750 | リング (1AS75.0)      | 1   |     |     |     |     |     |   |   |
| 15  | 1  | 26016-060552 | ボルト (スーパ ロック 6X55) | 3   |     |     |     |     |     |   |   |
| 16  | 1  | 26016-080202 | ボルト (スーパ ロック 8X20) | 3   |     |     |     |     |     |   |   |
| 17  | 1  | 26018-060162 | ボルト (ヒラスーパ 6X16)   | 1   |     |     |     |     |     |   |   |
| 18  | 1  | 26018-080202 | ボルト (ヒラスーパ 8X20)   | 1   |     |     |     |     |     |   |   |
| 19  | 1  | KRCA1808     | シールキャップ SC 18-8    | 1   |     |     |     |     |     |   |   |


CCNP7-M01300 走行部(1)  
Fig.39. カウンターケース(1)



備考  
(1)インナーパーツは、Fig.39 から Fig.42 を含みます

|     |     |              |                  | OCNP7-M01300 Fig.39 |      |     |     |     |     |   |   |  |  |
|-----|-----|--------------|------------------|---------------------|------|-----|-----|-----|-----|---|---|--|--|
|     |     |              |                  | (A)=DS10-6101T, 101 | (D)= |     |     |     |     |   |   |  |  |
|     |     |              |                  | (B)=                | (E)= |     |     |     |     |   |   |  |  |
|     |     |              |                  | (C)=                | (F)= |     |     |     |     |   |   |  |  |
| No. | レベル | 部品番号         | 部品名称             | 数量                  |      |     |     |     |     | I | R |  |  |
|     |     |              |                  | (A)                 | (B)  | (C) | (D) | (E) | (F) |   |   |  |  |
| 1   | 1   | 1K1194-59054 | ケースCMP (カウンタ     | 1                   |      |     |     |     |     |   | 1 |  |  |
| 2   | 2   | 1A7070-48390 | コネクタ (R3/8X16.9  | 1                   |      |     |     |     |     |   |   |  |  |
| 3   | 2   | 1K1194-59020 | フタ (カウンタケース T    | 1                   |      |     |     |     |     |   |   |  |  |
| 4   | 2   | 1E8940-59840 | バッキング (カウンタケース G | 1                   |      |     |     |     |     |   |   |  |  |
| 5   | 2   | 1E6A80-59900 | ステー (ハーネス        | 1                   |      |     |     |     |     |   |   |  |  |
| 6   | 2   | 1E6A80-66020 | エッジ CMP (R1-26   | 1                   |      |     |     |     |     |   |   |  |  |
| 7   | 2   | 1E6A80-66451 | ホース (トレン 16-550  | 1                   |      |     |     |     |     |   |   |  |  |
| 9   | 2   | 23000-035000 | ホースタリップ (35      | 1                   |      |     |     |     |     |   |   |  |  |
| 10  | 2   | 26014-080202 | ホルト (ヒラ+パネ 8X20  | 2                   |      |     |     |     |     |   |   |  |  |
| 11  | 2   | 26014-080302 | ホルト (ヒラ+パネ 8X30  | 10                  |      |     |     |     |     |   |   |  |  |


OCNP7-M01300 走行部(1)  
Fig.40. カウンターケース(2)



OCNP7-M01300 Fig.40  
(A)=DS1C-6101T, 101  
(B)=  
(C)=  
(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 2   | 198071-24350 | プレート(ケユマト)       | 2   |     |     |     |     |     |   |   |
| 2   | 2   | 198071-24350 | プレート(ケユマト)       | 1   |     |     |     |     |     |   |   |
| 3   | 2   | 1A6260-24410 | ウインドウ(ケユ 25      | 2   |     |     |     |     |     |   |   |
| 4   | 2   | 1A6260-24410 | ウインドウ(ケユ 25      | 1   |     |     |     |     |     |   |   |
| 5   | 2   | 1A1040-26060 | ピン(ヘイコウ 8X28     | 6   |     |     |     |     |     |   |   |
| 6   | 2   | 1E8605-53050 | ホルト(トレン マグ ネットツキ | 1   |     |     |     |     |     |   |   |
| 7   | 2   | 1E6071-53360 | カバー(チュウ 35       | 1   |     |     |     |     |     |   |   |
| 8   | 2   | 1E6B90-59011 | ケース(カウンタ C       | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 1E6A80-59022 | ケース(カウンタ R       | 1   |     |     |     |     |     |   |   |
| 10  | 2   | 1E8940-59030 | パッキン(カウンタケース A   | 1   |     |     |     |     |     |   |   |
| 11  | 2   | 1E6C30-59040 | パッキン(カウンタケース B   | 1   |     |     |     |     |     |   |   |
| 12  | 2   | 1K1194-59151 | フタ(カウンタケース L     | 1   |     |     |     |     |     |   |   |
| 13  | 2   | 1E6A80-81551 | センサ(カイト          | 1   |     |     |     |     |     |   |   |
| 14  | 2   | 1E6020-83890 | クランプ(コート         | 1   |     |     |     |     |     |   |   |
| 15  | 2   | 22217-080000 | パネサカネ(8          | 2   |     |     |     |     |     |   |   |
| 16  | 2   | 24311-000160 | リング(1AP16.0      | 1   |     |     |     |     |     |   |   |
| 17  | 2   | 26013-080452 | ホルト(ハネ 8X45      | 7   |     |     |     |     |     |   |   |
| 18  | 2   | 26014-060162 | ホルト(ヒラハネ 6X16    | 1   |     |     |     |     |     |   |   |
| 19  | 2   | 26014-080302 | ホルト(ヒラハネ 8X30    | 13  |     |     |     |     |     |   |   |
| 20  | 2   | 26116-081352 | ホルト(8X135        | 2   |     |     |     |     |     |   |   |
| 21  | 2   | 27260-420002 | ホアラケ(キョウ 42      | 1   |     |     |     |     |     |   |   |


0CNP7-M01300 走行部(1)  
Fig.41. カウンターケース(3)



0CNP7-M01300 Fig.41  
(A)=DS1C-6101T, 101  
(B)=  
(C)=  
(D)=  
(E)=  
(F)=

| No.         | レベル | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-------------|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|             |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1           | 2   | 174842 13740 | ベアリング (6306RSH2  | 1   |     |     |     |     |     |   |   |
| 2           | 2   | 174842-13740 | ベアリング (6306RSH2  | 1   |     |     |     |     |     |   |   |
| 3           | 2   | 1E6680-35021 | スリッパ (30X45X16   | 1   |     |     |     |     |     |   |   |
| 4           | 2   | 1E9060-53170 | ジョイント (25X57     | 1   |     |     |     |     |     |   |   |
| 5           | 2   | 1E6A80-56002 | ブロー (V 269-B3    | 1   |     |     |     |     |     |   |   |
| 6           | 2   | 1E6C30-59090 | シール (TC 45X72X12 | 1   |     |     |     |     |     |   |   |
| 6-1         | 2   | 24421-457212 | オイルシール (TC457212 | 1   |     |     |     |     |     |   | R |
| (A=F100057) |     |              |                  |     |     |     |     |     |     |   |   |
| 7           | 2   | 1E6A80-59100 | ニュートリオン          | 1   |     |     |     |     |     |   |   |
| 8           | 2   | 1K1192-59110 | ギヤ (ベベル 21       | 1   |     |     |     |     |     |   |   |
| 9           | 2   | 1K1194-59300 | シャフト (カウンタ       | 1   |     |     |     |     |     |   |   |
| 10          | 2   | 1E8255-73040 | ワッシャ (16. 5X40X8 | 1   |     |     |     |     |     |   |   |
| 11          | 2   | 22217-160000 | バネ (16           | 1   |     |     |     |     |     |   |   |
| 12          | 2   | 22242-000501 | トメ (シク 50        | 1   |     |     |     |     |     |   |   |
| 13          | 2   | 22252-000220 | トメ (7+ 22        | 1   |     |     |     |     |     |   |   |
| 14          | 2   | 22252-000721 | トメ (7+ 72        | 1   |     |     |     |     |     |   |   |
| 15          | 2   | 22252-000901 | トメ (7+ 90        | 1   |     |     |     |     |     |   |   |
| 16          | 2   | 22551-070300 | キー (7X30         | 1   |     |     |     |     |     |   |   |
| 17          | 2   | 24101-062054 | ベアリング (ベール 6205  | 1   |     |     |     |     |     |   |   |
| 18          | 2   | 24101-062104 | ベアリング (ベール 6210  | 1   |     |     |     |     |     |   |   |
| 19          | 2   | 24421-306210 | オイルシール (TC306210 | 1   |     |     |     |     |     |   |   |
| 20          | 2   | 26737-160002 | ナット (M16         | 1   |     |     |     |     |     |   |   |

Fig.42. カウンターケース(4)




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No.         | レール | 部品番号         | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-------------|-----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|             |     |              |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1           | 2   | 1E6101-12660 | カラー (17. 2X21. 7X5 | 1   |     |     |     |     |     |   |   |
| 2           | 2   | 174842-13740 | ベアリング (6306RSH2    | 2   |     |     |     |     |     |   |   |
| 3           | 2   | 1E6680-35021 | スリーブ (30X45X16     | 1   |     |     |     |     |     |   |   |
| 4           | 2   | 1E8680-36230 | ブッシュ (テンション 17     | 1   |     |     |     |     |     |   |   |
| 5           | 2   | 1E6A80-37061 | ブーリー (V 159. 5-B3  | 1   |     |     |     |     |     |   |   |
| 6           | 2   | 1E8940-37120 | ローラ (110           | 1   |     |     |     |     |     |   |   |
| 8           | 2   | 1E6C30-59090 | シール (TC 45X72X12   | 1   |     |     |     |     |     |   |   |
| 8-1         | 2   | 24421-457212 | オイルシール (TC457212   | 1   |     |     |     |     |     |   | R |
| (A=F100057) |     |              |                    |     |     |     |     |     |     |   |   |
| 9           | 2   | 1E6A80-59200 | シャフト (コキト ウェットウ    | 1   |     |     |     |     |     |   |   |
| 10          | 2   | 1K1192-59210 | ギヤ (ベアリング 17       | 1   |     |     |     |     |     |   |   |
| 11          | 2   | 1E8255-73040 | ワッシャ (16. 5X40X8   | 1   |     |     |     |     |     |   |   |
| 12          | 2   | 22137-120000 | ザグナ (ミガキ 12        | 1   |     |     |     |     |     |   |   |
| 13          | 2   | 22217-160000 | バネザグナ (16          | 1   |     |     |     |     |     |   |   |
| 14          | 2   | 22242-000200 | トメワッシャ (20         | 1   |     |     |     |     |     |   |   |
| 15          | 2   | 22252-000350 | トメワッシャ (7+ 35      | 2   |     |     |     |     |     |   |   |
| 16          | 2   | 22252-000721 | トメワッシャ (7+ 72      | 1   |     |     |     |     |     |   |   |
| 17          | 2   | 22551-070300 | キー (7X30           | 1   |     |     |     |     |     |   |   |
| 18          | 2   | 24104-060034 | ベアリング (ボール 6003UU  | 2   |     |     |     |     |     |   |   |
| 19          | 2   | 24104-060044 | ベアリング (ボール 6004UU  | 2   |     |     |     |     |     |   |   |
| 20          | 2   | 26013-120602 | ホルト (バネ 12X60      | 1   |     |     |     |     |     |   |   |
| 21          | 2   | 26737-160002 | ナット (ボス M16        | 1   |     |     |     |     |     |   |   |
| 22          | 1   | 1E6150-83910 | バンド 195            | 2   |     |     |     |     |     |   |   |
| 23          | 1   | 1547801004   | テンションアームCP:PTO     | 1   |     |     |     |     |     |   |   |

Fig.43. カウンターケース取付



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | バール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 22137-140000 | サカネ(ミガキ 14      | 4   |     |     |     |     |     |   |   |
| 2   | 1   | 22217-140000 | ハネサカネ(14        | 4   |     |     |     |     |     |   |   |
| 3   | 1   | 26156-140602 | ボルト(コタ+ホ) 14X60 | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 26156-140902 | ボルト(コタ+ホ) 14X90 | 3   |     |     |     |     |     |   |   |


(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

数量

I R


| No. | ラベル | 部品番号         | 部品名称                   | (A) | (B) | (C) | (D) | (E) | (F) | I | R |
|-----|-----|--------------|------------------------|-----|-----|-----|-----|-----|-----|---|---|
| 1   | 1   | 198146-15240 | ベアリング (6904LLU         | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1A1040-26060 | ピン(ハコウ 8X28            | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 1E4970-44110 | カラー (10. 4X15X5        | 2   |     |     |     |     |     |   |   |
| 4   | 1   | 194680-51670 | バンド (クリップ              | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6B90-61000 | ホイールCMP (ステアリング        | 1   |     |     |     |     |     |   |   |
| 6   | 2   | 1E8990-61013 | スイッチ (4ホウコウ            | 1   |     |     |     |     |     |   |   |
| 7   | 3   | 1E8990-61030 | キャップ                   | 1   |     |     |     |     |     |   |   |
| 8   | 2   | 1E6A80-61022 | ハーネス                   | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 1E6B90-61910 | ホイール (ステアリング           | 1   |     |     |     |     |     |   |   |
| 10  | 2   | 1E6B90-61920 | キャップ (ヒタリ              | 1   |     |     |     |     |     |   |   |
| 11  | 2   | 1E8915-61920 | スイッチ (ショウコウ            | 1   |     |     |     |     |     |   |   |
| 12  | 2   | 1E6B90-61930 | キャップ (ミギ               | 1   |     |     |     |     |     |   |   |
| 13  | 2   | 1E6B90-61940 | キャップ (センター             | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6C30-61050 | ブラケット (メータ             | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E6A80-61101 | シャフト (ステアリング           | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 1E8940-61140 | カラー (12. 5X21. 7X24. 5 | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 1E8940-61200 | シール (ベアリング             | 1   |     |     |     |     |     |   |   |
| 18  | 1   | 1E6A80-61330 | ケース (ステアリング) ウェ        | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 1E6A80-61400 | ケース (ステアリング) シタ        | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 1E6A80-61420 | ブラケット (ケース             | 1   |     |     |     |     |     |   |   |
| 21  | 1   | 1E6A80-61450 | ブラケット (カバー             | 1   |     |     |     |     |     |   |   |
| 22  | 1   | 1E6A80-61580 | ニギリ (UFOレバー            | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 1E9110-79070 | ワッシャー (コーティング          | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 1E6A80-81301 | レバー (クロス               | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 1E6C70-81451 | センサ (ホテンシヨ ST          | 2   |     |     |     |     |     |   |   |
| 26  | 1   | 1E6102-84970 | バンド (ワイヤメ 140          | 1   |     |     |     |     |     |   |   |
| 27  | 1   | 1E6A80-97381 | ラベル (UFO J             | 1   |     |     |     |     |     |   |   |
| 28  | 1   | 1E6B90-97400 | マーク (UFO ハンドル          | 1   |     |     |     |     |     |   |   |
| 29  | 1   | 1E6B90-97410 | マーク (カリリセンカイ           | 1   |     |     |     |     |     |   |   |
| 30  | 1   | 22137-080000 | ザグ (ネミガキ 8             | 1   |     |     |     |     |     |   |   |
| 31  | 1   | 22252-000370 | トメワC (アナ 37            | 1   |     |     |     |     |     |   |   |
| 32  | 1   | 24351-190220 | オリング (1A19022          | 2   |     |     |     |     |     |   |   |
| 33  | 1   | 26013-080252 | ホルト (ハネ 8X25           | 5   |     |     |     |     |     |   |   |
| 34  | 1   | 26013-100252 | ホルト (ハネ 10X25          | 2   |     |     |     |     |     |   |   |
| 35  | 1   | 26014-060162 | ホルト (ヒラハネ 6X16         | 2   |     |     |     |     |     |   |   |
| 36  | 1   | 26014-060162 | ホルト (ヒラハネ 6X16         | 2   |     |     |     |     |     |   |   |
| 37  | 1   | 26014-080162 | ホルト (ヒラハネ 8X16         | 1   |     |     |     |     |     |   |   |
| 38  | 1   | 26014-080202 | ホルト (ヒラハネ 8X20         | 1   |     |     |     |     |     |   |   |
| 39  | 1   | 26023-040162 | ナベコネシ (ヒラハネ M4X16      | 4   |     |     |     |     |     |   |   |
| 40  | 1   | 26052-060002 | ナツト (サラハネ 6            | 4   |     |     |     |     |     |   |   |
| 41  | 1   | 26116-060122 | ホルト (6X12              | 3   |     |     |     |     |     |   |   |
| 42  | 1   | 26356-120002 | Uナツト (ボリ M12           | 1   |     |     |     |     |     |   |   |





(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=




| No. | レール | 部品番号         | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E4110-16050 | カラー(9. 2X13. 8X9   | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8490-54560 | ベアリング(8-16 UU      | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1A1140-58050 | グリップ(スタンド          | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E8665-61160 | スプリング(ネジリ 4. 0     | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E8665-61180 | アーム(マウント)メ A       | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-61190 | シャフト(テント           | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E8665-61202 | アーム(マウント)メ シタ      | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8665-61230 | スプリング(ネジリ 4. 0     | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A80-61241 | ストッパ(スプリング         | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E8665-61261 | アーム(チルト            | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A80-61350 | ギヤCMP(22T          | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A80-61500 | ギヤCMP(シユウトウ        | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A80-61770 | シャフト(チルトロック        | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1C6660-94100 | ブラケット(ホール 16       | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 144220-99901 | ワッシャー(6. 5X16X1. 6 | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 22137-080000 | ザグネ(ミガキ 8          | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 22217-060000 | ハネザグネ(6            | 1   |     |     |     |     |     |   |   |
| 18  | 1   | 22217-080000 | ハネザグネ(8            | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 22272-000060 | トメワE(6             | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 24104-062004 | ベアリング(ホール 6200UU   | 4   |     |     |     |     |     |   |   |
| 21  | 1   | 24550-012150 | ドライブ(12X15         | 1   |     |     |     |     |     |   |   |
| 22  | 1   | 26014-080252 | ホルト(ヒラハネ 8X25      | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 26052-080002 | ナット(サラハネ 8         | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 26450-060162 | 6カク7ナホルト(M6X16     | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 26717-080002 | ナット(M8             | 1   |     |     |     |     |     |   |   |

OCNP7-M01300 走行部(2)  
Fig.46. ステアリングコラム

(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1A7180-52111 | スイッチCMP (スタータ)  | 1   |     |     |     |     |     |   | 1 |
| 2   | 2   | 1A7180-52120 | スイッチCMP         | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-61601 | ハンドル(ホーストウエ)    | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-61750 | ブラケット(ケース)      | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6B90-62050 | ブラケット(キースイッチ)   | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E9570-81300 | スイッチ(コンビネーション)  | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 26014-080162 | ボルト(ヒラハネ) 8X16  | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 26014-100252 | ボルト(ヒラハネ) 10X25 | 2   |     |     |     |     |     |   |   |
| 9   | 1   | 26052-100002 | ナット(サラハネ) 10    | 2   |     |     |     |     |     |   |   |



備考  
(1)個別キー対応部品  
個別キー用スペアキーの部品番号: 1A7190-XXXX0(個装数量1個)  
部品番号のXXXXの部分に個別のキー番号をあてはめて下さい  
キー番号はオリジナルキーに付属しているタグに表示されています

Fig.47. サイドコラム(1)



(A)=DS10-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称                | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|---------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                     | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1F4124-44410 | ツマミツボルト M6X10       | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1A7347-51200 | クリップ (メタル DTM       | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-62070 | ブラケット (オサエ          | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-62230 | ステー (サイドコラムカバー      | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6B95-62280 | パネル (サイド            | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-62303 | サイドコラムフレーム CMP      | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-62550 | ブラシ (180            | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-62560 | ガイド (レバー マエ         | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A80-62801 | ステー (パネル A          | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A80-62820 | ステー (パネル B          | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A80-62840 | ステー (パネル C          | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A80-62880 | オサエ (ブラシ            | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A80-62890 | ブラシ (135            | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6C30-62901 | カバー (サイドコラム マエ      | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E6A80-62920 | シール (6X4X155        | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 1E6A80-62940 | シール (6X4X325        | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 7E6A80-62952 | サイドコラムカバー ナカ PL シタミ | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 1E6C70-62961 | カバー (サイドコラムウシロ      | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 1E6A80-69630 | プレート (スイッチ 16X22    | 1   |     |     |     |     |     |   |   |
| 26  | 1   | 198093-85650 | ボルト (M6X16          | 5   |     |     |     |     |     |   |   |
| 27  | 1   | 1E6C35-89900 | レセプタクル (USB         | 1   |     |     |     |     |     |   |   |
| 28  | 2   | 1E6C35-89910 | ソケット (USB           | 1   |     |     |     |     |     |   |   |
| 29  | 2   | 1E6C35-89920 | キャップ                | 1   |     |     |     |     |     |   |   |
| 30  | 1   | 1E8560-97220 | ラベル (フクヘンソクソウサ      | 1   |     |     |     |     |     |   |   |
| 31  | 1   | 1E6C30-97240 | ラベル (シユヘンソク         | 1   |     |     |     |     |     |   |   |
| 32  | 1   | 1E6C35-97250 | ラベル (USB マーク        | 1   |     |     |     |     |     |   |   |
| 33  | 1   | 1E8915-97280 | ラベル (チュウシャブ レーキ     | 1   |     |     |     |     |     |   |   |
| 34  | 1   | 1E8450-97290 | ラベル (セフティハ ダル       | 1   |     |     |     |     |     |   |   |
| 35  | 1   | 1E6A80-97311 | ラベル (フクヘンソク         | 1   |     |     |     |     |     |   |   |
| 36  | 1   | 1E6B90-97310 | マーク (チュウユ           | 1   |     |     |     |     |     |   |   |
| 37  | 1   | 1E6B90-97320 | マーク (センカイ           | 1   |     |     |     |     |     |   |   |
| 39  | 1   | 1E6B90-97350 | ラベル (サイド リア         | 1   |     |     |     |     |     |   |   |
| 40  | 1   | 1E6C70-97880 | ラベル (SCR            | 1   |     |     |     |     |     |   |   |
| 41  | 1   | 22217-050000 | バネ (ネジ 5            | 5   |     |     |     |     |     |   |   |
| 42  | 1   | 22217-050000 | バネ (ネジ 5            | 3   |     |     |     |     |     |   |   |
| 43  | 1   | 22217-050000 | バネ (ネジ 5            | 2   |     |     |     |     |     |   |   |
| 44  | 1   | 22857-500160 | タツヒンネジ 3 (ナヘ 5X16   | 5   |     |     |     |     |     |   |   |
| 45  | 1   | 22857-500160 | タツヒンネジ 3 (ナヘ 5X16   | 3   |     |     |     |     |     |   |   |
| 46  | 1   | 22857-500160 | タツヒンネジ 3 (ナヘ 5X16   | 2   |     |     |     |     |     |   |   |
| 47  | 1   | 26014-060162 | ボルト (ヒラハネ 6X16      | 4   |     |     |     |     |     |   |   |
| 48  | 1   | 26014-060162 | ボルト (ヒラハネ 6X16      | 3   |     |     |     |     |     |   |   |
| 49  | 1   | 26014-060162 | ボルト (ヒラハネ 6X16      | 2   |     |     |     |     |     |   |   |
| 50  | 1   | 26014-080202 | ボルト (ヒラハネ 8X20      | 4   |     |     |     |     |     |   |   |

Fig.48. サイドコラム(2)

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=



| No. | レール | 部品番号         | 部品名称                    | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                         | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1C7230-08400 | コントロール(I/O              | 3   |     |     |     |     |     |   | 1 |
| 2   | 1   | 172A64-17250 | ソケットCMP                 | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1P211A-71850 | ブザー(ケイホウ                | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C70-81000 | パネル(スイッチ マエ             | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6B90-81100 | パネル(スイッチ カバー            | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6580-81302 | スイッチCMP (オシボ' タン        | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E8450-81360 | スイッチ(シーソ 3P-AG          | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8540-82100 | スイッチ(キリカエ 2S            | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 1E8540-82210 | ナット(トクシュ                | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E8540-82120 | スイッチ(キリカエ 3S            | 1   |     |     |     |     |     |   |   |
| 11  | 2   | 1E8540-82210 | ナット(トクシュ                | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E9110-82400 | リレー(フラッシュ               | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 26014-060162 | ボルト(ヒラ+ハ' ネ 6X16        | 6   |     |     |     |     |     |   |   |
| 14  | 1   | 26014-060162 | ボルト(ヒラ+ハ' ネ 6X16        | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 26023-050252 | ナベ' コネシ' (ヒラ+ハ' ネ M5X25 | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 1C7230-08450 | コントロール(I/Oサービ' ス        | 1   |     |     |     |     |     |   | 2 |

備考

(1)正規コントローラ

この部品では、部品注文は出来ません  
コンバイン固有の情報が正しくセットされた補修用部品コントローラで交換願います

(2)補修用部品コントローラ

組付前にコンバイン固有の情報を正しくセットしないと、コンバインが正常に作動しません  
必ず、認定特約店にて固有の情報をセット後、組付けてください


N:旧 ↔ 新, Q:旧 ↔ 新, R:旧 ↔ 新, S:旧 ↔ 新, W:追加, Z:廃止, F:セット互換, K:個数変更

Copyright (C) 2022 YANMAR GLOBAL CS CO., LTD. All Rights Reserved.

Fig.49. フロントコラム

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=



| No. | レール | 部品番号         | 部品名称           | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-61090 | オサエイト(ハネス      | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6B90-61200 | パネル(メータ シタ     | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6B90-61260 | カバー(ステアリング) R  | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6B90-61270 | カバー(ステアリング) L  | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6B90-61280 | カバー(ステアリング) シタ | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E8665-64280 | フッシュ(8X10X6    | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1A8060-65560 | ラベル(ホイールチルト    | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8970-76100 | リベット(スクリュー 6 B | 2   |     |     |     |     |     |   |   |
| 9   | 1   | 1K1200-82702 | ディスプレイCMP(カラー  | 1   |     |     |     |     |     |   | 1 |
| 10  | 1   | 26014-060162 | ボルト(ヒラ+ハネ 6X16 | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 26014-060162 | ボルト(ヒラ+ハネ 6X16 | 4   |     |     |     |     |     |   |   |
| 12  | 1   | 26589-060162 | ナット(ヒラ+ハネ M6   | 3   |     |     |     |     |     |   |   |
| 13  | 1   | 26589-060162 | ナット(ヒラ+ハネ M6   | 2   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6C30-82800 | ディスプレイCMP(サービス | 1   |     |     |     |     |     |   | 2 |

備考

(1)正規ディスプレイ

この部品では、部品注文は出来ません  
コンバイン固有の情報が正しくセットされた補修用ディスプレイで交換願います


(2)補修用ディスプレイ

組付前にコンバイン固有の情報を正しくセットしないと、コンバインが正常に作動しません  
必ず、認定特約店にてコンバイン固有の情報をセット後、組付けてください


(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号           | 部品名称                 | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|----------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                      | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E4890-13210   | スプリング (1. 2X53X11. 2 | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1N3290-34191   | スプリング (シュートレバーモーション  | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E8940-63503   | ペダルCMP (ブレーキ         | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-63550   | シャフトCMP (ブレーキシテン     | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A80-63600   | レバー (ブレーキロック         | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-63703   | ワイヤ (ブレーキ            | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-63770   | ロッド (リンク             | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-63800   | レバー (シテン             | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E8540-63970-1 | シテン (レバー             | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E8770-81320   | スイッチ (プッシュ R         | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 22117-080000   | ザグネ (コマル 8           | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 22117-100000   | ザグネ (コマル 10          | 2   |     |     |     |     |     |   |   |
| 13  | 1   | 22272-000120   | トメウE (12             | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 22272-000150   | トメウE (15             | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 22417-200160   | ワリピン (2. 0X16        | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 22417-200160   | ワリピン (2. 0X16        | 2   |     |     |     |     |     |   |   |
| 17  | 1   | 22550-050300   | キー 5X30              | 1   |     |     |     |     |     |   |   |
| 18  | 1   | 24550-015150   | ドライブ (15X15          | 2   |     |     |     |     |     |   |   |
| 19  | 1   | 24550-020250   | ドライブ (20X25          | 2   |     |     |     |     |     |   |   |
| 20  | 1   | 26014-080162   | ボルト (ヒラ+ハネ 8X16      | 2   |     |     |     |     |     |   |   |
| 21  | 1   | 26022-050122   | ナベ (コネジ (ハネ 5X12     | 2   |     |     |     |     |     |   |   |



OCNP7-M01300 走行部(2)  
Fig.51. コントロール(主変速)



(A)=DS1C-6101T, 101  
(B)=  
(C)=


OCNP7-M01300 Fig.51

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号           | 部品名称                | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|---------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                     | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1C6281-52320   | ピン(スナップ) スケッドメ 8    | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-63750   | ロッド (N7) レーキ A      | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-63850   | ロッド (N7) レーキ B      | 2   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C70-64001   | レバー-CMP (シュベソク)     | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A80-64050   | シデン (シュベソク)         | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E8050-64222   | ワッシャ (ニモンハバ) 25     | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E8050-64230   | スプリング (サウ 62X16)    | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8050-64250   | プレート (スプリング) 65     | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E9430-64300   | ライナ (25. 5X68X1 K)  | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A80-64512   | ケース (センサー B)        | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A80-64523   | ケース (センサー A)        | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E8230-64560-1 | ストッパ (レバー)          | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A80-64581   | ギヤCMP (20)          | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E8230-64600   | スプリング (シュベソク)       | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E9430-64800   | プレート (フリクション) 65    | 2   |     |     |     |     |     |   |   |
| 16  | 1   | 1E6C30-81400   | センサ (ホテンシヨ)         | 2   |     |     |     |     |     |   |   |
| 17  | 1   | 22137-080000   | サガネ (ミガキ) 8         | 3   |     |     |     |     |     |   |   |
| 18  | 1   | 22351-030025   | スプリング ピン (3. 0AX25) | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 22417-200160   | ワリピン (2. 0X16)      | 2   |     |     |     |     |     |   |   |
| 20  | 1   | 24104-060004   | ベアリング (ボール 6000UU)  | 2   |     |     |     |     |     |   |   |
| 21  | 1   | 24351-190140   | リング (1A19014)       | 2   |     |     |     |     |     |   |   |
| 22  | 1   | 24550-015150   | ドライブ ユニ (15X15)     | 2   |     |     |     |     |     |   |   |
| 23  | 1   | 26013-060162   | ホルト (ハネ 6X16)       | 2   |     |     |     |     |     |   |   |
| 24  | 1   | 26013-060202   | ホルト (ハネ 6X20)       | 2   |     |     |     |     |     |   |   |
| 25  | 1   | 26013-060252   | ホルト (ハネ 6X25)       | 2   |     |     |     |     |     |   |   |
| 26  | 1   | 26023-040162   | ナベ コネシ (ヒラハネ M4X16) | 4   |     |     |     |     |     |   |   |
| 27  | 1   | 26116-060162   | ホルト (6X16)          | 1   |     |     |     |     |     |   |   |
| 28  | 1   | 26716-060002   | ナット (M6)            | 1   |     |     |     |     |     |   |   |
| 29  | 1   | 26716-080002   | ナット (M8)            | 2   |     |     |     |     |     |   |   |
| 30  | 1   | 26737-160002   | ナット (ボソ M16)        | 1   |     |     |     |     |     |   |   |
| 31  | 1   | 26777-160002   | トメナット (ボソ M16)      | 1   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=




| No. | レベル | 部品番号         | 部品名称                 | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                      | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-64200 | シテン(フクヘンソク) シタ       | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-64251 | レバ- (レンカツ)           | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-64301 | シテン(フクヘンソク) ウエ       | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-64350 | ア-ム (ホ-テンショ) 45U     | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6B90-64350 | ノブ (オレンジ)            | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-64370 | ロッド (549.5)          | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-64400 | ブラケット(シテン)           | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-64451 | ブラケット(フクヘンソク) ウエ     | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A80-81500 | センサ(ホ-テンショ)          | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 22117-100000 | ザガネ(コマル) 10          | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 22242-000150 | トメワG(シク) 15          | 2   |     |     |     |     |     |   |   |
| 12  | 1   | 22417-200160 | ワリピン(2.0X16)         | 2   |     |     |     |     |     |   |   |
| 13  | 1   | 22550-050200 | キー 5X20              | 2   |     |     |     |     |     |   |   |
| 14  | 1   | 24550-015150 | ドライブ(ツシュ) (15X15)    | 2   |     |     |     |     |     |   |   |
| 15  | 1   | 24550-015150 | ドライブ(ツシュ) (15X15)    | 2   |     |     |     |     |     |   |   |
| 16  | 1   | 26014-080202 | ホルト(ヒラ+ハ) ネ 8X20     | 4   |     |     |     |     |     |   |   |
| 17  | 1   | 26014-080202 | ホルト(ヒラ+ハ) ネ 8X20     | 3   |     |     |     |     |     |   |   |
| 18  | 1   | 26023-040122 | ナベコネシ (ヒラ+ハ) ネ M4X12 | 2   |     |     |     |     |     |   |   |
| 19  | 1   | 26366-060002 | ツバ(ツキナツ) (M6)        | 1   |     |     |     |     |     |   |   |




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=




| No. | ラベル | 部品番号         | 部品名称          | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|---------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |               | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E4760-43090 | ホ-ル(リンク BL8D  | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6460-63240 | ナット(8 Lネジ     | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6740-64200 | ホ-ル(リンク BL8DL | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-64390 | ロッド (10X447LR | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 26052-080002 | ナット(サラバネ 8    | 2   |     |     |     |     |     |   |   |
| 6   | 1   | 26717-080002 | ナット(M8        | 1   |     |     |     |     |     |   |   |



| No. | レベ <sup>ル</sup> | 部品番号         | 部品名称                                                 | 数量  |     |     |     |     |     | I | R |
|-----|-----------------|--------------|------------------------------------------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |                 |              |                                                      | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1               | 1C7100-07411 | スイッチ(ホ <sup>ン</sup> シ <sup>ン</sup> シヨ <sup>ン</sup> ) | 1   |     |     |     |     |     |   |   |
| 2   | 1               | 1C6650-17290 | オシホ <sup>ル</sup> ト(M12X14)                           | 1   |     |     |     |     |     |   |   |
| 3   | 1               | 1E8050-63130 | スプ <sup>リ</sup> ンク <sup>ン</sup> (1.6X9.4X25)         | 1   |     |     |     |     |     |   |   |
| 4   | 1               | 1E6A40-65100 | レバ <sup>ン</sup> -CMP(DKクラッ <sup>チ</sup> )            | 1   |     |     |     |     |     |   |   |
| 5   | 1               | 1E6A40-65150 | ブ <sup>レ</sup> ート(クラッ <sup>チ</sup> )                 | 1   |     |     |     |     |     |   |   |
| 6   | 1               | 1A8060-68310 | ノブ <sup>ン</sup> (キヨ <sup>ロ</sup> )                   | 1   |     |     |     |     |     |   |   |
| 7   | 1               | 22272-000120 | トメワE(12)                                             | 1   |     |     |     |     |     |   |   |
| 8   | 1               | 24190-120002 | スチ <sup>ル</sup> ホ <sup>ン</sup> - <sup>ル</sup> (3/8)  | 1   |     |     |     |     |     |   |   |
| 9   | 1               | 24550-015100 | ド <sup>ラ</sup> イブ <sup>ツ</sup> ツシユ(15X10)            | 2   |     |     |     |     |     |   |   |
| 10  | 1               | 26014-060162 | ホ <sup>ル</sup> ト(ヒラハ <sup>ネ</sup> 6X16)              | 2   |     |     |     |     |     |   |   |
| 11  | 1               | 26367-080002 | ツバ <sup>ツ</sup> ツキナツト(M8)                            | 2   |     |     |     |     |     |   |   |

Fig.55. 油圧バルブ




(A)=DS10-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=


| No. | レール | 部品番号         | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1683L1-00051 | バルブ CMP (CV7-CGU-2 | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 124240-01883 | カスケット (サトウホップ      | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 187A05-56650 | エルボ (G1/4-M14      | 1   |     |     |     |     |     |   |   |
| 4   | 2   | 24311-000110 | リング (1AP11.0       | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 187A15-56660 | エルボ CMP (G1/2-16   | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-66050 | フランジ (サクシオン        | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6681-66370 | ストレート CMP          | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8720-66450 | コネクタ (G1/2-1/2     | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E8720-66461 | エルボ (90° R1/4-M14  | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A80-66540 | トリツカザ (バルブ R U     | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A80-66920 | ホップ CMP (4         | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6C70-66970 | ステー (ハーネス          | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 172141-76181 | コネクタ CMP (02FF     | 1   |     |     |     |     |     |   |   |
| 14  | 2   | 41851-000110 | リング (P11.0 HNBR    | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 172142-76181 | ジョイント (90-3/8      | 1   |     |     |     |     |     |   |   |
| 16  | 2   | 24315-000140 | リング (1BP14.0       | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 172157-76300 | エルボ CMP (3/8-1/2   | 1   |     |     |     |     |     |   |   |
| 19  | 2   | 24315-000180 | リング (1BP18.0       | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 22217-060000 | バネサカネ (6           | 3   |     |     |     |     |     |   |   |
| 21  | 1   | 23393-020000 | ジョイント (90RG1-1/4   | 1   |     |     |     |     |     |   |   |
| 22  | 1   | 23875-020000 | ネジブランク (R02        | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 24311-000200 | リング (1AP20.0       | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 26013-080252 | ボルト (ハネ 8X25       | 2   |     |     |     |     |     |   |   |
| 25  | 1   | 26014-080202 | ボルト (ヒラハネ 8X20     | 2   |     |     |     |     |     |   |   |
| 26  | 1   | 26014-080202 | ボルト (ヒラハネ 8X20     | 1   |     |     |     |     |     |   |   |
| 27  | 1   | 26014-080202 | ボルト (ヒラハネ 8X20     | 4   |     |     |     |     |     |   |   |
| 28  | 1   | 26051-080002 | ナット (ハネ 8          | 2   |     |     |     |     |     |   |   |
| 29  | 1   | 26116-060504 | ボルト (6X50          | 3   |     |     |     |     |     |   |   |
| 30  | 1   | 26216-080202 | ウエキボルト (8X20       | 2   |     |     |     |     |     |   |   |
| 31  | 1   | 26367-080002 | ツバツキナット (M8        | 2   |     |     |     |     |     |   |   |
| 32  | 1   | 26367-080002 | ツバツキナット (M8        | 1   |     |     |     |     |     |   |   |

0CNP7-M01300 走行部(2)  
Fig.56. 配管(カウンタケース)



0CNP7-M01300 Fig.56  
(A)=DS1C-6101T, 101  
(B)=  
(C)=  
(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称           | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-66802 | パイプカッター C      | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6150-83910 | バンド 195        | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 26014-080202 | ボルト(ヒラハネ) 8X20 | 4   |     |     |     |     |     |   |   |



| No. | レール | 部品番号         | 部品名称            | (A) | (B) | (C) | (D) | (E) | (F) | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
| 1   | 1   | 1E6C30-66000 | クーラ(オイル 21      | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-66040 | ホース(トレン 10-60   | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-66142 | コネクタ 16-16-19   | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E8540-66140 | エルボ(サツキ G3/4-20 | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A80-66201 | ホース(ユアツ 08-310  | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-66211 | フィルタステー         | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-66220 | ホース(トレン 12-750  | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-66231 | ホース(ユアツ 08-400  | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A80-66240 | ホース(トレン 12-1050 | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A80-66252 | コネクタ(R1/2-16-19 | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6B90-66250 | フィルタCMP         | 1   |     |     |     |     |     |   |   |
| 12  | 2   | 1A7180-48210 | カートリッジ CMP      | 1   |     |     |     |     |     |   |   |
| 13  | 2   | 1E6B90-66260 | ヘッド CMP         | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6A80-66280 | ホース(トレン 10-280  | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E6A80-66290 | アダプタ(R3/4-17    | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 1E3230-66450 | ブラク G3/8        | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 1E8540-66770 | カラー(8X12X8      | 3   |     |     |     |     |     |   |   |
| 18  | 1   | 1E8940-66890 | タイ(G1/2-3/8-1/2 | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 172524-76800 | リリーフCMP(2ND     | 1   |     |     |     |     |     |   |   |
| 20  | 2   | 172524-76810 | ホース(ハルブ         | 1   |     |     |     |     |     |   |   |
| 21  | 2   | 172524-76820 | ホース             | 1   |     |     |     |     |     |   |   |
| 22  | 2   | 172524-76830 | スプリング(ハルブ       | 1   |     |     |     |     |     |   |   |
| 23  | 2   | 172524-76840 | シート(スプリング       | 1   |     |     |     |     |     |   |   |
| 24  | 2   | 22252-000220 | トマツC(アタ 22      | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 172141-76900 | コネクタCMP(1/2L    | 2   |     |     |     |     |     |   |   |
| 26  | 2   | 24315-000180 | リング(1BP18.0     | 2   |     |     |     |     |     |   |   |
| 27  | 1   | 172141-76900 | コネクタCMP(1/2L    | 1   |     |     |     |     |     |   |   |
| 28  | 2   | 24315-000180 | リング(1BP18.0     | 1   |     |     |     |     |     |   |   |
| 29  | 1   | 23000-028000 | ホースクリップ(28      | 2   |     |     |     |     |     |   |   |
| 30  | 1   | 23000-028000 | ホースクリップ(28      | 2   |     |     |     |     |     |   |   |
| 31  | 1   | 23001-025000 | ホースクリップ(アタシ 25  | 4   |     |     |     |     |     |   |   |
| 32  | 1   | 23001-025000 | ホースクリップ(アタシ 25  | 2   |     |     |     |     |     |   |   |
| 33  | 1   | 26014-080202 | ホース(ヒラハネ 8X20   | 1   |     |     |     |     |     |   |   |
| 34  | 1   | 26014-080202 | ホース(ヒラハネ 8X20   | 1   |     |     |     |     |     |   |   |
| 35  | 1   | 26014-080202 | ホース(ヒラハネ 8X20   | 4   |     |     |     |     |     |   |   |
| 36  | 1   | 26014-080202 | ホース(ヒラハネ 8X20   | 5   |     |     |     |     |     |   |   |
| 37  | 1   | 29311-124000 | クローメット(12.0X4   | 3   |     |     |     |     |     |   |   |
| 38  | 1   | 29311-252000 | クローメット(25.0X2   | 2   |     |     |     |     |     |   |   |

Fig.58. 配管(1)

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-66480 | ホース(177 04-290  | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6C70-66610 | ホース(177 06-2100 | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E8940-66730 | ホース(177 04-540  | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-66851 | パイプ CMP (フレア U  | 1   |     |     |     |     |     |   |   |
| 5   | 2   | 1E8720-66180 | クリップ (パイプ 8X2   | 2   |     |     |     |     |     |   |   |
| 6   | 2   | 1E6A80-66391 | ホース(177 04-160  | 2   |     |     |     |     |     |   |   |
| 7   | 2   | 1E6A80-66860 | パイプ (フレア 1      | 1   |     |     |     |     |     |   |   |
| 8   | 2   | 1E6A80-66880 | フレアパイプ 2        | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6150-83910 | バンド 195         | 2   |     |     |     |     |     |   |   |




Fig.59. 配管(2)

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号           | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1A8066-31300   | フィルタ(サクション)     | 1   |     |     |     |     |     |   |   |
| 2   | 2   | 1A8066-31310   | ヘッド CMP         | 1   |     |     |     |     |     |   |   |
| 3   | 2   | 1E6A80-66080   | カートリッジ CMP      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6B90-66030   | ホース(100X970     | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6C70-66041   | ホース(100X520     | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-66100   | パイプ(サクション)      | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6B90-66201   | エルボ(G3/4-26     | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6B90-66270   | エルボ(G3/4-26A    | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A80-66280   | ホース(ドレン 10-280  | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6C70-66430   | ホース(ドレン 10-850  | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A80-66460   | ホース(ドレン 16-230  | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A80-66470   | ホース(ドレン 16-410  | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6C70-66570   | ジョイント(オイル       | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6A80-66631   | パイプ(ドレン U       | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E6A80-66660   | シール(ホウジン 30X130 | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 1E8600-66700   | クーラ(オイル         | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 1E6A80-66950-1 | ハイカン(イト B       | 1   |     |     |     |     |     |   |   |
| 18  | 1   | 23000-028000   | ホースクリップ(28      | 4   |     |     |     |     |     |   |   |
| 19  | 1   | 23000-035000   | ホースクリップ(35      | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 23000-035000   | ホースクリップ(35      | 4   |     |     |     |     |     |   |   |
| 21  | 1   | 23001-025000   | ホースクリップ(7ナナシ 25 | 2   |     |     |     |     |     |   |   |
| 22  | 1   | 23001-025000   | ホースクリップ(7ナナシ 25 | 2   |     |     |     |     |     |   |   |
| 23  | 1   | 23875-030000   | ネジ(ブラク(R03      | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 26014-060162   | ホルト(ヒラ+ハネ 6X16  | 2   |     |     |     |     |     |   |   |
| 25  | 1   | 26014-080202   | ホルト(ヒラ+ハネ 8X20  | 2   |     |     |     |     |     |   |   |
| 26  | 1   | 26014-080202   | ホルト(ヒラ+ハネ 8X20  | 2   |     |     |     |     |     |   |   |
| 27  | 1   | 26014-080202   | ホルト(ヒラ+ハネ 8X20  | 2   |     |     |     |     |     |   |   |
| 28  | 1   | 26014-100252   | ホルト(ヒラ+ハネ 10X25 | 2   |     |     |     |     |     |   |   |
| 29  | 1   | 29311-252000   | クローマツ(25.0X2    | 2   |     |     |     |     |     |   |   |





Fig.60. 回動支点



066-0068-108-01


(A)=DS1C-610R, 100  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レベル | 部品番号         | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1651210000   | メタルCMP カイドウシテン; L  | 1   |     |     |     |     |     |   |   |
| 2   | 2   | 1E6A80-67501 | ガイドウシテンメタル LA      | 1   |     |     |     |     |     |   |   |
| 3   | 2   | 1E6A80-67510 | ガイドウシテンメタルLB       | 1   |     |     |     |     |     |   |   |
| 4   | 2   | 26013-120352 | ボルト(バネ) 12X35      | 4   |     |     |     |     |     |   |   |
| 5   | 1   | 154775100R   | カイドウシテンメタルAS; R    | 1   |     |     |     |     |     |   |   |
| 8   | 2   | 1E8940-67620 | ピン(15X59)          | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 22351-050032 | スプリングピン(5.0AX32)   | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E8940-67630 | ボルト(コティ) M14X35    | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A80-67700 | ガイドウシテンサエ          | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1653660000   | ゴムシート; カウンタケースマエ   | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E8080-67910 | ボルト(14X40 11T)     | 3   |     |     |     |     |     |   |   |
| 15  | 1   | 1E8970-76100 | リベット(スクリュー6B)      | 4   |     |     |     |     |     |   |   |
| 16  | 1   | 1E6A80-81500 | センサ(ボテンシヨ)         | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 1E6150-83910 | バント 195            | 2   |     |     |     |     |     |   |   |
| 18  | 1   | 1E6A80-91930 | ボテンシヨ7-ム80         | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 22217-140000 | バネサガネ(14)          | 3   |     |     |     |     |     |   |   |
| 20  | 1   | ONB6         | グリスニップル B M6       | 1   |     |     |     |     |     |   |   |
| 21  | 1   | 24761-060000 | グリスニップル(MT6X1)     | 1   |     |     |     |     |     |   |   |
| 22  | 1   | 26013-120402 | ボルト(バネ) 12X40      | 2   |     |     |     |     |     |   |   |
| 23  | 1   | 26013-120602 | ボルト(バネ) 12X60      | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 26014-060162 | ボルト(ヒラ+バネ) 6X16    | 2   |     |     |     |     |     |   |   |
| 25  | 1   | 26023-040102 | ナベコネジ(ヒラ+バネ) M4X10 | 2   |     |     |     |     |     |   |   |
| 26  | 1   | 26367-060002 | ツバツキツツ(M6)         | 1   |     |     |     |     |     |   |   |
| 27  | 1   | 1591301004   | カバー                | 1   |     |     |     |     |     |   |   |
| 28  | 1   | BSPZ08016    | コガタSWツキボルト 7 M8×16 | 1   |     |     |     |     |     |   |   |
| 29  | 1   | WRA08        | ヒラザガネ M8           | 1   |     |     |     |     |     |   |   |
| 30  | 1   | ONA6         | グリスニップル A M6       | 1   |     |     |     |     |     |   |   |
| 31  | 1   | 1653670004   | アングル; カウンタケースマエ    | 1   |     |     |     |     |     |   |   |



Fig.61. ステップ(1)




(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1C6360-65700 | ピン(スナップ) スケドメ 10 | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-68450 | マット(ステップ)        | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A80-68700 | フットレスト           | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-68760 | シャフト(フットレストシテン   | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 22137-100000 | ザガネ(ミガキ 10       | 1   |     |     |     |     |     |   |   |





| No. | レベ <sup>ル</sup> | 部品番号           | 部品名称                                              | 数量  |     |     |     |     |     | I R |
|-----|-----------------|----------------|---------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|
|     |                 |                |                                                   | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 1   | 1               | 1E8946-67990   | ホ <sup>ル</sup> ト(M12X9.5 7                        | 2   |     |     |     |     |     |     |
| 2   | 1               | 1E6A85-68000   | ブ <sup>ラ</sup> ケット(ホ <sup>ウ</sup> シ               | 2   |     |     |     |     |     |     |
| 3   | 1               | 1E6A85-68040   | カラー(16X22X50                                      | 2   |     |     |     |     |     |     |
| 4   | 1               | 1E8385-68280-1 | オサエ(ホ <sup>ウ</sup> シ <sup>ン</sup> ゴ <sup>ム</sup>  | 2   |     |     |     |     |     |     |
| 5   | 1               | 1E8385-68561   | ゴ <sup>ム</sup> (ホ <sup>ウ</sup> シ <sup>ン</sup> ツリサ | 2   |     |     |     |     |     |     |
| 6   | 1               | 22217-120000   | ハ <sup>ネ</sup> サ <sup>カ</sup> ネ(12                | 2   |     |     |     |     |     |     |
| 7   | 1               | 26717-120002   | ナツト(M12                                           | 2   |     |     |     |     |     |     |




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=


| No. | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8940-68110 | ステー(ホウシコ)ム A     | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8385-68550 | ゴム(ホウシコ) エントウ    | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 1E8385-68570 | カラー(15X22X46     | 2   |     |     |     |     |     |   |   |
| 4   | 1   | 22137-140000 | サガネ(ミガキ 14       | 2   |     |     |     |     |     |   |   |
| 5   | 1   | 22217-140000 | バネサガネ(14         | 2   |     |     |     |     |     |   |   |
| 6   | 1   | 22351-100020 | スプリングピン(10.0AX20 | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 26014-100252 | ボルト(ヒラ+ハネ 10X25  | 6   |     |     |     |     |     |   |   |
| 8   | 1   | 26116-140752 | ボルト(14X75        | 2   |     |     |     |     |     |   |   |
| 9   | 1   | 26717-140002 | ナット(M14          | 2   |     |     |     |     |     |   |   |

OCNP7-M01300 走行部(2)  
Fig.65. フロアオープン



|     |     |              | (A)=DS1C-6101T, 101 |  | (D)= |     | (E)= |     | (F)= |     | 数量  |     | I R |     |
|-----|-----|--------------|---------------------|--|------|-----|------|-----|------|-----|-----|-----|-----|-----|
| No. | レール | 部品番号         | 部品名称                |  | (A)  | (B) | (C)  | (D) | (E)  | (F) | (A) | (B) | (C) | (D) |
| 1   | 1   | 1E8940-68090 | ダンパ (ガス 115X485     |  | 1    |     |      |     |      |     |     |     |     |     |
| 2   | 1   | 1E8940-68130 | シテン (ダンパ            |  | 1    |     |      |     |      |     |     |     |     |     |
| 3   | 1   | 22137-100000 | ザガネ (ミガキ 10         |  | 1    |     |      |     |      |     |     |     |     |     |
| 4   | 1   | 22417-200200 | ワリピン (2. 0X20       |  | 2    |     |      |     |      |     |     |     |     |     |
| 5   | 1   | 22417-200200 | ワリピン (2. 0X20       |  | 1    |     |      |     |      |     |     |     |     |     |
| 6   | 1   | 26014-100252 | ホルト (ヒラハネ 10X25     |  | 2    |     |      |     |      |     |     |     |     |     |
| 7   | 1   | 1E9000-68150 | リンク (オープン           |  | 1    |     |      |     |      |     |     |     |     |     |
| 8   | 1   | 22137-100000 | ザガネ (ミガキ 10         |  | 1    |     |      |     |      |     |     |     |     |     |
| 9   | 1   | 22372-100000 | スナツピン (JASO 10      |  | 1    |     |      |     |      |     |     |     |     |     |
| 10  | 1   | 22417-200200 | ワリピン (2. 0X20       |  | 1    |     |      |     |      |     |     |     |     |     |
| 11  | 1   | 22487-100200 | ヒラタマピン (H10X20      |  | 1    |     |      |     |      |     |     |     |     |     |

Fig.66. ステップ




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | バール | 部品番号           | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6570-29252   | スプリング (16X97.6    | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1F4124-44410   | ツマミツキボルト M6X10    | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6B90-68151   | ステップ CMP (サボート ウェ | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-68201-1 | ステップ CMP (ホジ ョ シタ | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 7E6A80-68230   | カバー CMP (ステップ     | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-68252   | カバー (ステップ) ウチ     | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6C70-97890   | ラベル (ハ) ツテリ       | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 22117-100000   | ザガネ (コマル 10       | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 22137-120000   | ザガネ (ミガキ 12       | 2   |     |     |     |     |     |   |   |
| 12  | 1   | 22417-200160   | ワリピン (2.0X16      | 2   |     |     |     |     |     |   |   |
| 13  | 1   | 22417-250250   | ワリピン (2.5X25      | 2   |     |     |     |     |     |   |   |
| 14  | 1   | 26014-080202   | ボルト (ヒラハネ 8X20    | 2   |     |     |     |     |     |   |   |
| 15  | 1   | 26367-100002   | ツバ ツキナット (M10     | 2   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=



| No. | レール | 部品番号         | 部品名称         | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |              | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6680-38480 | スベ-サ(5       | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1J3500-45150 | ノブホルト 8X15   | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1J3500-45150 | ノブホルト 8X15   | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1D4220-51340 | ホルト(8X20C クロ | 2   |     |     |     |     |     |   |   |
| 5   | 1   | 1E8940-68511 | プレート(スライド L  | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E8940-68531 | プレート(スライド R  | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E8970-68650 | ホルト(M8X16 クロ | 4   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6C75-69100 | シート(ト ライバ-   | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 1E6C75-69140 | クッション(シート    | 1   |     |     |     |     |     |   |   |
| 10  | 2   | 1E6C75-69150 | クッション(バックレスト | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6C30-69130 | レスト(ア-ム      | 2   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6C70-69211 | シテン(ア-ムレスト L | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6C70-69221 | シテン(ア-ムレスト R | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6C70-69240 | ステー(ア-ムレスト L | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E6C70-69260 | ステー(ア-ムレスト R | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 198127-81960 | スプリング(サラ 10  | 2   |     |     |     |     |     |   |   |
| 17  | 1   | 198127-81960 | スプリング(サラ 10  | 2   |     |     |     |     |     |   |   |
| 18  | 1   | 22157-060000 | サ-ガネ(タ-イマル 6 | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 22157-060000 | サ-ガネ(タ-イマル 6 | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 22217-060000 | ハ-ネサ-ガネ(6    | 1   |     |     |     |     |     |   |   |
| 21  | 1   | 22217-060000 | ハ-ネサ-ガネ(6    | 1   |     |     |     |     |     |   |   |
| 22  | 1   | 26052-060002 | ナット(サラハ-ネ 6  | 2   |     |     |     |     |     |   |   |
| 23  | 1   | 26052-060002 | ナット(サラハ-ネ 6  | 2   |     |     |     |     |     |   |   |
| 24  | 1   | 26716-060002 | ナット(M6       | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 26716-060002 | ナット(M6       | 1   |     |     |     |     |     |   |   |
| 26  | 1   | 26757-060002 | トメナット(M6     | 1   |     |     |     |     |     |   |   |
| 27  | 1   | 26757-060002 | トメナット(M6     | 1   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=




| No. | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6680-38480 | スベ-サ(5           | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1D4220-51340 | ホ-ルト(8X20C クロ    | 9   |     |     |     |     |     |   |   |
| 3   | 1   | 1D4220-51340 | ホ-ルト(8X20C クロ    | 2   |     |     |     |     |     |   |   |
| 4   | 1   | 1E9000-68451 | ストツハ CMP (レバ-    | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A80-68503 | フ-レートCMP (ロア     | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E8940-68750 | スライタ (レバ- 160    | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E8940-68760 | スライタ (160        | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E9575-68772 | スフ-リンク (カ-ス      | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6C70-68802 | フ-レートCMP (アツハ    | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6C70-68900 | フ-レート(ストツハ-      | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E8941-68902 | ステ-CMP (スライタ     | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E8941-69900 | スタント (チルト        | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E8940-69990 | コ-ム (アテ          | 2   |     |     |     |     |     |   |   |
| 14  | 1   | 22217-100000 | バ-ネサ-ガ-ネ(10      | 4   |     |     |     |     |     |   |   |
| 15  | 1   | 26014-080162 | ホ-ルト(ヒラ+ハ-ネ 8X16 | 4   |     |     |     |     |     |   |   |
| 16  | 1   | 26367-080002 | ツハ-ツキナツト(M8      | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 26367-080002 | ツハ-ツキナツト(M8      | 2   |     |     |     |     |     |   |   |
| 18  | 1   | 26716-080002 | ナツト(M8           | 4   |     |     |     |     |     |   |   |
| 19  | 1   | 26737-100002 | ナツト(ホソ M10       | 2   |     |     |     |     |     |   |   |
| 20  | 1   | 26737-100002 | ナツト(ホソ M10       | 2   |     |     |     |     |     |   |   |



(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

| No. | レベ | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |    |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1  | 1E6A80-62200 | パ- (アシスト         | 1   |     |     |     |     |     |   |   |
| 2   | 1  | 22157-080000 | サカネ (タ イマル 8     | 3   |     |     |     |     |     |   |   |
| 3   | 1  | 26014-080162 | ホ ルト (ヒラ+パネ 8X16 | 3   |     |     |     |     |     |   |   |




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=



| No. | ラベル | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8450-04120 | シール (5X10X110)   | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6C30-69800 | インシュレータ (A)      | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6C30-69810 | インシュレータ (B)      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C70-69820 | インシュレータ (E)      | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A80-69830 | タフネツザイ (D)       | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6C70-69830 | インシュレータ (O)      | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6C70-69840 | インシュレータ (D)      | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-69862 | タフネツザイ (G)       | 3   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6C30-69860 | カバー (フロアシール)     | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6C70-69860 | インシュレータ (F)      | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A80-69870 | タフネツザイ (H)       | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A80-69880 | タフネツザイ (I)       | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A80-69900 | タフネツザイ (J)       | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6A80-69910 | タフネツザイ (K)       | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E6A80-69920 | タフネツザイ (L)       | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 1E6C70-69930 | インシュレータ (M)      | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 1E6C70-69940 | インシュレータ (N)      | 1   |     |     |     |     |     |   |   |
| 18  | 1   | 1E6A80-69950 | シール (5X7X770)    | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 1E6722-95220 | グロメット (マクツキ 30)  | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 26014-060162 | ボルト (ヒラ+ハネ 6X16) | 3   |     |     |     |     |     |   |   |

0CNP7-M01300 走行部(3)  
Fig.71. シャーシフレーム




0CNP7-M01300 Fig.71

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 7E6C70-71003 | フレームCMP (シャーシ PL | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C70-71050 | ステー (キワトリツケ      | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6C70-72800 | カバー (エンジンシタ      | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E8460-97510 | ラベル (エンジンオイル     | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 26014-080202 | ボルト (ヒラハネ 8X20   | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 26014-100252 | ボルト (ヒラハネ 10X25  | 4   |     |     |     |     |     |   |   |

Fig.72. コントロール(シャーシ)



## 備考

(1)正規コントローラ

この部品では、部品注文は出来ません

コンパイン固有の情報が正しくセットされた補修部品コントローラで交換願います

(2)補修部品コントローラ

組付前にコンパイン固有の情報を正しくセットしないと、コンパインが正常に作動しません

必ず、認定特約店にて固有の情報をセット後、組付けてください

(3)No.19-1, 47, 48, 49 と同時交換にて互換性有り

(A)=DS1C-6101T, 101

(B)=

(C)=

(D)=

(E)=

(F)=

数量


I R

| No.         | レール | 部品番号         | 部品名称                | (A) | (B) | (C) | (D) | (E) | (F) | I | R   |
|-------------|-----|--------------|---------------------|-----|-----|-----|-----|-----|-----|---|-----|
| 1           | 1   | 1C7530-06301 | マウント(ホウシ) 35        | 3   |     |     |     |     |     |   |     |
| 2           | 1   | 1A7522-52950 | リレー(ACM13221M19     | 1   |     |     |     |     |     |   |     |
| 3           | 1   | 1E2020-63660 | トリム(50              | 1   |     |     |     |     |     |   |     |
| 4           | 1   | 1E8540-66770 | ゲージ(8X12X8          | 3   |     |     |     |     |     |   |     |
| 5           | 1   | 1E6A85-71580 | ステア-CMP(デジタリ        | 1   |     |     |     |     |     |   |     |
| 6           | 1   | 1K1192-71620 | ステア(コントローラ A        | 1   |     |     |     |     |     |   |     |
| 7           | 1   | 198200-78710 | ゲージ(6.5X21X2        | 3   |     |     |     |     |     |   |     |
| 8           | 1   | 1K1200-80101 | コントロールユニット(カリトリ     | 1   |     |     |     |     |     |   | 1   |
| 9           | 1   | 1K1200-80200 | コントロールユニット(ソコマエ     | 1   |     |     |     |     |     |   | 1   |
| 10          | 1   | 1K1200-80301 | コントロールユニット(ソコマエ     | 1   |     |     |     |     |     |   | 1   |
| 11          | 1   | 1E6A80-80601 | コントロールUNIT(SOL      | 2   |     |     |     |     |     |   | 1   |
| 12          | 1   | 1E6A80-80701 | コントロールUNIT(PVS      | 1   |     |     |     |     |     |   | 1   |
| 13          | 1   | 1K1192-81010 | プレート(SM A           | 1   |     |     |     |     |     |   |     |
| 14          | 1   | 1K1192-81040 | プレート(SM BB          | 1   |     |     |     |     |     |   |     |
| 15          | 1   | 1E6C11-81050 | プレート(デジタリ DCU B     | 1   |     |     |     |     |     |   |     |
| 16          | 1   | 1E6C11-81070 | プレート(デジタリ DCU C     | 1   |     |     |     |     |     |   |     |
| 18          | 1   | 1E6820-81300 | ブザー(ハック             | 1   |     |     |     |     |     |   |     |
| 19          | 1   | 1E6C70-81800 | プレート(デジタリ ECU       | 1   |     |     |     |     |     |   |     |
| 19-1        | 1   | 1E6C70-81900 | プレート(デジタリ ECU A     | 1   |     |     |     |     |     |   | F 3 |
| (A=F100033) |     |              |                     |     |     |     |     |     |     |   |     |
| 20          | 1   | 1E6C70-81880 | ブザー(ハック             | 1   |     |     |     |     |     |   |     |
| 21          | 1   | 22137-080000 | ブザー(ハック             | 3   |     |     |     |     |     |   |     |
| 22          | 1   | 22157-060000 | ブザー(ハック             | 3   |     |     |     |     |     |   |     |
| 23          | 1   | 26013-080952 | ボルト(ヘリックス 8X95      | 3   |     |     |     |     |     |   |     |
| 24          | 1   | 26014-060162 | ボルト(ヘリックス 6X16      | 4   |     |     |     |     |     |   |     |
| 25          | 1   | 26014-060202 | ボルト(ヘリックス 6X20      | 2   |     |     |     |     |     |   |     |
| 26          | 1   | 26014-060202 | ボルト(ヘリックス 6X20      | 2   |     |     |     |     |     |   |     |
| 27          | 1   | 26014-060202 | ボルト(ヘリックス 6X20      | 4   |     |     |     |     |     |   |     |
| 28          | 1   | 26014-060402 | ボルト(ヘリックス 6X40      | 3   |     |     |     |     |     |   |     |
| 29          | 1   | 26014-060552 | ボルト(ヘリックス 6X55      | 2   |     |     |     |     |     |   |     |
| 30          | 1   | 26014-060552 | ボルト(ヘリックス 6X55      | 2   |     |     |     |     |     |   |     |
| 31          | 1   | 26014-080202 | ボルト(ヘリックス 8X20      | 2   |     |     |     |     |     |   |     |
| 32          | 1   | 26014-080202 | ボルト(ヘリックス 8X20      | 3   |     |     |     |     |     |   |     |
| 33          | 1   | 26014-080202 | ボルト(ヘリックス 8X20      | 4   |     |     |     |     |     |   |     |
| 34          | 1   | 26014-080202 | ボルト(ヘリックス 8X20      | 3   |     |     |     |     |     |   |     |
| 35          | 1   | 26014-080202 | ボルト(ヘリックス 8X20      | 7   |     |     |     |     |     |   |     |
| 36          | 1   | 26014-080352 | ボルト(ヘリックス 8X35      | 4   |     |     |     |     |     |   |     |
| 37          | 1   | 26014-100302 | ボルト(ヘリックス 10X30     | 2   |     |     |     |     |     |   |     |
| 38          | 1   | 26023-050252 | ナット(ヘリックス M5X25     | 1   |     |     |     |     |     |   |     |
| 39          | 1   | 26051-060002 | ナット(ヘリックス 6         | 1   |     |     |     |     |     |   |     |
| 40          | 1   | 26367-080002 | ナット(ヘリックス M8        | 3   |     |     |     |     |     |   |     |
| 41          | 1   | 29311-124000 | グロメット(12.0X4        | 3   |     |     |     |     |     |   |     |
| 42          | 1   | 26014-080202 | ボルト(ヘリックス 8X20      | 1   |     |     |     |     |     |   |     |
| 43          | 1   | 1A8471-50900 | コントロールUNIT(ユアサービス   | 1   |     |     |     |     |     |   | 2   |
| 44          | 1   | 1E6A80-80650 | コントロールUNIT(SOL サービス | 1   |     |     |     |     |     |   | 2   |
| 45          | 1   | 1E6A80-80750 | コントロールUNIT(PSV サービス | 1   |     |     |     |     |     |   | 2   |
| 46          | 1   | 1E6B92-80800 | ECU(3.5モード サービス     | 1   |     |     |     |     |     |   | 2   |
| 47          | 1   | 1E6C70-81910 | プレート(デジタリ ECU B     | 1   |     |     |     |     |     |   | W 3 |
| (A=F100033) |     |              |                     |     |     |     |     |     |     |   |     |
| 48          | 1   | 1E6C70-81930 | プレート(マウント           | 4   |     |     |     |     |     |   | W 3 |


N:旧 → 新, Q:旧 → 新, R:旧 → 新, S:旧 → 新, W:追加, Z:廃止, F:セット互換, K:個数変更

++ CONTINUE ++

Copyright (C) 2022 YANMAR GLOBAL CS CO., LTD. All Rights Reserved.

[illegible]

Copyright (C) 2022 YANMAR GLOBAL CS CO., LTD. All Rights Reserved.



| No. | レベ`ル | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I R |
|-----|------|--------------|------------------|-----|-----|-----|-----|-----|-----|-----|
|     |      |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 1   | 1    | 1E6690-35500 | ワッシャ(12X28X4.5   |     |     |     |     |     |     |     |
| 2   | 1    | 1E8945-72200 | ボ`ルト(M10X55 10.9 | 3   |     |     |     |     |     |     |
| 3   | 1    | 1E8940-72420 | ホルダ` (アキスル       | 2   |     |     |     |     |     |     |
| 4   | 1    | 22217-100000 | パ`ネサ`ガ`ネ(10      | 8   |     |     |     |     |     |     |
| 5   | 1    | 22217-120000 | パ`ネサ`ガ`ネ(12      | 3   |     |     |     |     |     |     |
| 6   | 1    | 26116-121202 | ボ`ルト(12X120      | 3   |     |     |     |     |     |     |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-73211 | フレームCMP (L トラック U | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-73241 | フレームCMP (R トラック U | 1   |     |     |     |     |     |   |   |





Fig.75. アイドラ



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号           | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8680-73020-1 | テンションボルトウケ(12    | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-73100   | ボルト(アンゼン M12X55  | 4   |     |     |     |     |     |   |   |
| 3   | 1   | 1E8540-73111-2 | ステー(ボルトウケ        | 2   |     |     |     |     |     |   |   |
| 4   | 1   | 1E8540-73120   | ボルト(テンション        | 2   |     |     |     |     |     |   |   |
| 5   | 1   | 1E8235-73330   | カラー(8X12X4       | 2   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-73841   | ローラCMP(アイドラ L    | 1   |     |     |     |     |     |   |   |
| 7   | 2   | 198390-25230   | ベアリング(6207R SH2  | 2   |     |     |     |     |     | 1 |   |
| 8   | 2   | 1E8680-71900   | シャフト(アイドラ        | 1   |     |     |     |     |     | 1 |   |
| 9   | 2   | 1E8680-71910   | カラー(60X72X19.6   | 1   |     |     |     |     |     | 1 |   |
| 10  | 2   | 1E8680-71920   | カラー(シール 28X45X17 | 2   |     |     |     |     |     | 1 |   |
| 11  | 2   | 1E6A80-73000   | メタル(アイドラ L       | 1   |     |     |     |     |     | 1 |   |
| 12  | 2   | 1E8680-73010   | カバー(ボウジン 86      | 2   |     |     |     |     |     | 1 |   |
| 13  | 2   | 1E6680-73031   | シール(45X72X12     | 2   |     |     |     |     |     | 1 |   |
| 14  | 2   | 1E8255-73040   | ワッシャ(16.5X40X8   | 2   |     |     |     |     |     | 1 |   |
| 15  | 2   | 1E6A80-73091   | ローラ(アイドラ 208     | 1   |     |     |     |     |     | 1 |   |
| 16  | 2   | 22217-160000   | バネザガネ(16         | 2   |     |     |     |     |     | 1 |   |
| 17  | 2   | 22252-000721   | トメワC(ナ 72        | 2   |     |     |     |     |     | 1 |   |
| 18  | 2   | 24321-000350   | Oリング(1AG35.0     | 2   |     |     |     |     |     | 1 |   |
| 19  | 2   | 24761-060000   | グリースツブ(MT6X1     | 1   |     |     |     |     |     | 1 |   |
| 20  | 2   | 26737-160002   | ナット(ボソ M16       | 2   |     |     |     |     |     | 1 |   |
| 21  | 1   | 1E6A80-73861   | ローラCMP(アイドラ R    | 1   |     |     |     |     |     |   |   |
| 22  | 2   | 198390-25230   | ベアリング(6207R SH2  | 2   |     |     |     |     |     | 1 |   |
| 23  | 2   | 1E8680-71900   | シャフト(アイドラ        | 1   |     |     |     |     |     | 1 |   |
| 24  | 2   | 1E8680-71910   | カラー(60X72X19.6   | 1   |     |     |     |     |     | 1 |   |
| 25  | 2   | 1E8680-71920   | カラー(シール 28X45X17 | 2   |     |     |     |     |     | 1 |   |
| 26  | 2   | 1E8680-73010   | カバー(ボウジン 86      | 2   |     |     |     |     |     | 1 |   |
| 27  | 2   | 1E6680-73031   | シール(45X72X12     | 2   |     |     |     |     |     | 1 |   |
| 28  | 2   | 1E8255-73040   | ワッシャ(16.5X40X8   | 2   |     |     |     |     |     | 1 |   |
| 29  | 2   | 1E6A80-73070   | メタル(アイドラ R       | 1   |     |     |     |     |     | 1 |   |
| 30  | 2   | 1E6A80-73091   | ローラ(アイドラ 208     | 1   |     |     |     |     |     | 1 |   |
| 31  | 2   | 22217-160000   | バネザガネ(16         | 2   |     |     |     |     |     | 1 |   |
| 32  | 2   | 22252-000721   | トメワC(ナ 72        | 2   |     |     |     |     |     | 1 |   |
| 33  | 2   | 24321-000350   | Oリング(1AG35.0     | 2   |     |     |     |     |     | 1 |   |
| 34  | 2   | 24761-060000   | グリースツブ(MT6X1     | 1   |     |     |     |     |     | 1 |   |
| 35  | 2   | 26737-160002   | ナット(ボソ M16       | 2   |     |     |     |     |     | 1 |   |
| 36  | 1   | 22217-120000   | バネザガネ(12         | 4   |     |     |     |     |     |   |   |
| 37  | 1   | 26014-080202   | ボルト(ヒラハネ 8X20    | 2   |     |     |     |     |     |   |   |
| 38  | 1   | 26677-160002   | ナット(フクロボソ 16     | 2   |     |     |     |     |     |   |   |
| 39  | 1   | 26717-120002   | ナット(M12          | 4   |     |     |     |     |     |   |   |
| 40  | 1   | 26717-200002   | ナット(M20          | 4   |     |     |     |     |     |   |   |

備考

(1)アイドラ仕組(メタルなし)7E6A80-73001  
代用座金は、現地で破棄ください

N:旧 ⇄ 新, Q:旧 ⇄ 新, R:旧 ⇄ 新, S:旧 ⇄ 新, W:追加, Z:廃止, F:セット互換, K:個数変更



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-73130 | サガネカートツキ 16     | 8   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-73871 | ローラCMP (トラック    | 8   |     |     |     |     |     |   |   |
| 3   | 2   | 1E6680-73031 | シール (45X72X12   | 8   |     |     |     |     |     |   |   |
| 4   | 2   | 1E6680-73040 | スリーブ (35X45X17  | 8   |     |     |     |     |     |   |   |
| 5   | 2   | 1E6A80-73110 | ローラ (トラック 180   | 8   |     |     |     |     |     |   |   |
| 6   | 2   | 1E6A80-73120 | カバー (ホウシ        | 8   |     |     |     |     |     |   |   |
| 7   | 2   | 1E8210-73220 | カラー (36X45X45.5 | 8   |     |     |     |     |     |   |   |
| 8   | 2   | 1E8540-73452 | シャフト (トラックローラ U | 8   |     |     |     |     |     |   |   |
| 9   | 2   | 22252-000721 | トメワC (アナ 72     | 8   |     |     |     |     |     |   |   |
| 10  | 2   | 24101-062074 | ベアリング (ボール 6207 | 16  |     |     |     |     |     |   |   |
| 11  | 2   | 24761-060000 | グリスニツブル (MT6X1  | 8   |     |     |     |     |     |   |   |
| 12  | 1   | 22217-160000 | バネサガネ (16       | 8   |     |     |     |     |     |   |   |
| 13  | 1   | 26737-160002 | ナット (ボソ M16     | 8   |     |     |     |     |     |   |   |





Fig.77. イコライザー



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称           | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-73130 | サカネカートツキ 16    | 4   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A80-73880 | イコライザ CMP      | 4   |     |     |     |     |     |   |   |
| 3   | 2   | 1E6A80-73151 | シテン(イコライザ)     | 4   |     |     |     |     |     |   |   |
| 4   | 2   | 1E6A80-73160 | シャフト(イコライザ)シテン | 4   |     |     |     |     |     |   |   |
| 5   | 2   | 1E6A80-73170 | シャフト(ローラシテン)   | 8   |     |     |     |     |     |   |   |
| 6   | 2   | 1E6A80-73180 | ローラ(160)       | 16  |     |     |     |     |     |   |   |
| 7   | 2   | 1E6A80-73190 | シール(256213)    | 16  |     |     |     |     |     |   |   |
| 8   | 2   | 1E6A80-73200 | カバー(シール)       | 4   |     |     |     |     |     |   |   |
| 9   | 2   | 1E8940-73430 | ワッシャ(14X32X6)  | 16  |     |     |     |     |     |   |   |
| 10  | 2   | 1E8080-73780 | シール(ダスト)50     | 8   |     |     |     |     |     |   |   |
| 11  | 2   | 22217-140000 | ハネサカネ(14)      | 16  |     |     |     |     |     |   |   |
| 12  | 2   | 22217-160000 | ハネサカネ(16)      | 4   |     |     |     |     |     |   |   |
| 13  | 2   | 22252-000621 | トメワC(ア)62      | 16  |     |     |     |     |     |   |   |
| 14  | 2   | 24101-063054 | ベアリング(ボール)6305 | 16  |     |     |     |     |     |   |   |
| 15  | 2   | 24550-035300 | ドライブツシユ(35X30) | 8   |     |     |     |     |     |   |   |
| 16  | 2   | 24761-060000 | グリスニツブル(MT6X1) | 12  |     |     |     |     |     |   |   |
| 17  | 2   | 26606-140002 | ナツト(ボソ)M14     | 16  |     |     |     |     |     |   |   |
| 18  | 2   | 26737-160002 | ナツト(ボソ)M16     | 4   |     |     |     |     |     |   |   |
| 19  | 1   | 22217-160000 | ハネサカネ(16)      | 4   |     |     |     |     |     |   |   |
| 20  | 1   | 26737-160002 | ナツト(ボソ)M16     | 4   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称         | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |              | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-73140 | ガイド(クローラ)    | 4   |     |     |     |     |     |   |   |
| 2   | 1   | 22217-160000 | バネ(16)       | 8   |     |     |     |     |     |   |   |
| 3   | 1   | 26156-160552 | ボルト(ボ) 16X55 | 8   |     |     |     |     |     |   |   |





Fig.79. スプロケット



(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=


| No. | レール | 部品番号           | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6C30-73350   | スプロケットCMP        | 2   |     |     |     |     |     |   |   |
| 2   | 2   | 1E6A10-73400   | スプロケット(90-8T/2)  | 4   |     |     |     |     |     |   |   |
| 3   | 2   | 1E6C30-73410   | ホース(スプロケット)      | 2   |     |     |     |     |     |   |   |
| 4   | 2   | 1E6A10-73420   | ホルト(M14X30 10.9) | 24  |     |     |     |     |     |   |   |
| 5   | 2   | 22217-140000   | パネツガネ(14)        | 24  |     |     |     |     |     |   |   |
| 6   | 1   | 1E6740-73720-1 | ワッシャ(24.5X50X8)  | 2   |     |     |     |     |     |   |   |
| 7   | 1   | 26737-240002   | ナツト(ホソ M24)      | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 26777-240002   | トメナツト(ホソ M24)    | 2   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=


| No. | ラベル | 部品番号         | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-73891 | ローラCMP (キャリア)      | 4   |     |     |     |     |     |   |   |
| 2   | 2   | 1E6690-35500 | ワッシャ (12X28X4.5)   | 4   |     |     |     |     |     |   |   |
| 3   | 2   | 1E6460-73160 | スリーブ (SI 25X30X13) | 4   |     |     |     |     |     |   |   |
| 4   | 2   | 1E8940-73501 | シャフト (キャリアローラ)     | 4   |     |     |     |     |     |   |   |
| 5   | 2   | 1E8948-73500 | カラー (20.3X25X3.6)  | 4   |     |     |     |     |     |   |   |
| 6   | 2   | 1E8940-73510 | ローラ (キャリア 135A)    | 4   |     |     |     |     |     |   |   |
| 7   | 2   | 1E8940-73520 | ローラ (キャリア 135B)    | 4   |     |     |     |     |     |   |   |
| 8   | 2   | 1E6C70-73550 | シール (30X52X10)     | 4   |     |     |     |     |     |   |   |
| 9   | 2   | 22252-000521 | トメワC (7+ 52)       | 4   |     |     |     |     |     |   |   |
| 10  | 2   | 24512-053044 | ベアリング (ボール 5304)   | 8   |     |     |     |     |     |   |   |
| 11  | 2   | 24761-060000 | グリースニツブル (MT6X1)   | 4   |     |     |     |     |     |   |   |
| 12  | 2   | 26013-080252 | ホルト (ハネ 8X25)      | 12  |     |     |     |     |     |   |   |
| 13  | 2   | 26013-120252 | ホルト (ハネ 12X25)     | 4   |     |     |     |     |     |   |   |
| 14  | 1   | 22137-100000 | ザガネ (ミガキ 10)       | 4   |     |     |     |     |     |   |   |
| 15  | 1   | 26014-100502 | ホルト (ヒラハネ 10X50)   | 4   |     |     |     |     |     |   |   |
| 16  | 1   | 26717-100002 | ナツト (M10)          | 4   |     |     |     |     |     |   |   |





| No. | レベル | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | F |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E9441-73451 | ｸﾏ-ｳ(550X90X58JW | 2   |     |     |     |     |     |   |   |

Fig.82. スイング(1)




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号           | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6020-25340-1 | スベ-サ(9X28X4.5     | 4   |     |     |     |     |     |   |   |
| 2   | 1   | 1A1470-60340   | ヒッチサ              | 8   |     |     |     |     |     |   |   |
| 3   | 1   | 1E8940-73280   | シール(ダスト 30        | 8   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A80-73530   | シール(ダスト 65        | 8   |     |     |     |     |     |   |   |
| 5   | 1   | 1E9575-73530   | サ-ガネ(11X65X3.2    | 4   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-73630   | ア-ム(スイング) ウチ FL   | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-73640   | ア-ム(スイング) ウチ FR   | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-73650   | ア-ム(スイング) ウチ BL   | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A80-73660   | ア-ム(スイング) ウチ BR   | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A80-73672   | ア-ム(スイング) ソト L    | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A80-73682   | ア-ム(スイング) ソト R    | 2   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A80-73690   | サ-ガネ(80X6         | 4   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A80-73700   | シャフト(UFOシテン マエ    | 2   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6A80-73710   | シャフト(UFOシテン ウシロ U | 2   |     |     |     |     |     |   |   |
| 15  | 1   | 1E6A80-73751   | シャフト(サブ) リンク B    | 4   |     |     |     |     |     |   |   |
| 16  | 1   | 1E6A80-73900   | ホ-ス(UFOウシロ        | 2   |     |     |     |     |     |   |   |
| 17  | 1   | 1E6A80-73920   | カラー(8X12X6.5      | 4   |     |     |     |     |     |   |   |
| 18  | 1   | 22217-160000   | バ-ネサ-ガネ(16        | 8   |     |     |     |     |     |   |   |
| 19  | 1   | 22242-000651   | トメワC(シ-ク 65       | 4   |     |     |     |     |     |   |   |
| 20  | 1   | 24550-020300   | ド-ライブ ツシュ(20X30   | 2   |     |     |     |     |     |   |   |
| 21  | 1   | 24550-020300   | ド-ライブ ツシュ(20X30   | 4   |     |     |     |     |     |   |   |
| 22  | 1   | 24550-030300   | ド-ライブ ツシュ(30X30   | 4   |     |     |     |     |     |   |   |
| 23  | 1   | 24761-050000   | ク-リスニツパ-ル(C ガ-タ   | 2   |     |     |     |     |     |   |   |
| 24  | 1   | 24761-060000   | ク-リスニツパ-ル(MT6X1   | 2   |     |     |     |     |     |   |   |
| 25  | 1   | 24761-060000   | ク-リスニツパ-ル(MT6X1   | 4   |     |     |     |     |     |   |   |
| 26  | 1   | 26013-080302   | ホ-ルト(バ-ネ 8X30     | 4   |     |     |     |     |     |   |   |
| 27  | 1   | 26013-100252   | ホ-ルト(バ-ネ 10X25    | 4   |     |     |     |     |     |   |   |
| 28  | 1   | 26013-100302   | ホ-ルト(バ-ネ 10X30    | 8   |     |     |     |     |     |   |   |
| 29  | 1   | 26156-160502   | ホ-ルト(ホ-リ 16X50    | 8   |     |     |     |     |     |   |   |

Fig.83. スイング(2)




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号           | 部品名称                   | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|------------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                        | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1C7200-07050   | センサ(ケイシヤ               | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6C70-66080   | エルホ* (R1/4-50          | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E8235-73330   | カラー(8X12X4             | 4   |     |     |     |     |     |   |   |
| 4   | 1   | 1E8235-73330   | カラー(8X12X4             | 2   |     |     |     |     |     |   |   |
| 5   | 1   | 1E8235-73351   | ピン(シテン                 | 4   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-73501   | パイプ CMP (レンケツ A        | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-73501   | パイプ CMP (レンケツ A        | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-73543   | UFOシリンダ* 40X65X153     | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A80-73543   | UFOシリンダ* 40X65X153     | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A85-73550-1 | ピン(シテン                 | 4   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A80-73581   | アームCMP (ホ* テンショ FL     | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A80-73581   | アームCMP (ホ* テンショ FL     | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A85-73580-1 | カラー(10X14X4            | 4   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6A80-73602   | シリンダ* レンケツ A           | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E6A80-73602   | シリンダ* レンケツ A           | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 1E6A85-73600   | ロッド* CMP (レンケツ マエ      | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 1E6A85-73600   | ロッド* CMP (レンケツ マエ      | 1   |     |     |     |     |     |   |   |
| 18  | 1   | 1E8380-73740   | ナット(アシ* ャスト            | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 1E8380-73740   | ナット(アシ* ャスト            | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 1E6A80-73801   | ベ*ース(センサ F             | 1   |     |     |     |     |     |   |   |
| 21  | 1   | 1E6A80-73801   | ベ*ース(センサ F             | 1   |     |     |     |     |     |   |   |
| 22  | 1   | 1E8380-73910   | ナット(M24L               | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 1E8380-73910   | ナット(M24L               | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 1E6A80-81500   | センサ(ホ* テンショ            | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 1E6A80-81500   | センサ(ホ* テンショ            | 1   |     |     |     |     |     |   |   |
| 26  | 1   | 23393-020000   | ジョイント(90RG1-1/4        | 1   |     |     |     |     |     |   |   |
| 27  | 1   | 23393-020000   | ジョイント(90RG1-1/4        | 1   |     |     |     |     |     |   |   |
| 28  | 1   | 23393-020000   | ジョイント(90RG1-1/4        | 1   |     |     |     |     |     |   |   |
| 29  | 1   | 26014-080162   | ホ*ルト(ヒラ+ハ* ネ 8X16      | 4   |     |     |     |     |     |   |   |
| 30  | 1   | 26014-080162   | ホ*ルト(ヒラ+ハ* ネ 8X16      | 2   |     |     |     |     |     |   |   |
| 31  | 1   | 26014-080202   | ホ*ルト(ヒラ+ハ* ネ 8X20      | 2   |     |     |     |     |     |   |   |
| 32  | 1   | 26014-100202   | ホ*ルト(ヒラ+ハ* ネ 10X20     | 4   |     |     |     |     |     |   |   |
| 33  | 1   | 26023-040102   | ナベ*コネシ* (ヒラ+ハ* ネ M4X10 | 2   |     |     |     |     |     |   |   |
| 34  | 1   | 26023-040102   | ナベ*コネシ* (ヒラ+ハ* ネ M4X10 | 2   |     |     |     |     |     |   |   |
| 35  | 1   | 26023-050302   | ナベ*コネシ* (ヒラ+ハ* ネ M5X30 | 2   |     |     |     |     |     |   |   |
| 36  | 1   | 26367-060002   | ツバ*ツキナツト(M6            | 1   |     |     |     |     |     |   |   |
| 37  | 1   | 26367-060002   | ツバ*ツキナツト(M6            | 1   |     |     |     |     |     |   |   |
| 38  | 1   | 26737-240002   | ナツト(ホソ M24             | 1   |     |     |     |     |     |   |   |
| 39  | 1   | 26737-240002   | ナツト(ホソ M24             | 1   |     |     |     |     |     |   |   |
| 40  | 1   | 26737-240002   | ナツト(ホソ M24             | 1   |     |     |     |     |     |   |   |
| 41  | 1   | 26737-240002   | ナツト(ホソ M24             | 1   |     |     |     |     |     |   |   |



0CNP7-M01300 走行部(3)  
Fig.84. フロアフレーム




0CNP7-M01300 Fig.84

| No. | レベ | 部品番号         | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-----|----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |    |              |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1  | 172B16-17190 | リレー (CB C タイプ)     | 1   |     |     |     |     |     |   |   |
| 2   | 1  | 1E8880-32300 | プレート (22X40)       | 1   |     |     |     |     |     |   |   |
| 3   | 1  | 198200-63620 | キャップ (ボルト 6)       | 4   |     |     |     |     |     |   |   |
| 4   | 1  | 7E6C70-74002 | フレームCMP (フロア A PL) | 1   |     |     |     |     |     |   |   |
| 7   | 1  | 1E6A80-74202 | フロアフレーム B          | 1   |     |     |     |     |     |   |   |
| 8   | 1  | 7E6C70-74400 | フレームCMP (フロア C PL) | 1   |     |     |     |     |     |   |   |
| 12  | 1  | 1E6C30-74621 | リテーナ (フック)         | 1   |     |     |     |     |     |   |   |
| 13  | 1  | 26014-060162 | ボルト (ヒラハネ) 6X16    | 1   |     |     |     |     |     |   |   |
| 14  | 1  | 26014-080202 | ボルト (ヒラハネ) 8X20    | 4   |     |     |     |     |     |   |   |
| 15  | 1  | 26014-100202 | ボルト (ヒラハネ) 10X20   | 4   |     |     |     |     |     |   |   |
| 17  | 1  | 26014-100252 | ボルト (ヒラハネ) 10X25   | 2   |     |     |     |     |     |   |   |
| 18  | 1  | 26014-100252 | ボルト (ヒラハネ) 10X25   | 2   |     |     |     |     |     |   |   |
| 20  | 1  | 26014-100752 | ボルト (ヒラハネ) 10X75   | 2   |     |     |     |     |     |   |   |
| 21  | 1  | 26023-050122 | ナベコネシ (ヒラハネ) M5X12 | 1   |     |     |     |     |     |   |   |
| 22  | 1  | 26367-100002 | ツバツキナット (M10)      | 2   |     |     |     |     |     |   |   |

Fig.85. エンジンルームカバー

(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=



| No. | レール | 部品番号         | 部品名称                 | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                      | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E9330-04060 | シール(15X10X1000       | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6C70-04300 | ブ ロテクタ (フロント         | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6C70-04400 | ブ ロテクタ (リア           | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E9570-32820 | シール(15X10X750        | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E9570-32820 | シール(15X10X750        | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E9600-32860 | シール(10X15X575        | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6693-45240 | ス プ リンク (ロックレバ ーモト シ | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1C6281-52320 | ピ ン(スナ ップ スケ ット メ 8  | 2   |     |     |     |     |     |   |   |
| 9   | 1   | 198220-61351 | ロッ クCMP (カム          | 2   |     |     |     |     |     |   |   |
| 10  | 1   | 198220-61351 | ロッ クCMP (カム          | 3   |     |     |     |     |     |   |   |
| 11  | 1   | 1E8540-66770 | カラ ー(8X12X8          | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6B90-76002 | カバ ー (Eルーム           | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6B90-76050 | カバ ー (Eルーム A         | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 7E6B90-76070 | カバ ー (Eルーム C PL      | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 1E6B90-76120 | ホ ール                 | 6   |     |     |     |     |     |   |   |
| 18  | 1   | 1E6B90-76202 | ブ レ ー ト(ソウシ ング チ     | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 1E6A80-76310 | ファ スナ (クッション         | 24  |     |     |     |     |     |   |   |
| 20  | 1   | 1E6A80-76440 | シール(10X280X5         | 1   |     |     |     |     |     |   |   |
| 21  | 1   | 1E6A80-76450 | シール(10X920X5         | 2   |     |     |     |     |     |   |   |
| 22  | 1   | 1E6B90-76450 | シール(1050X10X5        | 2   |     |     |     |     |     |   |   |
| 23  | 1   | 1E6B90-76500 | ヒンジ (Eルーム            | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 1E6A80-76600 | ワイヤ (ストッパ            | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 1E8940-76651 | フック                  | 1   |     |     |     |     |     |   |   |
| 26  | 1   | 1E8940-76680 | ブ レ ー ト(ロッ ク         | 1   |     |     |     |     |     |   |   |
| 27  | 1   | 1E6B90-76710 | フ レ ー ム (Eルームカバ ー    | 1   |     |     |     |     |     |   |   |
| 28  | 1   | 1E6A80-76780 | シテンザ ー (ワイヤ          | 1   |     |     |     |     |     |   |   |
| 29  | 1   | 1E6B90-76800 | ベ ー ス (フックシテン        | 1   |     |     |     |     |     |   |   |
| 30  | 1   | 1E6A80-76902 | ステー (フック             | 1   |     |     |     |     |     |   |   |
| 31  | 1   | 22137-100000 | ザ ー ガ ネ(ミガ キ 10      | 1   |     |     |     |     |     |   |   |
| 32  | 1   | 22417-160200 | ワリビ ン(1. 6X20        | 1   |     |     |     |     |     |   |   |
| 33  | 1   | 22417-250200 | ワリビ ン(2. 5X20        | 1   |     |     |     |     |     |   |   |
| 34  | 1   | 26014-060162 | ホ ール(ヒラハ ー ネ 6X16    | 3   |     |     |     |     |     |   |   |
| 35  | 1   | 26014-060162 | ホ ール(ヒラハ ー ネ 6X16    | 6   |     |     |     |     |     |   |   |
| 36  | 1   | 26014-080202 | ホ ール(ヒラハ ー ネ 8X20    | 3   |     |     |     |     |     |   |   |
| 37  | 1   | 26014-080202 | ホ ール(ヒラハ ー ネ 8X20    | 8   |     |     |     |     |     |   |   |
| 38  | 1   | 26014-080202 | ホ ール(ヒラハ ー ネ 8X20    | 6   |     |     |     |     |     |   |   |
| 39  | 1   | 26014-080202 | ホ ール(ヒラハ ー ネ 8X20    | 1   |     |     |     |     |     |   |   |
| 40  | 1   | 26014-080202 | ホ ール(ヒラハ ー ネ 8X20    | 3   |     |     |     |     |     |   |   |
| 41  | 1   | 26014-080252 | ホ ール(ヒラハ ー ネ 8X25    | 1   |     |     |     |     |     |   |   |
| 42  | 1   | 29311-124000 | グ ロマツト(12. 0X4       | 1   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=




| No. | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1A7320-64510 | ヘッド (バックミラー)     | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6A85-79500 | ステー (ミラー R)      | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6C35-79530 | アーム (ミラー R)      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 22137-100000 | サガネ (ミガキ 10)     | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 22217-100000 | バネサガネ (10)       | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 22217-120000 | バネサガネ (12)       | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 26014-080202 | ボルト (ヒラ+バネ 8X20) | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 26116-120602 | ボルト (12X60)      | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 26717-100002 | ナット (M10)        | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 26717-120002 | ナット (M12)        | 1   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=



(D)=  
(E)=  
(F)=

| No. | バール | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6690-61470 | スクリュー(ヒューズ) M6X16 | 8   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6B95-78401 | シール(1080X50X25)   | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6B95-78501 | ルーフ               | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A85-78590 | シール(ルーフ)          | 3   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6B95-78600 | ゲリル(ランプ)          | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 22157-080000 | サカネ(タイマ) 8        | 4   |     |     |     |     |     |   |   |
| 7   | 1   | 26013-080202 | ボルト(ハネ) 8X20      | 4   |     |     |     |     |     |   |   |



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=



| No. | ラベル | 部品番号         | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1A7030-65790 | ラベル(カ)イキ           | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6B95-78651 | ルーフ(インナー)          | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6C75-78670 | プレート(インナールーフ)      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C75-78700 | シール(20X5X1555)     | 3   |     |     |     |     |     |   |   |
| 5   | 1   | 1E8545-79680 | ラベル(ワイバ)スイッチマーク    | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 197821-85430 | スイッチ(ワイバ)          | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 198010-85810 | リベット(タイロン)         | 2   |     |     |     |     |     |   |   |
| 8   | 1   | 1A7470-86750 | ランプ CMP (ルーム)      | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 1A7470-86770 | デンキュウ(12V/5W)      | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 26367-050002 | ツバ ツキナツト(M5)       | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 26557-050202 | ナベ コネシ (+7ナ M5X20) | 2   |     |     |     |     |     |   |   |

OCNP7-M01300 キャビン部  
Fig.89. キャビン(本体)


OCNP7-M01300 Fig.89

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=


数量  
(A) (B) (C) (D) (E) (F) I R

| No. | ラベル | 部品番号         | 部品名称               | (A) | (B) | (C) | (D) | (E) | (F) | I | R |
|-----|-----|--------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
| 1   |     | 1E9570-32850 | シール(10X15X170      | 1   |     |     |     |     |     |   |   |
| 2   |     | 1J5240-44700 | リベット(8             | 2   |     |     |     |     |     |   |   |
| 3   |     | 1D4220-51340 | ホルト(8X20C クロ       | 1   |     |     |     |     |     |   |   |
| 4   |     | 1D4220-51340 | ホルト(8X20C クロ       | 2   |     |     |     |     |     |   |   |
| 5   |     | 1A8046-65640 | ラベル(SA             | 1   |     |     |     |     |     |   |   |
| 6   |     | 1E6A85-69850 | シール(ハヤセン A         | 1   |     |     |     |     |     |   |   |
| 7   |     | 1E6A85-69860 | シール(ハヤセン B         | 1   |     |     |     |     |     |   |   |
| 8   |     | 1E6A85-69870 | シール(ハヤセン C         | 1   |     |     |     |     |     |   |   |
| 9   |     | 1E6A85-69920 | シール(ホンタイ ウシロ       | 1   |     |     |     |     |     |   |   |
| 10  |     | 1E6A85-69930 | シール(ホンタイ ウエ        | 1   |     |     |     |     |     |   |   |
| 11  |     | 1E6A85-69942 | シール(ト アシテン         | 1   |     |     |     |     |     |   |   |
| 12  |     | 1E6A85-69950 | シート(ノンスリップ) 280    | 1   |     |     |     |     |     |   |   |
| 13  |     | 1E6C75-77003 | キャビンCMP            | 1   |     |     |     |     |     |   |   |
| 14  |     | 1E6B95-77900 | シール(70X110X5       | 1   |     |     |     |     |     |   |   |
| 15  |     | 1E6A80-78600 | シール(フロア サイド        | 1   |     |     |     |     |     |   |   |
| 16  |     | 1E6A85-79630 | カバー(センサ            | 1   |     |     |     |     |     |   |   |
| 17  |     | 1E6B95-83500 | シートCMP(ワイハ         | 1   |     |     |     |     |     |   |   |
| 18  |     | 1E8945-83570 | モータ(ワイハ            | 1   |     |     |     |     |     |   |   |
| 19  |     | 1E8945-83580 | アーム(ワイハ) 550       | 1   |     |     |     |     |     |   |   |
| 20  |     | 1E8945-83590 | ブレード(ワイハ) 500      | 1   |     |     |     |     |     |   |   |
| 21  |     | 1E6B95-83600 | ステー(ライト            | 1   |     |     |     |     |     |   |   |
| 22  |     | 1E6A85-83700 | ステー(ノズル            | 1   |     |     |     |     |     |   |   |
| 23  |     | 198093-85650 | ホルト(M6X16          | 3   |     |     |     |     |     |   |   |
| 24  |     | 1A7470-86350 | ランプ CMP(ワーク R      | 5   |     |     |     |     |     |   |   |
| 25  |     | 1A7470-86270 | デンキユウ(12V-35W ハロゲン | 5   |     |     |     |     |     |   |   |
| 26  |     | 198463-86440 | スイッチ(ト アランプ        | 1   |     |     |     |     |     |   |   |
| 27  |     | 1E8540-97210 | ラベル(ベ タル マエ        | 1   |     |     |     |     |     |   |   |
| 28  |     | 1E8915-97350 | ラベル(アナカクシ          | 3   |     |     |     |     |     |   |   |
| 29  |     | 1E6C70-97900 | ラベル(オイル YH6. 7     | 1   |     |     |     |     |     |   |   |
| 30  |     | 23061-045000 | ヒールパ イブ 4 X5000    | 1   |     |     |     |     |     |   |   |
| 31  |     | 23080-007000 | ホースクランプ (7         | 1   |     |     |     |     |     |   |   |
| 32  |     | 26014-060162 | ホルト(ヒラハネ 6X16      | 4   |     |     |     |     |     |   |   |
| 33  |     | 26014-060162 | ホルト(ヒラハネ 6X16      | 2   |     |     |     |     |     |   |   |
| 34  |     | 26014-080252 | ホルト(ヒラハネ 8X25      | 2   |     |     |     |     |     |   |   |
| 35  |     | 26022-050162 | ナベ コネジ (ハネ 5X16    | 1   |     |     |     |     |     |   |   |
| 36  |     | 26022-050162 | ナベ コネジ (ハネ 5X16    | 1   |     |     |     |     |     |   |   |
| 37  |     | 26367-080002 | ワッシャー(M8           | 3   |     |     |     |     |     |   |   |
| 38  |     | 26717-050002 | ナット(M5             | 1   |     |     |     |     |     |   |   |
| 39  |     | 933113-15800 | ノズル(ウオッシュ          | 1   |     |     |     |     |     |   |   |
| 40  |     | 933168-56000 | クローメット(17X9        | 3   |     |     |     |     |     |   |   |




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=



| No. | レール | 部品番号         | 部品名称                   | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                        | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1A7030-86651 | タンクCMP (ウォッシャ 1/2. 2/2 | 1   |     |     |     |     |     |   |   |
| 2   | 2   | 1A7030-86670 | キャップ (ウォッシャタンク         | 1   |     |     |     |     |     |   |   |
| 3   | 2   | 198127-86710 | ポンプ (ウォッシャ             | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 23080-007000 | ホースランフ (7              | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 26014-060122 | ホルト (ヒラハネ 6X12         | 2   |     |     |     |     |     |   |   |

OCNP7-M01300 キャビン部  
Fig.91. キャビン艙装(左)




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号           | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6D00-61190   | ホルト(6X12C クロ     | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6C30-78300   | カラー(12X11X6      | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6C35-78500   | ブラケットCMP(ルカラス    | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C35-78542   | アームCMP(ルカラス      | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E9210-78540   | シール(カラス L        | 2   |     |     |     |     |     |   |   |
| 6   | 1   | 1E8945-78570   | レール(カラス L        | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E8945-78580-2 | レール(カラス L        | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8945-78600   | トリム(カラス ヒタリ      | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E8385-79100   | パッキン(カラー         | 4   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A85-79361   | サッシ(カラス ヒタリ      | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A85-79380   | ロック(カラス ヒタリ      | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A85-79390   | モヘア(ヒタリカラス       | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1S7280-94090   | シール(15X15X525    | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E8720-94300   | プロテクタ(30         | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 22857-400080   | タツピンネジ(ナヘ 4X8    | 5   |     |     |     |     |     |   |   |
| 16  | 1   | 22857-400160   | タツピンネジ(ナヘ 4X16   | 5   |     |     |     |     |     |   |   |
| 17  | 1   | 26589-060202   | パイントネジ(+7+ M6X20 | 2   |     |     |     |     |     |   |   |




Fig.92. キャビン艙装(後)



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | バール | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1A8481-10950 | トリム(100           | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1F4124-44410 | ツマミツキボルト M6X10    | 6   |     |     |     |     |     |   |   |
| 3   | 1   | 1D4220-51340 | ボルト(8X20C クロ      | 3   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C35-62921 | カバー(コンローラ         | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 172137-69651 | カラー(ガス            | 5   |     |     |     |     |     |   |   |
| 6   | 1   | 172137-69840 | ネジ(バインド           | 3   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6C35-69901 | シール(ウシロカバー C      | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6C35-69911 | シール(ウシロカバー D      | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6C35-69920 | シール(ウシロカバー E      | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6C35-69930 | シール(ウシロカバー F      | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A85-69942 | シール(トアシテン         | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6C30-78300 | カラー(12X11X6       | 5   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A85-79070 | シール(3X10X900      | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6A85-79080 | シール(3X10X1200     | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E8385-79100 | パッキン(カラー          | 5   |     |     |     |     |     |   |   |
| 16  | 1   | 1E8385-79220 | ピン                | 2   |     |     |     |     |     |   |   |
| 17  | 1   | 1E8385-79310 | ワッシャー(8           | 3   |     |     |     |     |     |   |   |
| 18  | 1   | 1E8385-79320 | ナットCMP            | 1   |     |     |     |     |     |   |   |
| 19  | 1   | 1E8385-79341 | ダンプ(リヤガス          | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 1E8385-79350 | パッキン(リヤガス         | 10  |     |     |     |     |     |   |   |
| 21  | 1   | 1E6A85-79400 | ベース(ダンプ           | 1   |     |     |     |     |     |   |   |
| 22  | 1   | 1E6A85-79420 | ガス(リヤ             | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 1E6C35-79460 | ガス(リヤ サイド         | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 1E8945-79480 | ベース(マトロック         | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 1E8945-79500 | スクリュー(ガスロック       | 1   |     |     |     |     |     |   |   |
| 26  | 1   | 1E8945-79532 | ロックサ(ガス           | 1   |     |     |     |     |     |   |   |
| 27  | 1   | 1E8545-79590 | ボケット(アミ           | 1   |     |     |     |     |     |   |   |
| 28  | 1   | 1E8945-79840 | ピンジ               | 2   |     |     |     |     |     |   |   |
| 29  | 1   | 1E8945-79890 | シール(リヤガス          | 1   |     |     |     |     |     |   |   |
| 30  | 1   | 198153-83710 | カラー(8. 4X12X22. 5 | 1   |     |     |     |     |     |   |   |
| 31  | 1   | 198153-83720 | ワッシャー(ウェーブ 12     | 1   |     |     |     |     |     |   |   |
| 32  | 1   | 198153-83730 | ハンドル(リヤガス         | 1   |     |     |     |     |     |   |   |
| 33  | 1   | 1E6A85-85600 | プロテクタ(ベース         | 1   |     |     |     |     |     |   |   |
| 34  | 1   | 1E6C35-85932 | カバー(ウシロ           | 1   |     |     |     |     |     |   |   |
| 35  | 1   | 1E6A85-85970 | シール(ウシロカバー A      | 2   |     |     |     |     |     |   |   |
| 36  | 1   | 1E6C35-85970 | カバー(ウシロ C         | 1   |     |     |     |     |     |   |   |
| 37  | 1   | 1E6A85-85980 | シール(ウシロカバー B      | 2   |     |     |     |     |     |   |   |
| 38  | 1   | 22137-060000 | ザガネ(ミガキ 6         | 2   |     |     |     |     |     |   |   |
| 39  | 1   | 22137-080000 | ザガネ(ミガキ 8         | 3   |     |     |     |     |     |   |   |
| 40  | 1   | 22157-060000 | ザガネ(タイマル 6        | 2   |     |     |     |     |     |   |   |
| 41  | 1   | 22157-080000 | ザガネ(タイマル 8        | 1   |     |     |     |     |     |   |   |
| 42  | 1   | 22217-080000 | バネザガネ(8           | 2   |     |     |     |     |     |   |   |
| 43  | 1   | 22372-060000 | スナッフピン(JASO 6     | 2   |     |     |     |     |     |   |   |
| 44  | 1   | 22417-200160 | ワリピン(2. 0X16      | 2   |     |     |     |     |     |   |   |
| 45  | 1   | 26014-060122 | ボルト(ヒラハネ 6X12     | 5   |     |     |     |     |     |   |   |
| 46  | 1   | 26014-060122 | ボルト(ヒラハネ 6X12     | 5   |     |     |     |     |     |   |   |
| 47  | 1   | 26023-040162 | ナベコネジ(ヒラハネ M4X16  | 4   |     |     |     |     |     |   |   |
| 48  | 1   | 26106-080452 | ツバボルト(8X45        | 1   |     |     |     |     |     |   |   |
| 49  | 1   | 26367-060002 | ツバツキナット(M6        | 4   |     |     |     |     |     |   |   |
| 50  | 1   | 26579-050162 | サラコネジ(+アナ M5X16   | 2   |     |     |     |     |     |   |   |
| 51  | 1   | 26589-060202 | バインドネジ(+アナ M6X20  | 5   |     |     |     |     |     |   |   |




| No. | レール | 部品番号         | 部品名称     | 数量  |     |     |     |     |     | I R |
|-----|-----|--------------|----------|-----|-----|-----|-----|-----|-----|-----|
|     |     |              |          | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 52  | 1   | 26657-080002 | フクロツト(M8 | 2   |     |     |     |     |     |     |

Copyright (C) 2022 YANMAR GLOBAL CS CO., LTD. All Rights Reserved.


(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=



| No. | レール | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6C30-78300 | カラー(12X11X6       | 6   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6C30-78300 | カラー(12X11X6       | 4   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6C30-78300 | カラー(12X11X6       | 3   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A85-79001 | ガラス(フロント          | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A85-79010 | ガラス(フロント L        | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A85-79020 | ガラス(フロント R        | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A85-79060 | シール(3X10X1700     | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A85-79070 | シール(3X10X900      | 2   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A85-79080 | シール(3X10X1200     | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E8385-79100 | パッキン(カラー          | 6   |     |     |     |     |     |   |   |
| 11  | 1   | 1E8385-79100 | パッキン(カラー          | 4   |     |     |     |     |     |   |   |
| 12  | 1   | 1E8385-79100 | パッキン(カラー          | 3   |     |     |     |     |     |   |   |
| 13  | 1   | 26589-060202 | パインドネジ (+7+ M6X20 | 3   |     |     |     |     |     |   |   |
| 14  | 1   | 26589-060202 | パインドネジ (+7+ M6X20 | 6   |     |     |     |     |     |   |   |
| 15  | 1   | 26589-060202 | パインドネジ (+7+ M6X20 | 4   |     |     |     |     |     |   |   |

OCNP7-M01300 キャビン部  
Fig.94. キャビン艙装(前一下)




| No. | レール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8560-15040 | リベット(スクリュー)     | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1J5240-44700 | リベット(8)         | 7   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6B90-62001 | カバー(マエ)         | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6B95-62021 | カバー(ヒザアテ R)     | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6B90-62030 | カバー(ヒザアテ L)     | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E8945-78990 | リベット(スクリュー 7)   | 6   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6C20-81300 | スイッチ(ランプ) OR NL | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A80-97360 | ラベル(キースイッチ)     | 1   |     |     |     |     |     |   |   |


Fig.95. キャビンシール(1)

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=



| No. | レール | 部品番号           | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E9265-22200   | リテーナ(ラバー)         | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1F4140-32590-5 | カバー(ヘルムカクニ)       | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E8945-62320   | グロメット(マクツキ 36)    | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A85-62501   | カバー(ホウシ) AC       | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6C30-62501   | カバー-CMP(サイド)コラムソト | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A80-62580   | シート(Sハネル)ソトシタ B   | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6B95-62600   | ガイド(ウシロシール)       | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6B95-62621   | シール(ウシロ)          | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6C75-62750   | シール(COND)         | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A85-62760   | オサエ(シール)コンテナ      | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A85-62770   | シールタイ(コンテナ)       | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A85-62801   | シールタイ(コンテナ) A     | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A85-69960   | シール(ヒューズ)ホウクス     | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E8945-78990   | リベット(スクリュー 7)     | 3   |     |     |     |     |     |   |   |
| 15  | 1   | 26014-060122   | ボルト(ヒラ+ハ)ネ 6X12   | 4   |     |     |     |     |     |   |   |
| 16  | 1   | 26014-060122   | ボルト(ヒラ+ハ)ネ 6X12   | 3   |     |     |     |     |     |   |   |
| 17  | 1   | 26014-060122   | ボルト(ヒラ+ハ)ネ 6X12   | 3   |     |     |     |     |     |   |   |
| 18  | 1   | 26014-060162   | ボルト(ヒラ+ハ)ネ 6X16   | 3   |     |     |     |     |     |   |   |
| 19  | 1   | 26367-060002   | ツバツキナット(M6)       | 4   |     |     |     |     |     |   |   |
| 20  | 1   | 26367-060002   | ツバツキナット(M6)       | 3   |     |     |     |     |     |   |   |
| 21  | 1   | 26367-060002   | ツバツキナット(M6)       | 4   |     |     |     |     |     |   |   |
| 22  | 1   | 26367-060002   | ツバツキナット(M6)       | 4   |     |     |     |     |     |   |   |
| 23  | 1   | 26635-060002   | チヨウナット(M6)        | 1   |     |     |     |     |     |   |   |





| No. | レベ | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I R |
|-----|----|--------------|-------------------|-----|-----|-----|-----|-----|-----|-----|
|     |    |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 1   | 1  | 198220-51340 | ク ロメット (30        | 1   |     |     |     |     |     |     |
| 2   | 1  | 1E6B95-62541 | カハ - (ヒタ リウシロ     | 1   |     |     |     |     |     |     |
| 3   | 1  | 26014-060122 | ホ ルト (ヒラ+ハ ね 6X12 | 6   |     |     |     |     |     |     |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E9441-66170 | シール(5X10X600     | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6B95-78741 | カバー(CDラジオ        | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E9535-79410 | ハーネス(CDラジオ       | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E9535-79420 | カバー(スピーカ         | 2   |     |     |     |     |     |   |   |
| 5   | 1   | 1E9535-79431 | ハーネス(スピーカ        | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A85-83571 | ステー(CD           | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A85-83601 | アンテナCMP          | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A85-83624 | カバー(CDホウジン       | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A85-83750 | プレート(アンテナ        | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 198093-85650 | ボルト(M6X16        | 2   |     |     |     |     |     |   |   |
| 11  | 1   | 198010-85810 | リベット(タイロン        | 2   |     |     |     |     |     |   |   |
| 12  | 1   | 1A8470-86000 | ラジオCMP(CD        | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 198255-86920 | スクリュ(タッピンク M4X16 | 8   |     |     |     |     |     |   |   |
| 14  | 1   | 1A8110-86920 | スピーカ             | 2   |     |     |     |     |     |   |   |
| 15  | 1   | 198255-86930 | ナット(スピーード M4     | 8   |     |     |     |     |     |   |   |
| 16  | 1   | 26014-060162 | ボルト(ヒラハネ 6X16    | 2   |     |     |     |     |     |   |   |
| 17  | 1   | 26022-050202 | ナベコネシ(ハネ 5X20    | 2   |     |     |     |     |     |   |   |
| 18  | 1   | 26023-050102 | ナベコネシ(ヒラハネ M5X10 | 4   |     |     |     |     |     |   |   |
| 19  | 1   | 26367-060002 | ワッザナツ(M6         | 1   |     |     |     |     |     |   |   |





| No. | バール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|-----|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 1   | 1   | 1E6102-63110 | カラー(10.5X28X4.5 | 4   |     |     |     |     |     |     |
| 2   | 1   | 26013-100252 | ボルト(バール 10X25   | 4   |     |     |     |     |     |     |



Fig.99. エアコン(1)


(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

数量

I R

| No. | ラベル | 部品番号         | 部品名称           | (A) | (B) | (C) | (D) | (E) | (F) | I | R |
|-----|-----|--------------|----------------|-----|-----|-----|-----|-----|-----|---|---|
| 1   | 1   | 1E6B95-85802 | エアコンKIT        | 1   |     |     |     |     |     |   |   |
| 2   | 2   | 1E8980-79660 | カラー (24X8X17   | 4   |     |     |     |     |     |   |   |
| 3   | 2   | 1E8980-79670 | ク ロメット (24     | 4   |     |     |     |     |     |   |   |
| 4   | 2   | 1E8685-79840 | ク ロメット (36     | 1   |     |     |     |     |     |   |   |
| 5   | 2   | 1E8545-80030 | ジ ョイント (ト レン   | 1   |     |     |     |     |     |   |   |
| 6   | 2   | 1E8545-80090 | ク リル (マル       | 2   |     |     |     |     |     |   |   |
| 7   | 2   | 1E8545-80210 | ド ライヤ (レシーバ    | 1   |     |     |     |     |     |   |   |
| 8   | 2   | 1E8945-85040 | フィルタ (ナイキ      | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 1E8945-85110 | チューブ (リキット IN  | 1   |     |     |     |     |     |   |   |
| 10  | 2   | 1E6A85-85610 | ク ロメット (8      | 1   |     |     |     |     |     |   |   |
| 11  | 2   | 1E6A85-85720 | ホース (リキット R-U  | 1   |     |     |     |     |     |   |   |
| 12  | 2   | 1E6A85-85730 | ホース (デ ィスチャージ  | 1   |     |     |     |     |     |   |   |
| 13  | 2   | 1E6A85-85740 | ホース (A/C-サクシヨン | 1   |     |     |     |     |     |   |   |
| 14  | 2   | 1E6A85-85821 | ケーブル (W/V      | 1   |     |     |     |     |     |   |   |
| 15  | 2   | 1E6A85-85832 | ケーブル (A/Mカリカエ  | 1   |     |     |     |     |     |   |   |
| 16  | 2   | 1E6A85-85841 | ケーブル (タ ンバ R   | 1   |     |     |     |     |     |   |   |
| 17  | 2   | 1E6A85-85851 | ケーブル (タ ンバ L   | 1   |     |     |     |     |     |   |   |
| 18  | 2   | 1E6A85-85860 | クランプ (17       | 1   |     |     |     |     |     |   |   |
| 19  | 2   | 1E6A85-85890 | パ ネル (ウオータ     | 1   |     |     |     |     |     |   |   |
| 20  | 2   | 1A7347-87701 | コントロール CMP     | 1   |     |     |     |     |     |   |   |
| 21  | 3   | 1E8545-80080 | ノブ (コントロール     | 2   |     |     |     |     |     |   |   |
| 22  | 3   | 1A7347-87710 | パ ネル (エアコン     | 1   |     |     |     |     |     |   |   |
| 23  | 3   | 1A7030-87790 | クランプ (ケーブル     | 4   |     |     |     |     |     |   |   |
| 24  | 3   | 1A7030-88211 | スイッチCMP (エアコン  | 1   |     |     |     |     |     |   |   |
| 25  | 2   | 1A7030-87790 | クランプ (ケーブル     | 1   |     |     |     |     |     |   |   |
| 26  | 2   | 198208-87980 | コネクタ (ホース      | 1   |     |     |     |     |     |   |   |
| 27  | 2   | 1A7030-87990 | フィルタ (カ イキ     | 1   |     |     |     |     |     |   |   |
| 28  | 2   | 1A7030-88710 | クリップ (ヒータホース   | 2   |     |     |     |     |     |   |   |






(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称           | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1A7470-87201 | エアコンCMP(ユニット)  | 1   |     |     |     |     |     |   |   |
| 2   | 2   | 1A7030-87211 | ケース(ロフ)        | 1   |     |     |     |     |     |   |   |
| 3   | 2   | 1A7030-87220 | ケース(ウエ)        | 1   |     |     |     |     |     |   |   |
| 4   | 2   | 1A7030-88180 | エハホレータCMP      | 1   |     |     |     |     |     |   |   |
| 5   | 2   | 1A7030-88190 | バルブ(エキスパンション)  | 1   |     |     |     |     |     |   |   |
| 6   | 2   | 1A7030-88200 | ガスケット(エハホレータ)  | 1   |     |     |     |     |     |   |   |
| 7   | 2   | 1A7030-88230 | ボルト(M5X50)     | 2   |     |     |     |     |     |   |   |
| 8   | 2   | 1A7030-88820 | リング            | 1   |     |     |     |     |     |   |   |
| 9   | 2   | 1A7030-88840 | リング            | 1   |     |     |     |     |     |   |   |
| 10  | 2   | 1A7030-87240 | コアCMP(ヒータ)     | 1   |     |     |     |     |     |   |   |
| 11  | 2   | 1A7030-87251 | レジスタ(プロダ)      | 1   |     |     |     |     |     |   |   |
| 12  | 2   | 1A7030-87270 | レバー(MIXトア)     | 3   |     |     |     |     |     |   |   |
| 13  | 2   | 1A7030-87280 | レバーCMP(モードトア)  | 1   |     |     |     |     |     |   |   |
| 14  | 2   | 1A7030-87290 | シャフト(MIXトアR)   | 1   |     |     |     |     |     |   |   |
| 15  | 2   | 1A7030-87300 | トアCMP          | 4   |     |     |     |     |     |   |   |
| 16  | 2   | 1A7030-87310 | レバー(MIXトア)     | 1   |     |     |     |     |     |   |   |
| 17  | 2   | 1A7030-87330 | シャフト(MIXトアL)   | 1   |     |     |     |     |     |   |   |
| 18  | 2   | 1A7030-87340 | スクリュー(タッピン)    | 1   |     |     |     |     |     |   |   |
| 19  | 2   | 1A7030-87350 | ファン(プロダ)       | 1   |     |     |     |     |     |   |   |
| 20  | 2   | 1A7030-87360 | ナット            | 1   |     |     |     |     |     |   |   |
| 21  | 2   | 1A7030-88070 | ワッシャ           | 1   |     |     |     |     |     |   |   |
| 22  | 2   | 1A7470-88080 | モータCMP(プロダ)    | 1   |     |     |     |     |     |   |   |
| 23  | 2   | 1A7030-88090 | スクリュー(タッピン)    | 3   |     |     |     |     |     |   |   |
| 24  | 2   | 1A7030-88101 | サーモスタットCMP     | 1   |     |     |     |     |     |   |   |
| 25  | 2   | 1A7030-88110 | スクリュー(ザガネツキ)   | 2   |     |     |     |     |     |   |   |
| 26  | 2   | 1A7030-88120 | スクリーン          | 1   |     |     |     |     |     |   |   |
| 27  | 2   | 1A7030-88130 | スクリュー(タッピン)    | 22  |     |     |     |     |     |   |   |
| 28  | 2   | 1A7030-88140 | ガスケット(エアコンホース) | 2   |     |     |     |     |     |   |   |
| 29  | 2   | 1A7030-88150 | クランプ(ロックD)     | 3   |     |     |     |     |     |   |   |
| 30  | 2   | 1A7030-88160 | インシュレータ        | 2   |     |     |     |     |     |   |   |
| 31  | 2   | 1A7030-88170 | ナット(スビート)      | 8   |     |     |     |     |     |   |   |
| 32  | 2   | 1A7030-88200 | ガスケット(エハホレータ)  | 1   |     |     |     |     |     |   |   |
| 33  | 2   | 1A7030-88250 | クランプ           | 1   |     |     |     |     |     |   |   |
| 34  | 2   | 1A7470-88280 | パッキン(B)        | 2   |     |     |     |     |     |   |   |


(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=



| No. | レール | 部品番号         | 部品名称          | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|---------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |               | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8945-78990 | リベット(スクリュー 7  | 4   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6102-84970 | バンド (ワイヤメ 140 | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6102-84970 | バンド (ワイヤメ 140 | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E8945-85050 | フィルタ          | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E8980-85050 | コンデンサCMP      | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A85-85350 | ファンCMP (コンデンサ | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A85-85620 | ホース(ヒータ IN A  | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A85-85631 | ホース(ヒータ IN B  | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A85-85670 | ホース(ドレン マニ    | 2   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A85-85690 | ホース(ドレン マニ B  | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A85-85701 | ホース(ヒータ グリチ A | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A85-85780 | ホース(ドレン ウシロ A | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A85-85790 | ホース(ドレン ウシロ B | 2   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6A85-85870 | ホース(ドレン マニキ   | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E6A85-85911 | パイプ(ドレン L     | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 1E6A85-85921 | パイプ(ドレン R     | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 1A7030-87411 | グリルCMP (フロント  | 2   |     |     |     |     |     |   |   |

Fig.102. エアコン取付(1)



(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

| No. | レール | 部品番号           | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1F4193-41040   | スクリュ(ツマミツキ M6X15 | 6   |     |     |     |     |     |   |   |
| 2   | 1   | 194680-51670   | パント(クリップ         | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6690-61470   | スクリュ(ヒラハ M6X16   | 3   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6C35-79902   | フレーム(インナールーフ     | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E8945-80170   | シール(コンテナカバー C    | 2   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6C35-80501   | タイマUNIT (5-60MIN | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E8270-81570   | シール(15X10X120    | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6212-82820   | クリップ(COD-173219  | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6102-84960   | パント(ワイヤメ 250     | 3   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A85-85004   | フレーム(エアコン        | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A85-85180   | フォーム(ユニット        | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A85-85490   | シール(5X10X1600    | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6B95-85500   | フレーム(コンテナ        | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E8945-85500-1 | ホルダ(レシーバ         | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 1E8945-85550-2 | A/Cハネルステー        | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 1E8945-85580   | ガイド(ハイカン         | 3   |     |     |     |     |     |   |   |
| 17  | 1   | 1E6A85-85600   | プロテクタ(ホース        | 4   |     |     |     |     |     |   |   |
| 18  | 1   | 198093-85650   | ホルト(M6X16        | 2   |     |     |     |     |     |   |   |
| 19  | 1   | 1E6A85-85650   | ガイドCMP(ファン       | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 1E6A85-85660   | シール(コンテナ         | 2   |     |     |     |     |     |   |   |
| 21  | 1   | 1E6C75-85880   | カバー(ホース L        | 1   |     |     |     |     |     |   |   |
| 22  | 1   | 1E6C16-85900   | ステー(コントローラ       | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 1E8945-85920   | シール(コネクタ         | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 1E6A85-86010   | シール(5X15X90      | 3   |     |     |     |     |     |   |   |
| 25  | 1   | 1E6A85-86020   | シール(5X15X400     | 2   |     |     |     |     |     |   |   |
| 26  | 1   | 1A7030-87040   | スクリュ(タッピング M5X20 | 8   |     |     |     |     |     |   |   |
| 27  | 1   | 1A7030-88710   | クリップ(ヒータホース      | 2   |     |     |     |     |     |   |   |
| 28  | 1   | 22857-400080   | タツピンネジ 3(ナハ 4X8  | 2   |     |     |     |     |     |   |   |
| 29  | 1   | 23080-013000   | ホースクランプ (13      | 7   |     |     |     |     |     |   |   |
| 30  | 1   | 26013-060252   | ホルト(ハネ 6X25      | 1   |     |     |     |     |     |   |   |
| 31  | 1   | 26013-060252   | ホルト(ハネ 6X25      | 1   |     |     |     |     |     |   |   |
| 32  | 1   | 26013-060252   | ホルト(ハネ 6X25      | 1   |     |     |     |     |     |   |   |
| 33  | 1   | 26014-060162   | ホルト(ヒラハネ 6X16    | 3   |     |     |     |     |     |   |   |
| 34  | 1   | 26014-060162   | ホルト(ヒラハネ 6X16    | 2   |     |     |     |     |     |   |   |
| 35  | 1   | 26014-060162   | ホルト(ヒラハネ 6X16    | 2   |     |     |     |     |     |   |   |
| 36  | 1   | 26014-060202   | ホルト(ヒラハネ 6X20    | 3   |     |     |     |     |     |   |   |
| 37  | 1   | 26014-080162   | ホルト(ヒラハネ 8X16    | 6   |     |     |     |     |     |   |   |
| 38  | 1   | 26014-080162   | ホルト(ヒラハネ 8X16    | 2   |     |     |     |     |     |   |   |
| 39  | 1   | 26014-080162   | ホルト(ヒラハネ 8X16    | 1   |     |     |     |     |     |   |   |
| 40  | 1   | 26014-080202   | ホルト(ヒラハネ 8X20    | 2   |     |     |     |     |     |   |   |
| 41  | 1   | 26014-080202   | ホルト(ヒラハネ 8X20    | 4   |     |     |     |     |     |   |   |
| 42  | 1   | 26014-080252   | ホルト(ヒラハネ 8X25    | 6   |     |     |     |     |     |   |   |
| 43  | 1   | 26014-080302   | ホルト(ヒラハネ 8X30    | 4   |     |     |     |     |     |   |   |
| 44  | 1   | 26559-050162   | ナハコネジ (+7) 5X16  | 2   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称         | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |              | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8450-79440 | ニップル(R3/8-14 | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1E6102-84970 | バンド(ワイヤメ 140 | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1A7030-88710 | クリップ(ヒータホース  | 2   |     |     |     |     |     |   |   |



(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=




| No. | レール | 部品番号         | 部品名称           | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8545-80080 | ノブ (コントロール     | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8270-81570 | シール (15X10X120 | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E6A85-85200 | プレート (キリカエ     | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A85-85240 | シャフト (キリカエ     | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A85-85250 | スプリング (ネジリ     | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A85-85260 | シール (キリカエ      | 2   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A85-85280 | ダクト (エアコン L    | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A85-85290 | ダクト (エアコン R    | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A85-85300 | シール (ダクト LR    | 2   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A85-85310 | キリカエイタサ        | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A85-85760 | シール (コティ       | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E6A85-85770 | シール (パネル       | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1A7030-87650 | カバー (フィルタ      | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 22417-200160 | ワリピン (2.0X16   | 2   |     |     |     |     |     |   |   |
| 15  | 1   | 26014-080162 | ホルト (ヒラ+ハネ     | 3   |     |     |     |     |     |   |   |
| 16  | 1   | 26014-080202 | ホルト (ヒラ+ハネ     | 2   |     |     |     |     |     |   |   |
| 17  | 1   | 26062-060201 | ツマミツキホルト       | 2   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=



| No. | レール | 部品番号           | 部品名称               | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|--------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                    | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6690-61470   | スクリュ(ヒラ+ハ M6X16    | 2   |     |     |     |     |     |   |   |
| 2   | 1   | 1N1470-62080   | アームレスト             | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 194446-62310   | キャップ(コム 8          | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A85-69942   | シール(ト アシテン         | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A85-79102   | ドアCMP              | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A85-79241   | ヒンジ(ト ア            | 2   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A85-79331   | ストライカ              | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8945-79400   | スプリング(カ ス 250      | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A85-79480   | シテン(ト ア            | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A85-79680   | シム(T=1.6 タテ        | 4   |     |     |     |     |     |   |   |
| 11  | 1   | 1E6A85-79680   | シム(T=1.6 タテ        | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E8945-79680-2 | カバー(ト ア            | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A85-79700   | シテン(タ ンハ           | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E6A85-79750   | スプリング(カ ス 150      | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 22137-060000   | サカネ(ミガキ 6          | 2   |     |     |     |     |     |   |   |
| 16  | 1   | 22137-080000   | サカネ(ミガキ 8          | 2   |     |     |     |     |     |   |   |
| 17  | 1   | 22272-000100   | トメワE(10            | 2   |     |     |     |     |     |   |   |
| 18  | 1   | 22417-160120   | ワリヒン(1.6X12        | 2   |     |     |     |     |     |   |   |
| 19  | 1   | 22417-200160   | ワリヒン(2.0X16        | 2   |     |     |     |     |     |   |   |
| 20  | 1   | 26014-060122   | ボルト(ヒラ+ハ ネ 6X12    | 2   |     |     |     |     |     |   |   |
| 21  | 1   | 26014-060162   | ボルト(ヒラ+ハ ネ 6X16    | 2   |     |     |     |     |     |   |   |
| 22  | 1   | 26014-080202   | ボルト(ヒラ+ハ ネ 8X20    | 2   |     |     |     |     |     |   |   |
| 23  | 1   | 26014-100252   | ボルト(ヒラ+ハ ネ 10X25   | 4   |     |     |     |     |     |   |   |
| 24  | 1   | 26023-060202   | ナベコネジ(ヒラ+ハ ネ M6X20 | 2   |     |     |     |     |     |   |   |




**Fig. 105**

| No. | レベル | 部品番号         | 部品名称          | 数量  |     |     |     |     |     | I R |
|-----|-----|--------------|---------------|-----|-----|-----|-----|-----|-----|-----|
|     |     |              |               | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 1   | 1   | 1E8945-79100 | シール(ト)アシタ A   | 5   |     |     |     |     |     |     |
| 2   | 1   | 1E8945-79110 | シール(ト)アシタ B   | 1   |     |     |     |     |     |     |
| 3   | 1   | 1E8945-79120 | シール(ト)アシタ C   | 1   |     |     |     |     |     |     |
| 4   | 1   | 1E6A85-79210 | シール(ト)ア       | 1   |     |     |     |     |     |     |
| 5   | 1   | 1E6A85-79300 | シール(3X10X2100 | 1   |     |     |     |     |     |     |
| 6   | 1   | 1E8945-79340 | シール(ト)アノフ     | 1   |     |     |     |     |     |     |
| 7   | 1   | 1E8945-79350 | シール(ト)アマト     | 1   |     |     |     |     |     |     |



Fig.107. キャビン(ドア) (3)




(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レール | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 172137-69651 | カラー(ガラス           | 4   |     |     |     |     |     |   |   |
| 2   | 1   | 172137-69651 | カラー(ガラス           | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 172137-69651 | カラー(ガラス           | 2   |     |     |     |     |     |   |   |
| 4   | 1   | 172137-69651 | カラー(ガラス           | 2   |     |     |     |     |     |   |   |
| 5   | 1   | 172137-69840 | ネジ(ハインド           | 2   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6C30-78300 | カラー(12X11X6       | 6   |     |     |     |     |     |   |   |
| 7   | 1   | 1E8385-79100 | パッキン(カラー          | 6   |     |     |     |     |     |   |   |
| 8   | 1   | 1E6A85-79261 | ヒンジ(マト ウエ         | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A85-79280 | チョウバン(マト シタ       | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E6A85-79311 | ガラス(ドア ウエ         | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E8385-79310 | ワッシャ(8            | 4   |     |     |     |     |     |   |   |
| 12  | 1   | 1E8385-79310 | ワッシャ(8            | 2   |     |     |     |     |     |   |   |
| 13  | 1   | 1E6A85-79320 | ガラス(ドア シタ         | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 1E8385-79350 | パッキン(リヤガラス        | 8   |     |     |     |     |     |   |   |
| 15  | 1   | 1E8385-79350 | パッキン(リヤガラス        | 4   |     |     |     |     |     |   |   |
| 16  | 1   | 1E8385-79350 | パッキン(リヤガラス        | 4   |     |     |     |     |     |   |   |
| 17  | 1   | 1E8385-79350 | パッキン(リヤガラス        | 4   |     |     |     |     |     |   |   |
| 18  | 1   | 1E8945-79430 | スクリュ(ガラスパネ        | 2   |     |     |     |     |     |   |   |
| 19  | 1   | 1E8945-79450 | ベース(ラバーパッド        | 1   |     |     |     |     |     |   |   |
| 20  | 1   | 1E8945-79470 | ゴム(アテ             | 1   |     |     |     |     |     |   |   |
| 21  | 1   | 1E8945-79480 | ベース(マト ロック        | 1   |     |     |     |     |     |   |   |
| 22  | 1   | 1E8945-79500 | スクリュ(ガラスロック       | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 1E8945-79520 | ハンドル(マト           | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 1E8945-80970 | ステー(ガラスロック        | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 198153-83710 | カラー(8. 4X12X22. 5 | 1   |     |     |     |     |     |   |   |
| 26  | 1   | 198153-83720 | ワッシャ(ウェーブ 12      | 1   |     |     |     |     |     |   |   |
| 27  | 1   | 198153-83730 | ハンドル(リヤガラス        | 1   |     |     |     |     |     |   |   |
| 28  | 1   | 198093-85650 | ホルト(M6X16         | 2   |     |     |     |     |     |   |   |
| 29  | 1   | 22137-080000 | サガネ(ミガキ 8         | 2   |     |     |     |     |     |   |   |
| 30  | 1   | 22157-080000 | サガネ(タ イマル 8       | 1   |     |     |     |     |     |   |   |
| 31  | 1   | 22217-080000 | パネサガネ(8           | 4   |     |     |     |     |     |   |   |
| 32  | 1   | 22217-080000 | パネサガネ(8           | 2   |     |     |     |     |     |   |   |
| 33  | 1   | 22217-080000 | パネサガネ(8           | 2   |     |     |     |     |     |   |   |
| 34  | 1   | 26023-040162 | ナベコネジ(ヒラ+パネ M4X16 | 1   |     |     |     |     |     |   |   |
| 35  | 1   | 26106-080452 | ツハホルト(8X45        | 1   |     |     |     |     |     |   |   |
| 36  | 1   | 26589-060202 | ハインドネジ(+7ナ M6X20  | 6   |     |     |     |     |     |   |   |
| 37  | 1   | 26657-080002 | フクロナット(M8         | 4   |     |     |     |     |     |   |   |
| 38  | 1   | 26657-080002 | フクロナット(M8         | 2   |     |     |     |     |     |   |   |
| 39  | 1   | 26657-080002 | フクロナット(M8         | 2   |     |     |     |     |     |   |   |

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=




| No. | レール | 部品番号           | 部品名称                 | 数量  |     |     |     |     |     | I | R |
|-----|-----|----------------|----------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |                |                      | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 194273-47910   | ノブ (PDキリカエレバ -       | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8385-78910   | ロック (ト ア             | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E8945-79142-1 | ロツクピン (ト ア           | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E6A85-79430   | ハンド ル (アウタ           | 1   |     |     |     |     |     |   |   |
| 5   | 2   | 1E8945-79560   | キー                   | 2   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6A85-79451   | ワツシヤ (コ ム            | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E8945-79570   | コテイイタ (アウタハンド ル A    | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8945-79580   | コテイイタ (アウタハンド ル B    | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E8945-79591   | ベース (ト アロック          | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E8945-79611   | レバ -CMP (ロック         | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 1E8945-79630   | シテン (ロック             | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 1E8945-79650   | スプ リンク (ネジ リ 1.0     | 1   |     |     |     |     |     |   |   |
| 13  | 1   | 1E8945-79671   | アーム (ロック             | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 22117-100000   | ザ ガ ネ (コマル 10        | 2   |     |     |     |     |     |   |   |
| 15  | 1   | 22117-120000   | ザ ガ ネ (コマル 12        | 1   |     |     |     |     |     |   |   |
| 16  | 1   | 22137-060000   | ザ ガ ネ (ミガ キ 6        | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 26014-060162   | ホ ルト (ヒラ+ハ ネ 6X16    | 1   |     |     |     |     |     |   |   |
| 18  | 1   | 26014-060162   | ホ ルト (ヒラ+ハ ネ 6X16    | 3   |     |     |     |     |     |   |   |
| 19  | 1   | 26022-060162   | ナヘ コネジ (ハ ネ 6X16     | 3   |     |     |     |     |     |   |   |
| 20  | 1   | 26023-050162   | ナヘ コネジ (ヒラ+ハ ネ M5X16 | 1   |     |     |     |     |     |   |   |
| 21  | 1   | 26023-080162   | ナヘ コネジ (ヒラ+ハ ネ M8X16 | 2   |     |     |     |     |     |   |   |
| 22  | 1   | 26450-060162   | 6カク7ナホ ルト (M6X16     | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 26450-060162   | 6カク7ナホ ルト (M6X16     | 1   |     |     |     |     |     |   |   |

OCNP7-M01300 キャビン部  
Fig.109. コンプレッサ取付

OCNP7-M01300 Fig.109

(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=




| No.         | レール | 部品番号         | 部品名称             | 数量  |     |     |     |     |     | I | R |
|-------------|-----|--------------|------------------|-----|-----|-----|-----|-----|-----|---|---|
|             |     |              |                  | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1           | 1   | 1E6210-51910 | プーリ(テンション V70-A  | 1   |     |     |     |     |     |   |   |
| 2           | 1   | 1F4140-73350 | アーム(ショウコウキテンション  | 1   |     |     |     |     |     |   |   |
| 2-1         | 1   | 1E6E10-85900 | アーム(テンション 90     | 1   |     |     |     |     |     | F | 1 |
| (A=F100033) |     |              |                  |     |     |     |     |     |     |   |   |
| 3           | 1   | 1E6A85-85750 | Vベルト(マルチフ ライ M29 | 1   |     |     |     |     |     |   |   |
| 3-1         | 1   | 1E6C75-85770 | Vベルト(コグ HM29 NR1 | 1   |     |     |     |     |     | F | 1 |
| (A=F100033) |     |              |                  |     |     |     |     |     |     |   |   |
| 4           | 1   | 1A7347-87900 | コンプレッサCMP(ヘー ン   | 1   |     |     |     |     |     |   |   |
| 5           | 2   | 1A7347-87920 | クラッチCMP(マグ ネット   | 1   |     |     |     |     |     |   |   |
| 6           | 2   | 1A7030-89930 | リンク(スナッフ         | 1   |     |     |     |     |     |   |   |
| 7           | 2   | 1A7030-89940 | リンク(スナッフ         | 1   |     |     |     |     |     |   |   |
| 8           | 2   | 1A7030-89950 | ワッシャ(0.1         | 1   |     |     |     |     |     |   |   |
| 9           | 2   | 1A7030-89980 | ホルト(ツバ M6X16     | 1   |     |     |     |     |     |   |   |
| 10          | 1   | 1E8450-97701 | ラベル(フロンカシユウ 0.80 | 1   |     |     |     |     |     |   |   |
| 11          | 1   | 22242-000150 | トメワC(シク 15       | 2   |     |     |     |     |     |   |   |
| 12          | 1   | 26014-060252 | ホルト(ヒラハネ 6X25    | 2   |     |     |     |     |     |   |   |
| 13          | 1   | 26014-080252 | ホルト(ヒラハネ 8X25    | 3   |     |     |     |     |     |   |   |
| 14          | 1   | 26014-080252 | ホルト(ヒラハネ 8X25    | 2   |     |     |     |     |     |   | Z |
| (A=F100033) |     |              |                  |     |     |     |     |     |     |   |   |
| 15          | 1   | 1E6192-51340 | スクリュ(テンション 8X92  | 1   |     |     |     |     |     |   | W |
| (A=F100033) |     |              |                  |     |     |     |     |     |     |   |   |
| 16          | 1   | 1E9265-63300 | スプリング(16X80      | 1   |     |     |     |     |     |   | W |
| (A=F100033) |     |              |                  |     |     |     |     |     |     |   |   |
| 17          | 1   | 22272-000120 | トメワE(12          | 1   |     |     |     |     |     |   | W |
| (A=F100033) |     |              |                  |     |     |     |     |     |     |   |   |
| 18          | 1   | 24550-015100 | ドライブ(ツシユ(15X10   | 2   |     |     |     |     |     |   | W |
| (A=F100033) |     |              |                  |     |     |     |     |     |     |   |   |
| 19          | 1   | 26717-080002 | ナット(M8           | 2   |     |     |     |     |     |   | W |
| (A=F100033) |     |              |                  |     |     |     |     |     |     |   |   |

備考

(1)Fig.109 No.2-1, 3-1, 15, 16, 17, 18, 19 と Fig.117 No.8-1 を同時交換にて互換性有り

N:旧 ↔ 新, Q:旧 ↔ 新, R:旧 ↔ 新, S:旧 ↔ 新, W:追加, Z:廃止, F:セット互換, K:個数変更




| No. | レール | 部品番号         | 部品名称                  | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                       | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1C7102-06050 | ロッド (ハ ッテリ            |     |     |     |     |     |     |   |   |
| 2   | 1   | 146200-13060 | ワッシャ (7X26X3. 2       | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 172460-16130 | ハ ッテリ EC-115D31R      | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 172B16-17190 | リレー (CB C タイプ         | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E6A80-83000 | ケーブ ル (ハ ッテリ プ ラス     | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E8940-83200 | ケーブ ル (ハ ッテリ マイナス     | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6681-83430 | ホルダ (ケーブ ル            | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8560-83900 | ワイヤ (アース 13X200       | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E9040-84940 | カバー (ハ ッテリ            | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1E9040-84950 | オサエCOMP (ハ ッテリ        | 1   |     |     |     |     |     |   |   |
| 11  | 1   | 26014-080202 | ホ ルト (ヒラハ ネ 8X20      | 1   |     |     |     |     |     |   |   |
| 12  | 1   | 26014-100162 | ホ ルト (ヒラハ ネ 10X16     | 2   |     |     |     |     |     |   |   |
| 13  | 1   | 26023-050122 | ナベ コネシ ャ (ヒラハ ネ M5X12 | 1   |     |     |     |     |     |   |   |
| 14  | 1   | 26367-080002 | ワハ ッキナツト (M8          | 1   |     |     |     |     |     |   |   |
| 15  | 1   | 26476-050142 | タツビ ンホ ルト (M5X14      | 2   |     |     |     |     |     |   |   |
| 16  | 1   | 26717-060002 | ナツト (M6               | 4   |     |     |     |     |     |   |   |

Copyright (C) 2022 YANMAR GLOBAL CS CO., LTD. All Rights Reserved.


Fig.111. ワイヤハーネス(走行)

(A)=DS1C-6101T, 101  
(B)=  
(C)=


(D)=  
(E)=  
(F)=




| No. | レール | 部品番号         | 部品名称                | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|---------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                     | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1A7500-51160 | クリップ (ハーネス)         | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 194680-51670 | バンド (クリップ)          | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 194680-51670 | バンド (クリップ)          | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 194680-51670 | バンド (クリップ)          | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1A7522-52950 | リレー (ACM13221M19)   | 13  |     |     |     |     |     |   |   |
| 6   | 1   | 1E9355-82600 | カバー (リレーボックス 2P)    | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1K1140-82700 | カバー (リレーボックス 10P)   | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8540-84101 | ハーネス (スタータ)         | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6A80-84151 | ハーネス (ミツシヨウ)        | 1   |     |     |     |     |     |   |   |
| 10  | 1   | 1K1192-84250 | ハーネス (ソウコウ)         | 1   |     |     |     |     |     |   |   |
| 11  | 2   | 1D2310-06130 | ヒューズ (ミニ 25A)       | 3   |     |     |     |     |     |   |   |
| 12  | 2   | 1C6900-06180 | ヒューズ (スロ-ブ-ロ- 80A)  | 1   |     |     |     |     |     |   |   |
| 13  | 2   | 1A6382-51510 | レジスタンス (2W R120)    | 3   |     |     |     |     |     |   |   |
| 14  | 2   | 194680-51670 | バンド (クリップ)          | 67  |     |     |     |     |     |   |   |
| 15  | 2   | 1N3280-51800 | ブ-ラ (ヒューズ S)        | 1   |     |     |     |     |     |   |   |
| 16  | 2   | 1A7611-52720 | ヒューズ (スロ-ブ-ロ- 100A) | 1   |     |     |     |     |     |   |   |
| 17  | 2   | 1E8450-83120 | ヒューズ (スロ-ブ-ロ- 40A)  | 2   |     |     |     |     |     |   |   |
| 18  | 2   | 1E8665-83150 | ヒューズ (ミニ 5A)        | 4   |     |     |     |     |     |   |   |
| 19  | 2   | 1E8665-83160 | ヒューズ (ミニ 10A)       | 8   |     |     |     |     |     |   |   |
| 20  | 2   | 1E8665-83170 | ヒューズ (ミニ 15A)       | 6   |     |     |     |     |     |   |   |
| 21  | 2   | 1E8665-83180 | ヒューズ (ミニ 20A)       | 4   |     |     |     |     |     |   |   |
| 22  | 2   | 1E8665-83190 | ヒューズ (ミニ 30A)       | 3   |     |     |     |     |     |   |   |
| 23  | 2   | 1E8540-83220 | ヒューズ (スロ-ブ-ロ- 60A)  | 2   |     |     |     |     |     |   |   |
| 24  | 2   | 1E8970-84800 | カバー (ヒューズボックス 20P)  | 1   |     |     |     |     |     |   |   |
| 25  | 2   | 1E8235-84910 | タイ-オ-ド (090 3A)     | 6   |     |     |     |     |     |   |   |
| 26  | 2   | 1E6102-84960 | バンド (ワイヤメ 250)      | 8   |     |     |     |     |     |   |   |
| 27  | 2   | 1E6102-84970 | バンド (ワイヤメ 140)      | 4   |     |     |     |     |     |   |   |
| 28  | 2   | 129A00-91460 | ブ-ツ (8キヨカブ-ラ)       | 1   |     |     |     |     |     |   |   |
| 29  | 2   | 129A00-91470 | ブ-ツ (12キヨカブ-ラ)      | 3   |     |     |     |     |     |   |   |
| 30  | 1   | 1E6C11-84300 | ハーネス (ロータリ-スクリーン)   | 1   |     |     |     |     |     |   |   |
| 31  | 2   | 194680-51670 | バンド (クリップ)          | 4   |     |     |     |     |     |   |   |
| 32  | 2   | 1E6A80-84310 | クリップ (テープ コティ)      | 3   |     |     |     |     |     |   |   |
| 33  | 1   | 1E6A80-84350 | ハーネス (UFOセンサ)       | 1   |     |     |     |     |     |   |   |
| 34  | 2   | 194680-51670 | バンド (クリップ)          | 8   |     |     |     |     |     |   |   |
| 35  | 1   | 1E6C30-84400 | ハーネス (エンジン)         | 1   |     |     |     |     |     |   |   |
| 36  | 2   | 1E6102-84970 | バンド (ワイヤメ 140)      | 4   |     |     |     |     |     |   |   |
| 37  | 1   | 1E6A80-84850 | ハーネス (G)            | 1   |     |     |     |     |     |   |   |
| 38  | 1   | 1E6102-84960 | バンド (ワイヤメ 250)      | 1   |     |     |     |     |     |   |   |
| 39  | 1   | 1E6102-84970 | バンド (ワイヤメ 140)      | 1   |     |     |     |     |     |   |   |
| 40  | 1   | 1E6C70-97430 | ラ-ベル (ヒューズ S2)      | 1   |     |     |     |     |     |   |   |
| 41  | 1   | 1K1192-97460 | ラ-ベル (ヒューズ S1)      | 1   |     |     |     |     |     |   |   |
| 42  | 1   | 26014-060122 | ホル-ト (ヒラ+ハ-ネ 6X12)  | 2   |     |     |     |     |     |   |   |
| 43  | 1   | 26014-060122 | ホル-ト (ヒラ+ハ-ネ 6X12)  | 2   |     |     |     |     |     |   |   |
| 44  | 1   | 26014-060162 | ホル-ト (ヒラ+ハ-ネ 6X16)  | 2   |     |     |     |     |     |   |   |
| 45  | 1   | 26014-080162 | ホル-ト (ヒラ+ハ-ネ 8X16)  | 1   |     |     |     |     |     |   |   |
| 46  | 1   | 26014-080162 | ホル-ト (ヒラ+ハ-ネ 8X16)  | 1   |     |     |     |     |     |   |   |
| 47  | 1   | 26367-060002 | ツバ-ツキナツト (M6)       | 1   |     |     |     |     |     |   |   |



| No. | レベ <sup>ル</sup> | 部品番号         | 部品名称                                                   | 数量  |     |     |     |     |     | I R |
|-----|-----------------|--------------|--------------------------------------------------------|-----|-----|-----|-----|-----|-----|-----|
|     |                 |              |                                                        | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 1   | 1               | 1E6A85-84053 | ハーネス(コンパ) レッサ                                          | 1   |     |     |     |     |     |     |
| 2   | 2               | 1E8235-84910 | タ <sup>イ</sup> オート <sup>ク</sup> (090 3A                | 1   |     |     |     |     |     |     |
| 3   | 2               | 1E6102-84970 | パ <sup>ン</sup> ト <sup>ク</sup> (ワイヤトメ 140               | 7   |     |     |     |     |     |     |
| 4   | 1               | 26014-060122 | ホ <sup>ー</sup> ルト <sup>ク</sup> (ヒラ+パ <sup>ネ</sup> 6X12 | 1   |     |     |     |     |     |     |




| No. | レール | 部品番号         | 部品名称            | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-----------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                 | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 194680-51670 | ハント(クリップ)       | 6   |     |     |     |     |     |   |   |
| 2   | 1   | 194680-51670 | ハント(クリップ)       | 2   |     |     |     |     |     |   |   |
| 3   | 1   | 194680-51670 | ハント(クリップ)       | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1A7522-52950 | リレー(ACM13221M19 | 7   |     |     |     |     |     |   |   |
| 5   | 1   | 1A7522-52950 | リレー(ACM13221M19 | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6020-83890 | クランプ(ユート)       | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6C70-84000 | ハーネス(ステアリング)コラム | 1   |     |     |     |     |     |   |   |
| 8   | 2   | 194680-51670 | ハント(クリップ)       | 2   |     |     |     |     |     |   |   |
| 9   | 1   | 1E6C16-84052 | ハーネス(キヤビン)      | 1   |     |     |     |     |     |   |   |
| 10  | 2   | 1D2310-06130 | ヒューズ(ミニ 25A     | 1   |     |     |     |     |     |   |   |
| 11  | 2   | 194680-51670 | ハント(クリップ)       | 11  |     |     |     |     |     |   |   |
| 12  | 2   | 1E8665-83160 | ヒューズ(ミニ 10A     | 3   |     |     |     |     |     |   |   |
| 13  | 2   | 1E8665-83170 | ヒューズ(ミニ 15A     | 3   |     |     |     |     |     |   |   |
| 14  | 2   | 1E8235-84910 | タイオート(090 3A    | 2   |     |     |     |     |     |   |   |
| 15  | 2   | 1E6C35-97150 | ラベル(5MIN        | 1   |     |     |     |     |     |   |   |
| 16  | 2   | 1E6C35-97160 | ラベル(60MIN       | 1   |     |     |     |     |     |   |   |
| 17  | 1   | 1E6A85-84100 | ハーネス(トアスイッチ     | 1   |     |     |     |     |     |   |   |
| 18  | 1   | 1E6C70-84103 | ハーネス(サイド)コラム    | 1   |     |     |     |     |     |   |   |
| 19  | 2   | 197853-51300 | クローメット(50       | 1   |     |     |     |     |     |   |   |
| 20  | 2   | 194680-51670 | ハント(クリップ)       | 12  |     |     |     |     |     |   |   |
| 21  | 2   | 1E8530-84560 | カバー(ホウソウ G      | 1   |     |     |     |     |     |   |   |
| 22  | 2   | 1E6102-84970 | ハント(ワイヤトメ 140   | 1   |     |     |     |     |     |   |   |
| 23  | 1   | 1E6A85-84150 | ハーネス(フロアモータ     | 1   |     |     |     |     |     |   |   |
| 24  | 1   | 1E6102-84970 | ハント(ワイヤトメ 140   | 1   |     |     |     |     |     |   |   |
| 25  | 1   | 1E6C30-85360 | テイクウキ(ファン       | 1   |     |     |     |     |     |   |   |
| 26  | 1   | 1E6C35-97231 | ラベル(ヒューズ キヤビン   | 1   |     |     |     |     |     |   |   |
| 27  | 1   | 29622-140001 | ハント(RF140 クロ    | 2   |     |     |     |     |     |   |   |



| No. | レベ | 部品番号         | 部品名称                | 数量  |     |     |     |     |     | I | R |
|-----|----|--------------|---------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |    |              |                     | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1  | 1D4220-51340 | ホルト(8X20C クロ        | 3   |     |     |     |     |     |   |   |
| 2   | 1  | 1D4220-51340 | ホルト(8X20C クロ        | 2   |     |     |     |     |     |   |   |
| 3   | 1  | 1E6D00-61190 | ホルト(6X12C クロ        | 3   |     |     |     |     |     |   |   |
| 4   | 1  | 1E8945-62320 | クロメット(マクツキ 36       | 1   |     |     |     |     |     |   |   |
| 5   | 1  | 1E6B95-62932 | プラケツト(チューナ          | 1   |     |     |     |     |     |   |   |
| 6   | 1  | 1E6C75-62940 | カハ- (チューナ A         | 1   |     |     |     |     |     |   |   |
| 7   | 1  | 1E6B95-77771 | カハ- (ケーブ ル          | 1   |     |     |     |     |     |   |   |
| 8   | 1  | 1E6B95-79581 | ステー(モニタ             | 1   |     |     |     |     |     |   |   |
| 9   | 1  | 1E6B95-81002 | モニタCMP              | 1   |     |     |     |     |     |   |   |
| 10  | 2  | 1E6B95-81011 | モニタUNIT             | 1   |     |     |     |     |     |   |   |
| 11  | 2  | 1E6B95-81021 | ケーブ ル(4. 6M         | 1   |     |     |     |     |     |   |   |
| 12  | 2  | 1E6B95-81031 | ホ-テ-イCMP(クワツト- ユニツト | 1   |     |     |     |     |     |   |   |
| 13  | 2  | 1E6A85-81071 | スタント(モニタ            | 1   |     |     |     |     |     |   |   |
| 14  | 2  | 1E6B95-81071 | ケーブ ル(エンチヨウ 1M      | 2   |     |     |     |     |     |   |   |
| 15  | 1  | 1E6102-84960 | ハ-ント(ワイヤトメ 250      | 1   |     |     |     |     |     |   |   |
| 16  | 1  | 1E6102-84970 | ハ-ント(ワイヤトメ 140      | 1   |     |     |     |     |     |   |   |
| 17  | 1  | 1E6102-84970 | ハ-ント(ワイヤトメ 140      | 1   |     |     |     |     |     |   |   |
| 18  | 1  | 198093-85650 | ホルト(M6X16           | 4   |     |     |     |     |     |   |   |
| 19  | 1  | 1E8915-97350 | ラベ ル(アナカクシ          | 2   |     |     |     |     |     |   |   |
| 20  | 1  | 1E8785-97551 | ラベ ル(イエロ- 15X50     | 1   |     |     |     |     |     |   |   |
| 21  | 1  | 26023-040082 | ナベコネシ(ヒラ+ハネ M4X8    | 4   |     |     |     |     |     |   |   |
| 22  | 1  | 26559-040082 | ナベコネシ(+アナ 4X 8      | 3   |     |     |     |     |     |   |   |



Fig.117. ポンプ入力



(A)=DS10-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No.         | レール | 部品番号           | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-------------|-----|----------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|             |     |                |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1           | 1   | 1E6020-25340-1 | スベ-サ(9X28X4.5     | 2   |     |     |     |     |     |   |   |
| 2           | 1   | 1E8559-35161   | ブ-リ(テンション 70      | 1   |     |     |     |     |     |   |   |
| 3           | 1   | 1E6770-38350   | シム(20.5X27X0.3    | 1   |     |     |     |     |     |   |   |
| 4           | 1   | 1E6680-59640-2 | ワッシャ(14.5X38      | 2   |     |     |     |     |     |   |   |
| 5           | 1   | 1E6102-63110   | カ- (10.5X28X4.5   | 2   |     |     |     |     |     |   |   |
| 6           | 1   | 1E8490-83890   | クランプ(ハ-ネス 85      | 1   |     |     |     |     |     |   |   |
| 7           | 1   | 1E6A85-85370   | Vブ-リ(99M          | 1   |     |     |     |     |     |   |   |
| 8           | 1   | 1E6A85-85380   | コンブ レッザダ イ        | 1   |     |     |     |     |     |   |   |
| 8-1         | 1   | 1E6E10-85381   | ベ-ス(コンブ レッザ       | 1   |     |     |     |     |     | F | 1 |
| (A=F100033) |     |                |                   |     |     |     |     |     |     |   |   |
| 9           | 1   | 1E6A80-91011   | ブ ラケット(ケ-ストリツク L  | 1   |     |     |     |     |     |   |   |
| 10          | 1   | 1E6A40-91020   | ケ-ス(ケ-レンニュウリョク    | 1   |     |     |     |     |     |   |   |
| 11          | 1   | 1E6A80-91030   | Vブ-リ(150C         | 1   |     |     |     |     |     |   |   |
| 12          | 1   | 1E6A80-91040   | Vブ-リ(208AC        | 1   |     |     |     |     |     |   |   |
| 13          | 1   | 1E6A80-91062   | ブ ラケット(ケ-ストリツク R  | 1   |     |     |     |     |     |   |   |
| 14          | 1   | 1E6A80-91083   | ベ-ス(テンション         | 1   |     |     |     |     |     |   |   |
| 15          | 1   | 1E6A80-91100   | 1ジ-ク(ケ-レンニュウリョク   | 1   |     |     |     |     |     |   |   |
| 16          | 1   | 1E6A80-91110   | 2ジ-ク(ケ-レンニュウリョク   | 1   |     |     |     |     |     |   |   |
| 17          | 1   | 1E6A80-91121   | カ- (21X34X20.5    | 1   |     |     |     |     |     |   |   |
| 18          | 1   | 1E6A80-91131   | ギヤ(ベ-ル 15         | 1   |     |     |     |     |     |   |   |
| 19          | 1   | 1E6A80-91141   | ブ-リ(テンション 80      | 1   |     |     |     |     |     |   |   |
| 20          | 1   | 1E6A80-91151   | ア-ム(テンション 105     | 1   |     |     |     |     |     |   |   |
| 21          | 1   | 1E6A80-91204   | ア-ム(テンション 135     | 1   |     |     |     |     |     |   |   |
| 22          | 1   | 1E8540-91341   | ギヤ(ベ-ル 37         | 1   |     |     |     |     |     |   |   |
| 23          | 1   | 1E6A40-91350   | シャフト(ア-ム A        | 1   |     |     |     |     |     |   |   |
| 24          | 1   | 1E6B90-91800   | ブ ラケット(ファンケ-ス     | 1   |     |     |     |     |     |   |   |
| 25          | 1   | 22217-100000   | バネサ-カネ(10         | 2   |     |     |     |     |     |   |   |
| 26          | 1   | 22217-140000   | バネサ-カネ(14         | 2   |     |     |     |     |     |   |   |
| 27          | 1   | 22252-000350   | トメワC(ア+ 35        | 1   |     |     |     |     |     |   |   |
| 28          | 1   | 22252-000350   | トメワC(ア+ 35        | 2   |     |     |     |     |     |   |   |
| 29          | 1   | 22252-000471   | トメワC(ア+ 47        | 2   |     |     |     |     |     |   |   |
| 30          | 1   | 22252-000521   | トメワC(ア+ 52        | 1   |     |     |     |     |     |   |   |
| 31          | 1   | 22551-050200   | キ- (5X20          | 1   |     |     |     |     |     |   |   |
| 32          | 1   | 22551-070300   | キ- (7X30          | 1   |     |     |     |     |     |   |   |
| 33          | 1   | 24104-062024   | ベ-アリング(ホ-ル 6202UU | 2   |     |     |     |     |     |   |   |
| 34          | 1   | 24104-062024   | ベ-アリング(ホ-ル 6202UU | 2   |     |     |     |     |     |   |   |
| 35          | 1   | 24104-062054   | ベ-アリング(ホ-ル 6205UU | 2   |     |     |     |     |     |   |   |
| 36          | 1   | 24104-063034   | ベ-アリング(ホ-ル 6303UU | 2   |     |     |     |     |     |   |   |
| 37          | 1   | 24104-063044   | ベ-アリング(ホ-ル 6304UU | 2   |     |     |     |     |     |   |   |
| 38          | 1   | 26013-080202   | ホ-ルト(バネ 8X20      | 2   |     |     |     |     |     |   |   |
| 39          | 1   | 26013-080402   | ホ-ルト(バネ 8X40      | 3   |     |     |     |     |     |   |   |
| 40          | 1   | 26014-080202   | ホ-ルト(ヒラ+バネ 8X20   | 1   |     |     |     |     |     |   |   |
| 41          | 1   | 26014-080202   | ホ-ルト(ヒラ+バネ 8X20   | 1   |     |     |     |     |     |   |   |
| 42          | 1   | 26014-080202   | ホ-ルト(ヒラ+バネ 8X20   | 3   |     |     |     |     |     |   |   |
| 43          | 1   | 26014-080202   | ホ-ルト(ヒラ+バネ 8X20   | 3   |     |     |     |     |     |   |   |
| 44          | 1   | 26014-080252   | ホ-ルト(ヒラ+バネ 8X25   | 4   |     |     |     |     |     |   |   |
| 45          | 1   | 26014-080252   | ホ-ルト(ヒラ+バネ 8X25   | 4   |     |     |     |     |     |   |   |
| 46          | 1   | 26014-080252   | ホ-ルト(ヒラ+バネ 8X25   | 2   |     |     |     |     |     |   |   |
| 47          | 1   | 26116-080304   | ホ-ルト(8X30         | 1   |     |     |     |     |     |   |   |
| 48          | 1   | 26717-080002   | ナツト(M8            | 1   |     |     |     |     |     |   |   |
| 49          | 1   | 26717-100002   | ナツト(M10           | 2   |     |     |     |     |     |   |   |

## 備考


(1) Fig.109 No.2-1, 3-1, 15, 16, 17, 18, 19 と Fig.117 No.8-1 を同時交換にて互換性有り

N:旧 ↔ 新, Q:旧 ↔ 新, R:旧 ↔ 新, S:旧 ↔ 新, W:追加, Z:廃止, F:セット互換, K:個数変更

++ CONTINUE ++

Copyright (C) 2022 YANMAR GLOBAL CS CO., LTD. All Rights Reserved.

Fig.117. ポンプ入力



(A)=DS1C-6101T, 101  
(B)=  
(C)=

(D) =  
(E) =  
(F) =

| No. | 仕様 | 部品番号         | 部品名称          | 数量  |     |     |     |     |     | I R |
|-----|----|--------------|---------------|-----|-----|-----|-----|-----|-----|-----|
|     |    |              |               | (A) | (B) | (C) | (D) | (E) | (F) |     |
| 50  | 1  | 26737-140002 | ナット(ボリ) M14   | 2   |     |     |     |     |     |     |
| 51  | 1  | 27260-620002 | ボアブランク(ボリ) 62 | 2   |     |     |     |     |     |     |

備考

(1) Fig.109 No.2-1, 3-1, 15, 16, 17, 18, 19 と Fig.117 No.8-1 を同時交換にて互換性有り

N:旧  $\begin{smallmatrix} \leftarrow \oplus \\ \rightarrow \otimes \end{smallmatrix}$  新, Q:旧  $\begin{smallmatrix} \leftarrow \times \\ \rightarrow \oplus \end{smallmatrix}$  新, R:旧  $\begin{smallmatrix} \leftarrow \oplus \\ \rightarrow \otimes \end{smallmatrix}$  新, S:旧  $\begin{smallmatrix} \leftarrow \times \\ \rightarrow \oplus \end{smallmatrix}$  新, W:追加, Z:廃止, F:セット互換, K:個数変更


Copyright (C) 2022 YANMAR GLOBAL CS CO., LTD. All Rights Reserved.

Fig.118. ポンプ入力ベルト

(A)=DS10-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | レベル | 部品番号         | 部品名称                | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|---------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                     | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E9655-12840 | ホルト (テンション8X122ナット) | 1   |     |     |     |     |     |   |   |
| 2   | 2   | 1E6030-12840 | スクリュ (テンション 8X122   | 1   |     |     |     |     |     |   |   |
| 3   | 2   | 26717-080002 | ナット (M8             | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 059141100M   | スプリング :H ナツキ        | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1C6360-65700 | ピン (スナック) スケトメ 10   | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E6C30-91091 | Vベルト (SC53, 5H-PX   | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6A80-91351 | オサエ (Gベルト           | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 22157-100000 | サカネ (タイマル 10        | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 26014-080202 | ホルト (ヒラハネ 8X20      | 2   |     |     |     |     |     |   |   |
| 10  | 1   | 26717-080002 | ナット (M8             | 1   |     |     |     |     |     |   |   |






Fig.122. 銘板(安全)(1)

(A)=DS10-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=

| No. | ラベル | 部品番号         | 部品名称         | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|--------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |              | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E8230-97030 | ラベル(カキゲンキン B | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8450-97450 | ラベル(テンケンチュウイ | 1   |     |     |     |     |     |   |   |






Fig.123. 銘板(安全)(2)


(A)=DS10-6101T, 101  
(B)=  
(C)=

(D)=  
(E)=  
(F)=




| No. | ラベル | 部品番号         | 部品名称              | 数量  |     |     |     |     |     | I | R |
|-----|-----|--------------|-------------------|-----|-----|-----|-----|-----|-----|---|---|
|     |     |              |                   | (A) | (B) | (C) | (D) | (E) | (F) |   |   |
| 1   | 1   | 1E6A80-97251 | ラベル(イトウウンパン)      | 1   |     |     |     |     |     |   |   |
| 2   | 1   | 1E8505-97400 | ラベル(オーガソウサチュウイ)   | 1   |     |     |     |     |     |   |   |
| 3   | 1   | 1E8500-97460 | ラベル(エンジンテイチュウイ)   | 1   |     |     |     |     |     |   |   |
| 4   | 1   | 1E8540-97720 | ラベル(トリアツカイチュウイ S) | 1   |     |     |     |     |     |   |   |
| 5   | 1   | 1E8230-97800 | ラベル(UFOチュウイ)      | 1   |     |     |     |     |     |   |   |
| 6   | 1   | 1E9265-97480 | ラベル(バッテリーケケン)     | 1   |     |     |     |     |     |   |   |
| 7   | 1   | 1E6684-97100 | ラベル(カートリテンケンケイコク) | 1   |     |     |     |     |     |   |   |
| 8   | 1   | 1E8500-97220 | ラベル(ラジエーターケケン)    | 1   |     |     |     |     |     |   |   |
| 9   | 1   | 1E8500-97470 | ラベル(ヘルトカバチュウイ C)  | 1   |     |     |     |     |     |   |   |

066-0068-001-03



066-0068-001-03

Fig.402. 駆動;ハーベスタ



| No. | レベル | 部品番号         | 部品名称                     | 数量 | 備考 |
|-----|-----|--------------|--------------------------|----|----|
| 1   |     | 1544842004   | カバー；ジョイント                | 1  |    |
| 2   |     | BSZ08016     | コガタボルト 7 M8×16           | 3  |    |
| 3   |     | WSA08        | バネザガネ 3ゴウ M8             | 3  |    |
| 4   |     | 1544853004   | ジクウケCP；PTO               | 1  |    |
| 5   |     | BZ12025      | ボルト 8. 8 M12×25          | 2  |    |
| 6   |     | BZ12055      | ボルト 8. 8 M12×55          | 1  |    |
| 7   |     | NZ12         | ナット 8 2シュ M12            | 1  |    |
| 8   |     | WSA12        | バネザガネ 3ゴウ M12            | 3  |    |
| 9   |     | BSZ10025     | コガタボルト 7 M10×25          | 2  |    |
| 10  |     | 044098500M   | ワッシャ；10                  | 2  |    |
| 11  |     | WSA10        | バネザガネ 3ゴウ M10            | 2  |    |
| 12  |     | 1544861000   | シャフト；PTO                 | 1  |    |
| 13  |     | J6307LLU     | ボールベアリング 6307LLU         | 2  |    |
| 14  |     | DHC080       | Cガタトメワ アナ 80             | 2  |    |
| 15  |     | 074148000M   | カラー                      | 1  |    |
| 16  |     | 065487000M   | シム；35×1. 2               | 2  |    |
| 17  |     | 1544870000   | ブーリ；224-B-3N             | 1  |    |
| 18  |     | KFD10080500  | ヘイコウキー リョウヒラ 10×8×50     | 1  |    |
| 19  |     | WRA24        | ヒラザガネ M24                | 1  |    |
| 20  |     | NC2L24200    | キャッスルナット 2シュヒク M24×2. 00 | 1  |    |
| 21  |     | PC050036     | ワリピン 5×36                | 1  |    |
| 22  |     | VAGXLB048    | Vベルト LB-48 スーパーAG-X      | 3  |    |
| 23  |     | 1544880004   | ベルトガイドCP；2               | 1  |    |
| 24  |     | 1544891004   | ベルトガイドCP；1               | 1  |    |
| 25  |     | 154490000M   | ステー                      | 1  |    |
| 26  |     | 154491100M   | アングルCP                   | 1  |    |
| 27  |     | BSZ08025     | コガタボルト 7 M8×25           | 5  |    |
| 28  |     | 044097200M   | ワッシャ；8                   | 6  |    |
| 29  |     | WSA08        | バネザガネ 3ゴウ M8             | 5  |    |
| 30  |     | NSZ08        | コガタナット 8 2シュ M8          | 1  |    |
| 32  |     | EH1382467591 | コードクランプ（8. 5-85）         | 1  |    |



This exploded view diagram illustrates the assembly of a mechanical device. The components are numbered as follows:

- 1:** A bracket with a threaded hole and a pin.
- 2:** A small screw.
- 3:** A pulley wheel.
- 4:** A long vertical plate with multiple holes.
- 5:** A pin.
- 6:** A long threaded rod.
- 7:** A small circular component.
- 8:** A pin.
- 9:** A bracket with a pin.
- 10:** A small plate with a hole.
- 11:** A bracket with a pin.
- 12:** A pin.
- 13:** A small screw.
- 14:** A small screw.
- 15:** A small screw.
- 16:** A cylindrical component with a flange.
- 17:** A small screw.
- 18:** A small screw.
- 19:** A small screw.
- 20:** A pulley wheel.
- 21:** A small screw.
- 22:** A small screw.
- 23:** A large gear.
- 24:** A small screw.
- 25:** A small screw.
- 26:** A small screw.
- 27:** A bracket with a pin.
- 28:** A pin.
- 29:** A small screw.
- 30:** A small screw.
- 31:** A small screw.

The diagram shows the assembly of a mechanical device, likely a pump or motor, with various components labeled 1 through 31. The components are shown in an exploded view, indicating their relative positions and how they fit together. The assembly includes a main frame (4), a motor (16), a gear (23), and various brackets (1, 9, 10, 11, 27) and fasteners (screws, pins, washers). The assembly is shown in a perspective view, with dashed lines indicating the alignment of the components.

---

---


---

---

---

---


Fig.404. ホッパ



| No. | レベル | 部品番号        | 部品名称                | 数量 | 備考 |
|-----|-----|-------------|---------------------|----|----|
| 1   |     | 165098000L  | トッププレートCP           | 1  |    |
| 2   |     | 165099100L  | トップカバーCP            | 1  |    |
| 3   |     | 165101000M  | プレート                | 2  |    |
| 4   |     | 165115000M  | チョウバン               | 2  |    |
| 5   |     | CP06020     | +ナベコネジ M6×2.0       | 6  |    |
| 6   |     | NP06        | スプリングナット M6         | 6  |    |
| 7   |     | EG398182330 | グリップ                | 1  |    |
| 8   |     | EG026109103 | ワッシャ                | 2  |    |
| 9   |     | NSP08       | コガタスプリングナット 4 M8    | 2  |    |
| 10  |     | 1181490000  | ニギリ; M8             | 1  |    |
| 12  |     | 165375000M  | ステーCP               | 1  |    |
| 13  |     | BSZ08025    | コガタボルト 7 M8×2.5     | 1  |    |
| 14  |     | NSZ08       | コガタナット 8 2シュ M8     | 1  |    |
| 15  |     | NNF08       | フランジナイロンナット M8      | 1  |    |
| 16  |     | 165376100M  | ブラケット               | 1  |    |
| 17  |     | 044097200M  | ワッシャ; 8             | 2  |    |
| 18  |     | BSPZ08020   | コガタSWツキボルト 7 M8×2.0 | 10 |    |
| 19  |     | BSZ08025    | コガタボルト 7 M8×2.5     | 2  |    |
| 20  |     | NSP08       | コガタスプリングナット 4 M8    | 2  |    |
| 21  |     | 165103000L  | スロープ; RE            | 1  |    |
| 22  |     | EG398182330 | グリップ                | 1  |    |
| 23  |     | EG026109103 | ワッシャ                | 2  |    |
| 24  |     | NSP08       | コガタスプリングナット 4 M8    | 2  |    |
| 25  |     | BSZ08016    | コガタボルト 7 M8×1.6     | 4  |    |
| 26  |     | NSP08       | コガタスプリングナット 4 M8    | 4  |    |
| 27  |     | WRA08       | ヒラザガネ M8            | 4  |    |
| 28  |     | 1651040000  | スローププレート            | 1  |    |
| 29  |     | 055474000M  | カクネボルト 8. 8 M8×2.0  | 7  |    |
| 30  |     | NSP08       | コガタスプリングナット 4 M8    | 7  |    |
| 31  |     | 165105000L  | サイドパネルCP; L         | 1  |    |
| 32  |     | 165106000L  | サイドパネルCP; R         | 1  |    |
| 33  |     | 055032000M  | カクネボルト; M8×1.5      | 7  |    |
| 34  |     | NSP08       | コガタスプリングナット 4 M8    | 7  |    |
| 35  |     | 165107000L  | ホッパスロープ; LF         | 1  |    |
| 36  |     | 165108000L  | ホッパスロープ; LRe        | 1  |    |
| 37  |     | 055474000M  | カクネボルト 8. 8 M8×2.0  | 9  |    |
| 38  |     | NSP08       | コガタスプリングナット 4 M8    | 9  |    |
| 39  |     | 044097200M  | ワッシャ; 8             | 9  |    |
| 40  |     | BSZ08016    | コガタボルト 7 M8×1.6     | 8  |    |
| 41  |     | NSP08       | コガタスプリングナット 4 M8    | 8  |    |
| 42  |     | 165109000L  | フロントパネルCP; UP       | 1  |    |
| 43  |     | 165110000L  | フロントパネルCP; Lo       | 1  |    |
| 44  |     | 055032000M  | カクネボルト; M8×1.5      | 3  |    |
| 45  |     | NSP08       | コガタスプリングナット 4 M8    | 3  |    |
| 46  |     | BSPZ08016   | コガタSWツキボルト 7 M8×1.6 | 3  |    |
| 47  |     | BSZ08020    | コガタボルト 7 M8×2.0     | 2  |    |
| 48  |     | NSP08       | コガタスプリングナット 4 M8    | 2  |    |
| 49  |     | BSZ08020    | コガタボルト 7 M8×2.0     | 4  |    |
| 50  |     | NSP08       | コガタスプリングナット 4 M8    | 4  |    |
| 51  |     | 165111000L  | プレート; R             | 1  |    |


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Fig.405. コンベアフレーム




| No. | レベル | 部品番号       | 部品名称             | 数量 | 備考 |
|-----|-----|------------|------------------|----|----|
| 1   |     | 1648710004 | コンベアフレームCP ; L O | 1  |    |
| 2   |     | BZ12030    | ボルト 8. 8 M12×30  | 2  |    |
| 3   |     | WSA12      | バネザガネ 3ゴウ M12    | 2  |    |
| 4   |     | WRA12      | ヒラザガネ M12        | 2  |    |
| 5   |     | BSZ08025   | コガタボルト 7 M8×25   | 3  |    |
| 6   |     | WRA08      | ヒラザガネ M8         | 3  |    |
| 7   |     | WSA08      | バネザガネ 3ゴウ M8     | 3  |    |
| 8   |     | NSZ08      | コガタナット 8 2シュ M8  | 3  |    |
| 9   |     | 1648780004 | コンベアフレームCP ; R   | 1  |    |
| 10  |     | BSZ08025   | コガタボルト 7 M8×25   | 3  |    |
| 11  |     | 044097200M | ワッシャ ; 8         | 3  |    |
| 12  |     | WSA08      | バネザガネ 3ゴウ M8     | 3  |    |
| 13  |     | NSZ08      | コガタナット 8 2シュ M8  | 3  |    |
| 14  |     | 1648850004 | コンベアフレームCP ; L   | 1  |    |
| 15  |     | BSZ08025   | コガタボルト 7 M8×25   | 3  |    |
| 16  |     | 044097200M | ワッシャ ; 8         | 3  |    |
| 17  |     | WSA08      | バネザガネ 3ゴウ M8     | 3  |    |
| 18  |     | NSZ08      | コガタナット 8 2シュ M8  | 3  |    |
| 19  |     | 1648880004 | フレームCP           | 1  |    |
| 20  |     | BSZ08025   | コガタボルト 7 M8×25   | 6  |    |
| 21  |     | WRA08      | ヒラザガネ M8         | 6  |    |
| 22  |     | WSA08      | バネザガネ 3ゴウ M8     | 6  |    |
| 23  |     | 1648910004 | フロントカバー          | 1  |    |
| 24  |     | BSZ08030   | コガタボルト 7 M8×30   | 6  |    |
| 25  |     | WRA08      | ヒラザガネ M8         | 6  |    |
| 26  |     | WSA08      | バネザガネ 3ゴウ M8     | 6  |    |
| 27  |     | NSZ08      | コガタナット 8 2シュ M8  | 6  |    |
| 28  |     | 1648930004 | フロントプレートCP       | 1  |    |
| 29  |     | BSZ08025   | コガタボルト 7 M8×25   | 6  |    |
| 30  |     | 080414100M | ワッシャ ; 8 メッキ     | 6  |    |
| 31  |     | WSA08      | バネザガネ 3ゴウ M8     | 6  |    |
| 32  |     | 1649400004 | スロープCP           | 1  |    |
| 33  |     | BSZ08020   | コガタボルト 7 M8×20   | 4  |    |
| 34  |     | WSA08      | バネザガネ 3ゴウ M8     | 4  |    |
| 35  |     | 044097200M | ワッシャ ; 8         | 2  |    |

Fig.406. コンベア




| No. | レベル | 部品番号        | 部品名称                 | 数量 | 備考 |
|-----|-----|-------------|----------------------|----|----|
| 1   |     | 1648980000  | コンベアベルト; 1800        | 1  |    |
| 2   |     | 1648990004  | コンベアドライプロラCP         | 1  |    |
| 3   |     | JUCFC207DGB | ベアリングユニット UCFC207DGB | 1  |    |
| 4   |     | BZ10050     | ボルト 8. 8 M10×50      | 4  |    |
| 5   |     | WSA10       | パネザガネ 3ゴウ M10        | 4  |    |
| 6   |     | NZ10        | ナット 8 2シュ M10        | 4  |    |
| 7   |     | 0855840004  | メタル                  | 1  |    |
| 8   |     | BZ10035     | ボルト 8. 8 M10×35      | 3  |    |
| 9   |     | WSA10       | パネザガネ 3ゴウ M10        | 3  |    |
| 10  |     | NZ10        | ナット 8 2シュ M10        | 3  |    |
| 11  |     | JCS206LLU   | ユニットヨウベアリング CS206LLU | 1  |    |
| 12  |     | 164904000M  | コンベアフランジ; R          | 1  |    |
| 13  |     | 000451000M  | カクネボルト 8. 8 M10×25   | 4  |    |
| 14  |     | WSA10       | パネザガネ 3ゴウ M10        | 4  |    |
| 15  |     | NSZ10       | コガタナット 8 2シュ M10     | 4  |    |
| 16  |     | 164905000M  | コンベアフランジ; L          | 1  |    |
| 17  |     | 000451000M  | カクネボルト 8. 8 M10×25   | 4  |    |
| 18  |     | WSA10       | パネザガネ 3ゴウ M10        | 4  |    |
| 19  |     | NSZ10       | コガタナット 8 2シュ M10     | 4  |    |
| 20  |     | 164906000M  | サイドベースCP             | 2  |    |
| 21  |     | 059483000M  | カクネボルト 8. 8 M8×25    | 8  |    |
| 22  |     | WSA08       | パネザガネ 3ゴウ M8         | 8  |    |
| 23  |     | NSZ08       | コガタナット 8 2シュ M8      | 8  |    |
| 24  |     | 164910000M  | カラーCP; 30. 5×54. 5   | 2  |    |
| 25  |     | BX112230    | ボルト 10. 9 ゼン M12×230 | 2  |    |
| 26  |     | NZ12        | ナット 8 2シュ M12        | 6  |    |
| 27  |     | 164911000M  | スクレーパ                | 1  |    |
| 28  |     | 1649120004  | コンベアテンションローラCP       | 1  |    |
| 29  |     | 1649150000  | シャフト                 | 1  |    |
| 30  |     | J6306LLU    | ボールベアリング 6306LLU     | 2  |    |
| 31  |     | DHC072      | Cガタメワ アナ 72          | 2  |    |
| 32  |     | 164916000M  | チャンネル                | 4  |    |
| 33  |     | 055474000M  | カクネボルト 8. 8 M8×20    | 16 |    |
| 34  |     | WSA08       | パネザガネ 3ゴウ M8         | 16 |    |
| 35  |     | NSZ08       | コガタナット 8 2シュ M8      | 16 |    |
| 36  |     | 1649170004  | テーブルCP               | 2  |    |
| 37  |     | BSZ08025    | コガタボルト 7 M8×25       | 8  |    |
| 38  |     | WSA08       | パネザガネ 3ゴウ M8         | 8  |    |
| 39  |     | 080414100M  | ワッシャ; 8 メッキ          | 8  |    |
| 40  |     | 164920000M  | アングル                 | 2  |    |
| 41  |     | 164921000M  | プレートCP               | 2  |    |
| 42  |     | 1649220000  | スクレーパ                | 2  |    |
| 43  |     | WSA08       | パネザガネ 3ゴウ M8         | 8  |    |
| 44  |     | NSZ08       | コガタナット 8 2シュ M8      | 8  |    |
| 45  |     | 1649230000  | ポリウレタンシート            | 1  |    |
| 46  |     | 164924000M  | プレート                 | 1  |    |
| 47  |     | BSZ08020    | コガタボルト 7 M8×20       | 4  |    |
| 48  |     | WSA08       | パネザガネ 3ゴウ M8         | 4  |    |
| 49  |     | NSZ08       | コガタナット 8 2シュ M8      | 4  |    |
| 50  |     | 164925000M  | モータベース               | 1  |    |
| 51  |     | BSZ10030    | コガタボルト 7 M10×30      | 4  |    |

Fig.406. コンベア



| No. | レベル | 部品番号        | 部品名称                 | 数量 | 備考 |
|-----|-----|-------------|----------------------|----|----|
| 52  |     | 075290100M  | ワッシャ; 10             | 4  |    |
| 53  |     | WSA10       | バネザガネ 3ゴウ M10        | 4  |    |
| 54  |     | NSZ10       | コガタナット 8 2シュ M10     | 4  |    |
| 55  |     | 132818000M  | スプロケット; 50×18T (モータ) | 1  |    |
| 56  |     | 073444000M  | シム                   | 6  |    |
| 57  |     | 159941200M  | カラー; 25×6 メッキ        | 2  |    |
| 58  |     | 066871100M  | カラー                  | 1  |    |
| 59  |     | 059313100M  | ザガネ                  | 1  |    |
| 60  |     | BSZ08025    | コガタボルト 7 M8×25       | 1  |    |
| 61  |     | WSA08       | バネザガネ 3ゴウ M8         | 1  |    |
| 62  |     | 1394270004  | スプロケット; 50×17T       | 2  |    |
| 63  |     | LA50056     | ローラチェーン 50×56L       | 1  |    |
| 64  |     | 065487000M  | シム; 35×1.2           | 4  |    |
| 65  |     | 030619101M  | ワッシャ; 17×6           | 3  |    |
| 66  |     | NN16        | ナイロンナット M16          | 3  |    |
| 67  |     | 1649260004  | ローターCP               | 1  |    |
| 68  |     | JUCFL206DGB | ベアリングユニット UCFL206DGB | 2  |    |
| 69  |     | BZ14040     | ボルト 8.8 M14×40       | 4  |    |
| 70  |     | WSA14       | バネザガネ 3ゴウ M14        | 4  |    |
| 71  |     | NZ14        | ナット 8 2シュ M14        | 4  |    |
| 72  |     | 164933000M  | プレート                 | 2  |    |
| 73  |     | 055474000M  | カクネボルト 8.8 M8×20     | 8  |    |
| 74  |     | WSA08       | バネザガネ 3ゴウ M8         | 8  |    |
| 75  |     | NSZ08       | コガタナット 8 2シュ M8      | 8  |    |
| 76  |     | 164934000M  | カラー; 30.5×30         | 1  |    |
| 77  |     | 073444000M  | シム; 30.5×1           | 8  |    |
| 78  |     | 0799210004  | スプロケット; 50×17T       | 1  |    |
| 79  |     | 1649350004  | アジテータCP              | 1  |    |
| 80  |     | 164937000L  | サイドCP                | 1  |    |
| 81  |     | 165010000L  | ブラケットCP              | 1  |    |
| 82  |     | 055474000M  | カクネボルト 8.8 M8×20     | 20 |    |
| 83  |     | WSA08       | バネザガネ 3ゴウ M8         | 20 |    |
| 84  |     | NSZ08       | コガタナット 8 2シュ M8      | 20 |    |
| 85  |     | JCS205LLU   | ユニットヨウベアリング CS205LLU | 2  |    |
| 86  |     | JPFL205G    | パイフランジ ヒシ PFL205     | 4  |    |
| 87  |     | 1581450004  | スプロケット; 50×32T       | 1  |    |
| 88  |     | LA50128     | ローラチェーン 50×128L      | 1  |    |
| 89  |     | 060944100M  | カラー; 25.5×11         | 1  |    |
| 90  |     | KFD08070250 | ヘイコウキー リョウヒラ 8×7×25  | 1  |    |
| 91  |     | 000761100M  | ワッシャ; 16             | 1  |    |
| 92  |     | 130446000M  | テンションアームCP           | 1  |    |
| 93  |     | 081267000M  | テンションローラCP           | 3  |    |
| 94  |     | DC017       | Cガタトメワ ジク 17         | 3  |    |
| 95  |     | DC025       | Cガタトメワ ジク 25         | 1  |    |
| 96  |     | 044214301M  | ワッシャ                 | 3  |    |
| 97  |     | 094631100M  | スプリング; H3. 2×21×160  | 1  |    |
| 98  |     | 153573000M  | スプリングステー; 215        | 1  |    |
| 99  |     | ONB6        | グリースニップル B M6        | 1  |    |
| 100 |     | NZ12        | ナット 8 2シュ M12        | 2  |    |


Fig.407. 駆動; 1



| No. | レベル | 部品番号        | 部品名称                        | 数量 | 備考 |
|-----|-----|-------------|-----------------------------|----|----|
| 1   |     | 1545340004  | プーリ; 170-B-3N               | 1  |    |
| 2   |     | 044214301M  | ワッシャ 25.5 x 1.0             | 2  |    |
| 3   |     | KFB08070350 | ヘイコウキー カタマル 8 x 7 x 35      | 1  |    |
| 4   |     | NZ16150     | ナット 8 2シュ M16 x 1.50        | 1  |    |
| 5   |     | WSA16       | パネザガネ 3ゴウ M16               | 1  |    |
| 6   |     | 075320000M  | ワッシャ; 17 X 6                | 1  |    |
| 7   |     | VAGXLB065   | Vベルト LB-65 スーパーAG-X         | 3  |    |
| 8   |     | 154535100M  | テンションアームCP                  | 1  |    |
| 9   |     | KBB-2525A   | カーボンドライベアリング A 25 x 28 x 25 | 2  |    |
| 10  |     | DC025       | Cガタトメワ ジク 25                | 1  |    |
| 11  |     | ONAS1       | グリースニップル A PT1/8            | 1  |    |
| 12  |     | DC020       | Cガタトメワ ジク 20                | 1  |    |
| 13  |     | 154536000M  | ロッドCP                       | 1  |    |
| 14  |     | WRA20       | ヒラザガネ M20                   | 1  |    |
| 15  |     | PC040032    | ワリピン 4 x 32                 | 1  |    |
| 16  |     | 085350000M  | スプリング メッキ                   | 1  |    |
| 17  |     | 085351000M  | カラー                         | 2  |    |
| 18  |     | 025266000M  | キュウメンザガネ                    | 1  |    |
| 19  |     | NSZ10       | コガタナット 8 2シュ M10            | 2  |    |
| 20  |     | 154537100R  | ブラケットCP                     | 1  |    |
| 21  |     | BSZ08035    | コガタボルト 7 M8 x 35            | 2  |    |
| 22  |     | BSZ08040    | コガタボルト 7 M8 x 40            | 1  |    |
| 23  |     | WSA08       | パネザガネ 3ゴウ M8                | 3  |    |
| 24  |     | 1597770000  | ローラ 100                     | 1  |    |
| 25  |     | J6304LLU    | ボールベアリング 6304LLU            | 2  |    |
| 26  |     | DHC052      | Cガタトメワ アナ 52                | 1  |    |




Fig.408. 駆動; 2



| No. | レベル | 部品番号       | 部品名称                 | 数量 | 備考         |
|-----|-----|------------|----------------------|----|------------|
| 1   |     | 1651220004 | ケースCP                | 1  |            |
| 2   |     | 1651350000 | シャフト; 1              | 1  |            |
| 3   |     | 1545950004 | スプロケット; 80×10T       | 1  |            |
| 4   |     | 1581490004 | ギヤ; 4.3T             | 1  |            |
| 5   |     | 134008000M | カラー                  | 3  |            |
| 6   |     | 0573680000 | シム                   | 6  |            |
| 7   |     | 0666090000 | シム                   | 5  |            |
| 8   |     | 1584090004 | ハウジング; 4.5L          | 1  |            |
| 9   |     | JCS309LLU  | ユニットヨウベアリング CS309LLU | 1  |            |
| 10  |     | 1651360000 | シャフト; 2              | 1  |            |
| 11  |     | 1651370004 | シャーボルトホルダCP; 2       | 1  |            |
| 12  |     | 1651390004 | シャーボルトホルダ; 1         | 1  |            |
| 13  |     | 1394290000 | ブッシュ                 | 3  |            |
| 14  |     | ONA6       | グリースニップル A M6        | 1  |            |
| 15  |     | 0988800000 | シム; 3.5. 5×0. 6      | 6  |            |
| 16  |     | 0445862000 | チョウセイシム; 3.5×0. 2    | 4  |            |
| 17  |     | DC035      | Cガタメワ ジク 3.5         | 1  |            |
| 18  |     | 0812320000 | シャーボルト; M6×3.0       | 4  |            |
| 19  |     | WS06       | バネザガネ 2ゴウ M6         | 4  |            |
| 20  |     | NZ06       | ナット 8 2シュ M6         | 4  |            |
| 21  |     | 1651400004 | ブーリ; 2.50-B-3N       | 1  |            |
| 22  |     | 1651410004 | ギヤ; 1.5T             | 1  |            |
| 23  |     | DC045      | Cガタメワ ジク 4.5         | 2  |            |
| 24  |     | 130209000M | パイフランジ; PF208        | 6  |            |
| 25  |     | JCS307LLU  | ユニットヨウベアリング CS307LLU | 3  |            |
| 26  |     | 0590442006 | ディスクワッシャ             | 2  |            |
| 27  |     | NN16       | ナイロンナット M1.6         | 2  |            |
| 28  |     | 000452000M | カクネボルト; M1.2×3.0     | 12 | No. 29・30付 |
| 29  |     | WSA12      | バネザガネ 3ゴウ M1.2       | 27 |            |
| 30  |     | NZ12       | ナット 8 2シュ M1.2       | 19 |            |
| 31  |     | BZ12030    | ボルト 8. 8 M1.2×3.0    | 11 |            |
| 32  |     | WRA12      | ヒラザガネ M1.2           | 7  |            |
| 33  |     | 0341711000 | シム                   | 2  |            |
| 34  |     | 0339011000 | シム                   | 2  |            |
| 35  |     | 1651421004 | カバー                  | 1  |            |
| 36  |     | BSZ08020   | コガタボルト 7 M8×2.0      | 1  |            |
| 37  |     | WSA08      | バネザガネ 3ゴウ M8         | 1  |            |
| 38  |     | WRA08      | ヒラザガネ M8             | 1  |            |
| 39  |     | 164578000M | カラー                  | 2  |            |
| 40  |     | 0988800000 | シム; 3.5. 5×0. 6      | 2  |            |
| 41  |     | 0445862000 | チョウセイシム; 3.5×0. 2    | 4  |            |
| 42  |     | BSZ08025   | コガタボルト 7 M8×2.5      | 3  |            |
| 43  |     | WRA08      | ヒラザガネ M8             | 3  |            |
| 44  |     | WSA08      | バネザガネ 3ゴウ M8         | 3  |            |
| 45  |     | NSZ08      | コガタナット 8 2シュ M8      | 3  |            |



Fig.409. サブフレーム



| No. | レベル | 部品番号       | 部品名称             | 数量 | 備考 |
|-----|-----|------------|------------------|----|----|
| 1   |     | 1659600004 | サブフレームCP         | 1  |    |
| 2   |     | BZ12025    | ボルト 8. 8 M12×25  | 1  |    |
| 3   |     | BZ12030    | ボルト 8. 8 M12×30  | 3  |    |
| 4   |     | WSA12      | バネザガネ 3ゴウ M12    | 5  |    |
| 5   |     | 042783600M | ワッシャ; 12         | 5  |    |
| 6   |     | BSZ10025   | コガタボルト 7 M10×25  | 6  |    |
| 7   |     | WSA10      | バネザガネ 3ゴウ M10    | 6  |    |
| 8   |     | 044098500M | ワッシャ; 10         | 6  |    |
| 9   |     | 1582960004 | リヤフレームCP; L      | 1  |    |
| 10  |     | 1582990004 | リヤフレームCP; R      | 1  |    |
| 11  |     | 1583010004 | リヤフレームCP; B      | 1  |    |
| 12  |     | BZ16040    | ボルト 8. 8 M16×40  | 10 |    |
| 13  |     | NZ16       | ナット 8 2シュ M16    | 10 |    |
| 14  |     | WSA16      | バネザガネ 3ゴウ M16    | 10 |    |
| 15  |     | 1546430004 | ステップCP; F        | 1  |    |
| 16  |     | 1546491004 | ステップCP; RE       | 1  |    |
| 17  |     | BSZ08020   | コガタボルト 7 M8×20   | 7  |    |
| 18  |     | WSA08      | バネザガネ 3ゴウ M8     | 7  |    |
| 19  |     | NSZ08      | コガタナット 8 2シュ M8  | 2  |    |
| 20  |     | BSZ10020   | コガタボルト 7 M10×20  | 2  |    |
| 21  |     | WSA10      | バネザガネ 3ゴウ M10    | 2  |    |
| 22  |     | NSZ10      | コガタナット 8 2シュ M10 | 2  |    |
| 23  |     | 1654600004 | ステーCP; ATD       | 1  |    |
| 24  |     | BZ12030    | ボルト 8. 8 M12×30  | 2  |    |
| 25  |     | WSA12      | バネザガネ 3ゴウ M12    | 2  |    |
| 26  |     | WRA12      | ヒラザガネ M12        | 2  |    |
| 27  |     | 1654120004 | ブラケット            | 1  |    |
| 28  |     | 1654130004 | ブラケット            | 1  |    |
| 29  |     | BSZ08020   | ボルト 8. 8 M8×20   | 8  |    |
| 30  |     | WSA08      | バネザガネ 3ゴウ M8     | 8  |    |
| 31  |     | WRA08      | ヒラザガネ M8         | 8  |    |
| 32  |     | 1654310004 | ニョウソタンクステーCP     | 1  |    |
| 33  |     | BSZ08020   | コガタボルト 7 M8×20   | 3  |    |
| 34  |     | WSA08      | バネザガネ 3ゴウ M8     | 3  |    |
| 35  |     | NSZ08      | コガタナット 8 2シュ M8  | 3  |    |
| 36  |     | BZ12035    | ボルト 8. 8 M12×35  | 1  |    |

This exploded perspective view illustrates the assembly of a mechanical component, likely a seat or a similar structure. The main body (1) features a curved backrest with four circular cutouts and a rectangular base with four circular cutouts. The assembly includes various fasteners and structural elements, numbered 1 through 29. Key components include:
 

- 1**: Main body/frame.
- 2**: A circular flange or gasket.
- 3**: A small cylindrical pin or bush.
- 4**: A small cylindrical pin or bush.
- 5**: A small cylindrical pin or bush.
- 6**: A small cylindrical pin or bush.
- 7**: A small cylindrical pin or bush.
- 8**: A small cylindrical pin or bush.
- 9**: A long, thin cylindrical rod or shaft.
- 10**: A small rectangular plate or bracket.
- 11**: A small cylindrical pin or bush.
- 12**: A small cylindrical pin or bush.
- 13**: A small cylindrical pin or bush.
- 14**: A small cylindrical pin or bush.
- 15**: A small cylindrical pin or bush.
- 16**: A small cylindrical pin or bush.
- 17**: A small cylindrical pin or bush.
- 18**: A small cylindrical pin or bush.
- 19**: A small cylindrical pin or bush.
- 20**: A long, thin cylindrical rod or shaft.
- 21**: A small rectangular plate or bracket.
- 22**: A small cylindrical pin or bush.
- 23**: A small cylindrical pin or bush.
- 24**: A small cylindrical pin or bush.
- 25**: A small cylindrical pin or bush.
- 26**: A small cylindrical pin or bush.
- 27**: A small cylindrical pin or bush.
- 28**: A small cylindrical pin or bush.
- 29**: A small cylindrical pin or bush.

 The assembly is shown in a disassembled state, with dashed lines indicating the alignment and intended position of the parts. The label 'Fig. 409' is located at the bottom left of the diagram.

---

---


---

---

---


---

Fig.411. フレーム・ゲート



| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考 |
|-----|-----|------------|--------------------|----|----|
| 1   |     | 1650750004 | フロントフレームCP         | 1  |    |
| 2   |     | 1654170004 | ゲートCP              | 1  |    |
| 3   |     | BZ12035    | ボルト 8.8 M12×35     | 7  |    |
| 4   |     | 042783600M | ワッシャ; 12 メッキ       | 7  |    |
| 5   |     | WSA12      | バネザガネ 3ゴウ M12      | 7  |    |
| 6   |     | NZ12       | ナット 8 2シュ M12      | 7  |    |
| 7   |     | 158314000M | プレートCP             | 4  |    |
| 8   |     | BJ08025    | サラキャップB 10.9 M8×25 | 8  |    |
| 9   |     | WSA08      | バネザガネ 3ゴウ M8       | 8  |    |
| 10  |     | NSZ08      | コガタナット 8 2シュ M8    | 8  |    |
| 11  |     | 160567000M | ハイシュツプレートCP; L     | 1  |    |
| 12  |     | 160570000M | ハイシュツプレートCP; R     | 1  |    |
| 13  |     | NSP08      | コガタスプリングナット 4 M8   | 8  |    |


Fig.412. ローラ



066-0068-121-01


| No. | レベル | 部品番号        | 部品名称                       | 数量 | 備考 |
|-----|-----|-------------|----------------------------|----|----|
| 1   |     | 1583250004  | F LローラCP ; 3 5 L           | 2  |    |
| 2   |     | 1581910004  | ローラCP ; 3 5 S              | 10 |    |
| 3   |     | 1581930004  | ローラCP ; 4 5 L-L O          | 1  |    |
| 4   |     | 1583240004  | F LローラCP ; 4 5 L-L O       | 1  |    |
| 5   |     | 1581950004  | ローラCP ; 4 5 L              | 1  |    |
| 6   |     | 1650150004  | ローラCP ; 4 5 L              | 1  |    |
| 7   |     | 1584740004  | ローラCP ; 8 8 U              | 1  |    |
| 8   |     | KFD08070200 | ヘイコウキー リョウヒラ 8 × 7 × 2 0   | 1  |    |
| 9   |     | KFD10080250 | ヘイコウキー リョウヒラ 1 0 × 8 × 2 5 | 1  |    |
| 10  |     | JPF206G     | パイフランチ マル P F 2 0 6        | 2  |    |
| 11  |     | 1584770004  | フランチ                       | 1  |    |
| 12  |     | JCS206LLU   | ユニットヨウベアリング CS 2 0 6 L L U | 2  |    |
| 13  |     | 058340000M  | ワッシャ ; 1 1 × 4 . 5         | 2  |    |
| 14  |     | BSZ10025    | コガタボルト 7 M 1 0 × 2 5       | 2  |    |
| 15  |     | WSA10       | パネザガネ 3ゴウ M 1 0            | 8  |    |
| 16  |     | NSZ10       | コガタナット 8 . 2 シュ M 1 0      | 6  |    |
| 17  |     | 130210000M  | フランチCP ; 1                 | 13 |    |
| 18  |     | 130211000M  | フランチCP ; 2                 | 13 |    |
| 19  |     | 144194000M  | フランチCP                     | 6  |    |
| 20  |     | 1441820004  | ハウジング ; L                  | 1  |    |
| 21  |     | 1301841004  | ハウジング ; R                  | 1  |    |
| 22  |     | 1441830004  | ハウジング ; 4 5 L              | 1  |    |
| 23  |     | ONC6        | グリースニップル C M 6             | 3  |    |
| 24  |     | ONB6        | グリースニップル B M 6             | 3  |    |
| 25  |     | 130209000M  | パイフランチ ; P F 2 0 8         | 26 |    |
| 26  |     | JCS307LLU   | ユニットヨウベアリング CS 3 0 7 L L U | 13 |    |
| 27  |     | JCS207LLU   | ユニットヨウベアリング CS 2 0 7 L L U | 13 |    |
| 28  |     | 164288100M  | カラー ; φ 3 5 × 1 6          | 13 |    |
| 29  |     | DC035       | Cガタメワ ジク 3 5               | 14 |    |
| 30  |     | JCS309LLU   | ユニットヨウベアリング CS 3 0 9 L L U | 2  |    |
| 31  |     | 1581961004  | ハウジング ; 4 5 L              | 2  |    |
| 32  |     | 1581970004  | ハウジング ; 3 5 R              | 2  |    |
| 33  |     | JUC309D1    | ユニットヨウベアリング UC 3 0 9 D 1   | 2  |    |
| 34  |     | JUC207D1    | ユニットヨウベアリング UC 2 0 7 D 1   | 2  |    |
| 35  |     | ONB6        | グリースニップル B M 6             | 4  |    |
| 36  |     | BZ12040     | ボルト 8 . 8 M 1 2 × 4 0      | 26 |    |
| 37  |     | BZ12030     | ボルト 8 . 8 M 1 2 × 3 0      | 52 |    |
| 38  |     | WSA12       | パネザガネ 3ゴウ M 1 2            | 78 |    |
| 39  |     | BSZ10040    | コガタボルト 7 M 1 0 × 4 0       | 3  |    |
| 40  |     | BSZ10025    | コガタボルト 7 M 1 0 × 2 5       | 36 |    |
| 41  |     | WSA10       | パネザガネ 3ゴウ M 1 0            | 39 |    |
| 42  |     | 1441950004  | フランチCP ; L                 | 1  |    |
| 43  |     | BSZ10020    | コガタボルト 7 M 1 0 × 2 0       | 6  |    |
| 44  |     | WSA10       | パネザガネ 3ゴウ M 1 0            | 6  |    |
| 45  |     | 044098500M  | ワッシャ ; 1 0                 | 6  |    |
| 46  |     | 1581980004  | スプロケット ; 6 0 - 2 3 T       | 12 |    |
| 47  |     | 8042490004  | スプロケット ; 6 0 × 2 3 T       | 4  |    |
| 48  |     | 1650180004  | スプロケット ; 8 0 × 3 0 T       | 2  |    |
| 49  |     | 0590442006  | ディスクワッシャ                   | 12 |    |
| 50  |     | NN16        | ナイロンナット M 1 6              | 12 |    |
| 51  |     | 065487000M  | シム ; 3 5 × 1 . 2           | 58 |    |

ロー配置図




| No. | レベル | 部品番号       | 部品名称                 | 数量 | 備考 |
|-----|-----|------------|----------------------|----|----|
| 52  |     | 0988800000 | シム； 3 5. 5 × 0. 6    | 50 |    |
| 53  |     | 8042500000 | シム ； 4 5. 5 × 1. 0   | 16 |    |
| 54  |     | 8042481006 | ディスクワッシャ； 2 1 × 4. 5 | 4  |    |
| 55  |     | NN20       | ナイロンナット M 2 0        | 4  |    |
| 56  |     | 076543100M | カラー                  | 2  |    |
| 57  |     | 1650190004 | スプロケット； 5 0 × 3 0 T  | 1  |    |
| 58  |     | 1650200004 | スプロケット； 5 0 × 1 4 T  | 1  |    |
| 59  |     | 0967561000 | シム； 3 0. 5 × 0. 6    | 5  |    |
| 60  |     | 164289000M | プレート C P； キュウシ       | 1  |    |
| 61  |     | 164292000M | プレート； キュウシ 1         | 11 |    |
| 62  |     | 165415000M | プレート； キュウシ 2         | 1  |    |
| 63  |     | ONA6       | グリースニップル A M 6       | 5  |    |
| 64  |     | ONB6       | グリースニップル B M 6       | 8  |    |

Fig.413. ローラ駆動



| No. | レベル | 部品番号       | 部品名称                 | 数量 | 備考 |
|-----|-----|------------|----------------------|----|----|
| 1   |     | 165041000M | テンションアームCP ; 80      | 1  |    |
| 2   |     | 165045000M | シャフトCP               | 1  |    |
| 3   |     | ONA6       | グリースニップル A M6        | 1  |    |
| 4   |     | BSPZ08025  | コガタSWツキボルト 7 M8×25   | 1  |    |
| 5   |     | 165051000M | カラー ; φ35. 5×80      | 1  |    |
| 6   |     | 165048000M | ロッドCP                | 1  |    |
| 8   |     | 1018860004 | スプロケット CP ; 80×12T   | 2  |    |
| 9   |     | DC030      | Cガタメワ ジク 30          | 2  |    |
| 10  |     | 065487000M | シム ; 35×1. 2         | 6  |    |
| 11  |     | 130447000M | テンションアームCP ; 60A     | 2  |    |
| 12  |     | 0986740004 | スプロケット CP ; RS60×13T | 3  |    |
| 13  |     | DC025      | Cガタメワ ジク 25          | 5  |    |
| 14  |     | 044214301M | ワッシャ25. 5×1. 0       | 16 |    |
| 15  |     | ONB6       | グリースニップル B M6        | 2  |    |
| 16  |     | 130450000M | ロッドCP                | 1  |    |
| 17  |     | 130545000M | ロッドCP ; S            | 1  |    |
| 18  |     | 099710000M | カラー                  | 8  |    |
| 19  |     | 025266000M | キュウメンザガネ             | 1  |    |
| 20  |     | 0473370006 | スプリング ; A5×26×85     | 3  |    |
| 21  |     | 160448000M | テンションゲージ             | 3  |    |
| 22  |     | NZ12       | ナット 8 2シュ M12        | 6  |    |
| 23  |     | 060807100M | ワッシャ                 | 3  |    |
| 24  |     | PC050036   | ワリピン 5×36            | 1  |    |
| 25  |     | 1302740004 | スプロケット ; 60-17T      | 1  |    |
| 26  |     | J6007LLU   | ボールベアリング 6007LLU     | 2  |    |
| 27  |     | DC035      | Cガタメワ ジク 35          | 1  |    |
| 28  |     | DHC062     | Cガタメワ アナ 62          | 1  |    |
| 29  |     | LASH80156  | ローラチェーン S80H×156L    | 1  |    |
| 30  |     | LA60164    | ローラチェーン 60×164L      | 1  |    |
| 31  |     | LA60204    | ローラチェーン 60×204L      | 1  |    |
| 32  |     | 0776261000 | プレート                 | 2  |    |
| 33  |     | 148424000M | アングル                 | 2  |    |
| 34  |     | CP06020    | ナナベコネジ M6×20         | 4  |    |
| 35  |     | NNF06      | フランジナイロンナット M6       | 4  |    |
| 36  |     | BSZ10020   | コガタボルト 7 M10×20      | 4  |    |
| 37  |     | WSA10      | バネザガネ 3ゴウ M10        | 4  |    |
| 38  |     | 044098500M | ワッシャ ; 10            | 4  |    |
| 39  |     | LA50064    | ローラチェーン 50×64L       | 1  |    |
| 40  |     | 081267000M | テンションローラCP           | 1  |    |
| 41  |     | 080925000M | ナット                  | 1  |    |
| 42  |     | BZ12045    | ボルト 7 M12×45         | 1  |    |
| 43  |     | WSA12      | バネザガネ 3ゴウ M12        | 1  |    |
| 44  |     | 042783600M | ワッシャ ; 12            | 1  |    |
| 45  |     | 082660000M | カラー                  | 1  |    |

Fig.414. 成形ベルト(1)




066-0068-123-00

| No. | レベル | 部品番号       | 部品名称             | 数量 | 備考 |
|-----|-----|------------|------------------|----|----|
| 1   |     | 1650240004 | ベルトスクレーパCP       | 1  |    |
| 2   |     | 165027000M | アングル             | 2  |    |
| 3   |     | BSZ08020   | コガタボルト 7 M8×20   | 4  |    |
| 4   |     | WSA08      | バネザガネ 3ゴウ M8     | 4  |    |
| 5   |     | 158212000M | プレートCP           | 8  |    |
| 6   |     | 1582130000 | ポリウレタンプレート       | 8  |    |
| 7   |     | NNF08      | フランジナイロンナット M8   | 16 |    |
| 8   |     | 1650280004 | ローラCP; 89. 1     | 1  |    |
| 9   |     | JUCT206    | ベアリングユニット UCT206 | 2  |    |
| 10  |     | 058340000M | ワッシャ; 11×4. 5    | 2  |    |
| 11  |     | WSA10      | バネザガネ 3ゴウ M10    | 2  |    |
| 12  |     | BSZ10025   | コガタボルト 7 M10×25  | 2  |    |
| 13  |     | 065482200M | ワッシャ; 12         | 2  |    |
| 14  |     | 147084000M | ブラケットCP          | 2  |    |
| 15  |     | 080925000M | ナット              | 2  |    |
| 16  |     | BZ12045    | ボルト 8. 8 M12×45  | 2  |    |
| 17  |     | WSA12      | バネザガネ 3ゴウ M12    | 2  |    |
| 18  |     | 165097100M | ボルト; M8×180      | 4  |    |
| 19  |     | NSZ08      | コガタナット 8 2シュ M8  | 8  |    |
| 20  |     | 091483000M | スプリング; H         | 4  |    |



Fig.415. 成形ベルト(2)




"A" DETAIL

| No. | レベル | 部品番号       | 部品名称                   | 数量 | 備考 |
|-----|-----|------------|------------------------|----|----|
| 1   |     | 1582000004 | テンションローラCP             | 1  |    |
| 2   |     | JPF206G    | パイフランジ マル PF206        | 4  |    |
| 3   |     | JCS206LLU  | ユニットヨウベアリング CS206LLU   | 2  |    |
| 4   |     | WSA10      | バネザガネ 3ゴウ M10          | 6  |    |
| 5   |     | NSZ10      | コガタナット 8 2シュ M10       | 6  |    |
| 6   |     | 0967561000 | シム; 30. 5×0. 6         | 4  |    |
| 7   |     | WSA10      | バネザガネ 3ゴウ M10          | 2  |    |
| 8   |     | BSZ10025   | コガタボルト 7 M10×25        | 2  |    |
| 9   |     | 058340000M | ワッシャ; 11×4. 5          | 2  |    |
| 10  |     | 1582040004 | テンションベースCP             | 2  |    |
| 11  |     | 1582140004 | アングルCP                 | 1  |    |
| 12  |     | BSPZ08025  | コガタSWツキボルト 7 M8×25     | 4  |    |
| 13  |     | 044097200M | ワッシャ; 8                | 4  |    |
| 14  |     | 164679100M | スプリング; H3. 2×27. 2×130 | 2  |    |
| 15  |     | 147088000M | ボルト; M8×100            | 2  |    |
| 16  |     | NSZ08      | コガタナット 8 2シュ M8        | 4  |    |
| 17  |     | 1582200004 | ベルトスクレーパCP             | 1  |    |
| 18  |     | 059483000M | カクネボルト M8×25           | 4  |    |
| 19  |     | 044097200M | ワッシャ; 8                | 4  |    |
| 20  |     | WSA08      | バネザガネ 3ゴウ M8           | 4  |    |
| 21  |     | NSZ08      | コガタナット 8 2シュ M8        | 4  |    |
| 22  |     | 158212000M | プレートCP                 | 8  |    |
| 23  |     | 1582130000 | ポリウレタンプレート             | 8  |    |
| 24  |     | NNF08      | フランジナイロンナット M8         | 16 |    |
| 25  |     | 1626830004 | ベースCP; LO              | 1  |    |
| 26  |     | BSZ10030   | コガタボルト 7 M10×30        | 4  |    |
| 27  |     | 044098500M | ワッシャ; 10               | 4  |    |
| 28  |     | WSA10      | バネザガネ 3ゴウ M10          | 4  |    |
| 29  |     | NSZ10      | コガタナット 8 2シュ M10       | 4  |    |
| 30  |     | 1505340000 | ポリウレタンシート              | 1  |    |
| 31  |     | 1582240004 | ブラケットCP                | 1  |    |
| 32  |     | 150026000M | プレートCP                 | 1  |    |
| 33  |     | NSP08      | コガタスプリングナット 4 M8       | 10 |    |
| 34  |     | WRA08      | ヒラザガネ M8               | 10 |    |




Fig.416. 成形ベルト(3)




| No. | レベル | 部品番号       | 部品名称                    | 数量 | 備考     |
|-----|-----|------------|-------------------------|----|--------|
| 1   |     | 1650230000 | タイユベルト； 8 5 6 × 2 5 0 0 | 1  | No. 2付 |
| 2   |     | 1598110000 | ヒンジピン                   | 2  |        |
| 3   |     | 8042890000 | タイユベルト； 8 5 6 × 2 1 5 0 | 1  | No. 2付 |

Fig.417. コボレ止め




| No. | レベル | 部品番号       | 部品名称                | 数量 | 備考 |
|-----|-----|------------|---------------------|----|----|
| 1   |     | 1583641004 | ブラケットCP ; コボレドメ     | 1  |    |
| 2   |     | 1583730004 | アングル                | 1  |    |
| 3   |     | 1584781000 | ポリウレタンシート           | 1  |    |
| 4   |     | 150026000M | プレートCP              | 1  |    |
| 5   |     | BSZ08025   | コガタボルト 7 M8×25      | 5  |    |
| 6   |     | NSP08      | コガタスプリングナット 4 M8    | 10 |    |
| 7   |     | WRA08      | ヒラザガネ M8            | 10 |    |
| 8   |     | 158369000M | ピンCP ; F12×26       | 1  |    |
| 9   |     | BSPZ08016  | コガタSWツキボルト 7 M8×16  | 1  |    |
| 10  |     | 158479100M | プレート ; ガイド          | 1  |    |
| 11  |     | BSZ08020   | コガタボルト 7 M8×20      | 2  |    |
| 12  |     | NSP08      | コガタスプリングナット 4 M8    | 2  |    |
| 13  |     | 158368200M | ピン                  | 1  |    |
| 14  |     | 067931100M | ワッシャ ; 12           | 1  |    |
| 15  |     | NUZ12      | Uナット M12            | 1  |    |
| 16  |     | 158372000M | ロッド ; 328           | 1  |    |
| 17  |     | 117967000M | スプリング ; A3. 5×20×85 | 2  |    |
| 18  |     | NZ12       | ナット 8 2シュ M12       | 2  |    |
| 19  |     | WRA12      | ヒラザガネ M12           | 2  |    |
| 20  |     | NT1219050  | タカナット M12×19×50     | 1  |    |
| 21  |     | NZ12       | ナット 8 2シュ M12       | 2  |    |
| 22  |     | 158363000M | ロッド ; 579           | 1  |    |
| 23  |     | 093754000M | フォークエンド ; 12×48     | 1  |    |
| 24  |     | 093755000M | ピン ; 12×48 メッキ      | 1  |    |
| 25  |     | NZ12       | ナット 8 2シュ M12       | 1  |    |

Fig.418. 駆動(ネット)




| No. | レベル | 部品番号        | 部品名称                         | 数量 | 備考 |
|-----|-----|-------------|------------------------------|----|----|
| 1   |     | 1582281004  | シャフト; ネット                    | 1  |    |
| 2   |     | JPF205G     | パイフランジ マル P F 2 0 5          | 4  |    |
| 3   |     | JCS205LLU   | ユニットヨウベアリング CS 2 0 5 L L U   | 2  |    |
| 4   |     | BSZ08025    | コガタボルト 7 M 8 × 2 5           | 6  |    |
| 5   |     | NSZ08       | コガタナット 8 2 シュ M 8            | 6  |    |
| 6   |     | WSA08       | バネザガネ 3 ゴウ M 8               | 6  |    |
| 7   |     | KFB08070350 | ヘイコウキー カタマル 8 × 7 × 3 5      | 1  |    |
| 8   |     | KFD08070200 | ヘイコウキー リョウヒラ 8 × 7 × 2 0     | 1  |    |
| 9   |     | 0951061000  | シム; 2 5. 5 × 0. 2            | 6  |    |
| 10  |     | 096757000M  | シム; 2 5. 5 × 0. 6            | 10 |    |
| 11  |     | 1356720004  | スプロケット; 6 0 × 2 0            | 1  |    |
| 12  |     | DC025       | C ガタトメワ ジク 2 5               | 2  |    |
| 13  |     | 1457161004  | V ブーリ; 7" - A - 1            | 1  |    |
| 14  |     | 146723000M  | カラー; 2 5. 5 × 1 3 0          | 1  |    |
| 15  |     | 146724000M  | ベルトカバー C P ; 7               | 1  |    |
| 16  |     | BSZ08016    | コガタボルト 7 M 8 × 1 6           | 2  |    |
| 17  |     | WSA08       | バネザガネ 3 ゴウ M 8               | 2  |    |
| 18  |     | 080414100M  | ワッシャ; 8                      | 2  |    |
| 19  |     | 145720000M  | ブーリ; A - 8 3                 | 1  |    |
| 20  |     | PS080045    | スプリングピン 8 × 4 5              | 1  |    |
| 21  |     | BSZ10030    | コガタボルト 7 M 1 0 × 3 0         | 1  |    |
| 22  |     | NSZ10       | コガタナット 8 2 シュ M 1 0          | 1  |    |
| 23  |     | 146725000M  | テンション C P                    | 1  |    |
| 24  |     | 70B-2025    | ドライメットブッシュ 2 0 × 2 3 × 2 5   | 1  |    |
| 25  |     | WRA20       | ヒラザガネ M 2 0                  | 1  |    |
| 26  |     | DC020       | C ガタトメワ ジク 2 0               | 1  |    |
| 27  |     | 000034100M  | 鉄板製テンションブーリ                  | 1  |    |
| 28  |     | DC012       | C ガタトメワ ジク 1 2               | 1  |    |
| 29  |     | 1528890000  | デンドウモータ                      | 1  |    |
| 30  |     | BZ06035     | ボルト 8. 8 M 6 × 3 5           | 3  |    |
| 31  |     | WS06        | バネザガネ 2 ゴウ M 6               | 3  |    |
| 32  |     | NZ06        | ナット 8 2 シュ M 6               | 3  |    |
| 33  |     | 1467261004  | チャンネル                        | 1  |    |
| 34  |     | BSZ08016    | コガタボルト 7 M 8 × 1 6           | 3  |    |
| 35  |     | WSA08       | バネザガネ 3 ゴウ M 8               | 3  |    |
| 36  |     | 044097200M  | ワッシャ; 8                      | 3  |    |
| 37  |     | 132670000M  | スプリング; H 2. 3 × 1 1 × 9 5    | 1  |    |
| 38  |     | BZ06030     | ボルト 8. 8 M 6 × 3 0           | 1  |    |
| 39  |     | NZ06        | ナット 8 2 シュ M 6               | 2  |    |
| 40  |     | 134769000M  | スプリング; H 1. 8 × 1 5. 8 × 9 0 | 1  |    |
| 41  |     | 080103100M  | ボルト M 8 メッキ                  | 1  |    |
| 42  |     | NSZ08       | コガタナット 8 2 シュ M 8            | 2  |    |
| 43  |     | 135693000M  | ベルトストップ C P                  | 2  |    |
| 44  |     | BSZ08016    | コガタボルト 7 M 8 × 1 6           | 1  |    |
| 45  |     | WSA08       | バネザガネ 3 ゴウ M 8               | 1  |    |
| 46  |     | 044097200M  | ワッシャ; 8                      | 1  |    |
| 47  |     | VLA054      | V ベルト L A - 5 4 オレンジ         | 1  |    |

Fig.419. ネットバイディング(1)




| No. | レベル | 部品番号         | 部品名称                | 数量 | 備考 |
|-----|-----|--------------|---------------------|----|----|
| 1   |     | 1583581004   | ネットフレームCP           | 1  |    |
| 2   |     | BSZ08020     | コガタボルト 7 M8×20      | 5  |    |
| 3   |     | NSZ08        | コガタナット 8 2シュ M8     | 5  |    |
| 4   |     | WSA08        | バネザガネ 3ゴウ M8        | 5  |    |
| 5   |     | WRA08        | ヒラザガネ M8            | 5  |    |
| 6   |     | 044097200M   | ワッシャ ; 8            | 2  |    |
| 7   |     | 1471331004   | ゴムローラCP ; 22        | 1  |    |
| 8   |     | 1469531000   | シャフト                | 1  |    |
| 9   |     | 086877100M   | カラー ; 20. 5×11      | 2  |    |
| 10  |     | J6004LLU     | ボールベアリング 6004LLU    | 2  |    |
| 11  |     | DHC042       | Cガタトメワ アナ 42        | 2  |    |
| 12  |     | 145767000M   | ボス                  | 1  |    |
| 13  |     | PS080032     | スプリングピン 8×32        | 1  |    |
| 14  |     | 132652100M   | ローラ                 | 1  |    |
| 15  |     | J6301LLU     | ベアリング 6301LLU       | 2  |    |
| 16  |     | DHC037       | Cガタトメワ アナ 37        | 2  |    |
| 17  |     | 1457680000   | シャフト                | 1  |    |
| 18  |     | 043065101M   | テールゲートカラー           | 2  |    |
| 19  |     | WRA12        | ヒラザガネ M12           | 2  |    |
| 20  |     | PC032016     | ワリピン 3. 2×16        | 2  |    |
| 21  |     | 093503000M   | スプリング ; A           | 2  |    |
| 22  |     | BX110070     | ボルト 10. 9 ゼン M10×70 | 2  |    |
| 23  |     | WRA10        | ヒラザガネ M10           | 2  |    |
| 24  |     | NSZ10        | コガタナット 8 2シュ M10    | 4  |    |
| 25  |     | EH1382467591 | コードクランプ (8. 5ー85)   | 3  |    |
| 26  |     | 1469470000   | スポンジパッキン ; 60       | 2  |    |

Fig.420. ネットバイディング(2)



| No. | レベル | 部品番号       | 部品名称                 | 数量 | 備考 |
|-----|-----|------------|----------------------|----|----|
| 1   |     | 1502722004 | スクレーパ                | 1  |    |
| 2   |     | BSZ08035   | コガタボルト 7 M8×35       | 2  |    |
| 3   |     | 080414100M | ワッシャ; 8              | 2  |    |
| 4   |     | WSA08      | パネザガネ 3ゴウ M8         | 2  |    |
| 5   |     | NSZ08      | コガタナット 8 2シュ M8      | 2  |    |
| 6   |     | 1326540004 | シヤバー                 | 1  |    |
| 7   |     | 075290100M | ワッシャ; 10             | 4  |    |
| 8   |     | WSA10      | パネザガネ 3ゴウ M10        | 4  |    |
| 9   |     | BSZ10030   | コガタボルト 7 M10×30      | 4  |    |
| 10  |     | BSZ10025   | コガタボルト 7 M10×25      | 5  |    |
| 11  |     | NSZ10      | コガタナット 8 2シュ M10     | 5  |    |
| 12  |     | 146713000M | ローラCP; 1             | 2  |    |
| 13  |     | 146997000M | バイフランチ ヒシ PFL202     | 8  |    |
| 14  |     | JCS202LLU  | ユニットヨウベアリング CS202LLU | 4  |    |
| 15  |     | BR06016    | カクネマルB 4.6 A1 M6×16  | 8  |    |
| 16  |     | WS06       | パネザガネ 2ゴウ M6         | 8  |    |
| 17  |     | NZ06       | ナット 8 2シュ M6         | 8  |    |
| 18  |     | WRA08      | ヒラザガネ M8             | 2  |    |


Fig.421. ネットバインディング(3)



| No. | レベル | 部品番号       | 部品名称                        | 数量 | 備考 |
|-----|-----|------------|-----------------------------|----|----|
| 1   |     | 1326550004 | ハウジング                       | 2  |    |
| 2   |     | 0934880000 | ブッシュ ; 1 6 × 2 5            | 2  |    |
| 3   |     | ONB6       | グリースニップル B M 6              | 2  |    |
| 4   |     | 059483000M | カクネボルト 8 . 8 M 8 × 2 5      | 1  |    |
| 5   |     | 044097200M | ワッシャ ; 8                    | 1  |    |
| 6   |     | 055474000M | カクネボルト 8 . 8 M 8 × 2 0      | 3  |    |
| 7   |     | NSP08      | コガタスプリングナット 4 M 8           | 4  |    |
| 8   |     | 079160000M | ボス                          | 2  |    |
| 9   |     | 0883040000 | シム ; 1 6 . 5 × 2 2 × 1 . 0  | 6  |    |
| 10  |     | 1502710004 | ナイフアーム C P                  | 1  |    |
| 11  |     | 1326572004 | ナイフ                         | 1  |    |
| 12  |     | 132658000M | ナイフプレート                     | 1  |    |
| 13  |     | BJ08030    | サラキャップ B 1 0 . 9 M 8 × 3 0  | 13 |    |
| 14  |     | NSZ08      | コガタナット 8 2 シュ M 8           | 13 |    |
| 15  |     | WSA08      | バネザガネ 3 ゴウ M 8              | 13 |    |
| 16  |     | 093995000M | スプリング ; H 3 . 2 × 2 8 × 9 6 | 4  |    |
| 17  |     | 080103100M | ボルト M 8 メッキ                 | 4  |    |
| 18  |     | NSZ08      | コガタナット 8 2 シュ M 8           | 8  |    |
| 19  |     | 148890100M | アーム C P                     | 1  |    |
| 20  |     | PS060032W  | スプリングピン ダブルヨウ 6 × 3 2       | 1  |    |
| 21  |     | PS035032W  | スプリングピン ダブルヨウ 3 . 5 × 3 2   | 1  |    |
| 22  |     | 1349400000 | スプリング                       | 1  |    |
| 23  |     | 1633260000 | ラッチ                         | 1  |    |
| 24  |     | ONB6       | グリースニップル B M 6              | 1  |    |
| 25  |     | PC040025   | ワリピン 4 × 2 5                | 1  |    |
| 26  |     | PS050025   | スプリングピン 5 × 2 5             | 1  |    |
| 27  |     | 1521510000 | ハリガネ ; φ 2 × 1 5 0          | 1  |    |



Fig.422. ネットバインディング(4)




| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考 |
|-----|-----|------------|--------------------|----|----|
| 1   |     | 1226680004 | ハウジング              | 1  |    |
| 2   |     | 122685100M | ストッパ               | 1  |    |
| 3   |     | BSZ08020   | コガタボルト 7 M8×20     | 2  |    |
| 4   |     | RBT08025   | ボタンB 10.9 M8×25    | 1  |    |
| 5   |     | 0577451000 | シム                 | 2  |    |
| 6   |     | NSP08      | コガタスプリングナット 4 M8   | 3  |    |
| 7   |     | BXI08030   | ボルト 10.9 ゼン M8×30  | 2  |    |
| 8   |     | NSZ08      | コガタナット 8 2シュ M8    | 2  |    |
| 9   |     | 1582291003 | シャフトCP             | 1  |    |
| 10  |     | J6904LLU   | ボールベアリング 6904LLU   | 1  |    |
| 11  |     | AW04       | ベアリングワッシャ AW04     | 1  |    |
| 12  |     | AN04       | ベアリングナット AN04      | 1  |    |
| 13  |     | JHF2520    | ワンウェイクラッチ HF2520   | 1  |    |
| 14  |     | J6905LLU   | ボールベアリング 6905LLU   | 1  |    |
| 15  |     | DC025      | Cガタメワ ジク 25        | 1  |    |
| 16  |     | 1651690004 | クランクアームCP          | 1  |    |
| 17  |     | G25324     | オイルシール G25×32×4    | 2  |    |
| 18  |     | 044214301M | ワッシャ; 25.5×1.0     | 2  |    |
| 19  |     | BL8D       | リンクボール BLガタ メス M8  | 1  |    |
| 20  |     | 130923000M | ロッドCP              | 1  |    |
| 21  |     | NSZ08      | コガタナット 8 2シュ M8    | 2  |    |
| 22  |     | 000085200M | ベータピン; 8×1.6       | 1  |    |
| 23  |     | 1502841004 | スローブCP             | 1  |    |
| 24  |     | 044097200M | ワッシャ; 8            | 2  |    |
| 25  |     | BSZ08035   | コガタボルト 7 M8×35     | 2  |    |
| 26  |     | BSZ08025   | コガタボルト 7 M8×25     | 2  |    |
| 27  |     | WSA08      | バネザガネ 3ゴウ M8       | 4  |    |
| 28  |     | 1366531000 | ゴムプレート             | 1  |    |
| 29  |     | BJ08020    | サラキャップB 10.9 M8×20 | 5  |    |
| 30  |     | NNF08      | フランジナイロンナット M8     | 5  |    |
| 31  |     | 146711000M | スローブCP; L          | 1  |    |
| 32  |     | 146712000M | スローブCP; R          | 1  |    |
| 33  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 4  |    |
| 34  |     | 158231000M | アームCP              | 1  |    |
| 35  |     | JHF2016    | ワンウェイクラッチ HF2016   | 1  |    |
| 36  |     | 150275000M | シム; 20.5×1.0       | 2  |    |
| 37  |     | DC020      | Cガタメワ ジク 20        | 1  |    |
| 38  |     | 000453000M | デルタピン; 9           | 1  |    |
| 39  |     | 1469470000 | スポンジパッキン; 60       | 1  |    |
| 40  |     | 150286100M | プレート               | 1  |    |
| 41  |     | JHFL2530   | ワンウェイクラッチ          | 1  |    |
| 42  |     | 158374000M | ナイフロックCP           | 1  |    |
| 43  |     | RBT08025   | ボタンB 10.9 M8×25    | 2  |    |
| 44  |     | NSP08      | コガタスプリングナット 4 M8   | 2  |    |
| 45  |     | 000453000M | デルタピン; 9           | 1  |    |

066-0068-029-01

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.




Fig.424. ネットブレーキ




| No. | レベル | 部品番号       | 部品名称                 | 数量 | 備考 |
|-----|-----|------------|----------------------|----|----|
| 1   |     | 0823530000 | デンドウシリンダ             | 1  |    |
| 2   |     | NNF12      | フランジナイロンナット M12      | 1  |    |
| 3   |     | 158237000M | ロッドCP                | 1  |    |
| 4   |     | 000065200M | ピン; B12×50           | 1  |    |
| 5   |     | WRA12      | ヒラザガネ M12            | 1  |    |
| 6   |     | PC032020   | ワリピン 3.2×20          | 1  |    |
| 7   |     | NNF12      | フランジナイロンナット M12      | 1  |    |
| 8   |     | 099710000M | カラー                  | 2  |    |
| 9   |     | 0926011006 | スプリング; A             | 1  |    |
| 10  |     | 158241000M | チャンネルCP              | 1  |    |
| 11  |     | 042783600M | ワッシャ; 12             | 1  |    |
| 12  |     | NNF12      | フランジナイロンナット M12      | 1  |    |
| 13  |     | 158244000M | ブレーキアームCP            | 1  |    |
| 14  |     | 158483000M | バー; ブレーキ             | 1  |    |
| 15  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16   | 5  |    |
| 16  |     | JPFL204G   | パイフランジ ヒシ PFL204     | 4  |    |
| 17  |     | JCS204LLU  | ユニットヨウベアリング CS204LLU | 2  |    |
| 18  |     | 055474000M | カクネボルト 8.8 M8×20     | 4  |    |
| 19  |     | WSA08      | バネザガネ 3ゴウ M8         | 4  |    |
| 20  |     | NSZ08      | コガタナット 8 2シュ M8      | 4  |    |
| 21  |     | 1458300000 | ガイドピース               | 1  |    |
| 22  |     | 1458310000 | スプリング (ポジションセンサ)     | 1  |    |
| 23  |     | 1122090100 | カクドセンサ               | 1  |    |
| 24  |     | CPQ04012   | SPWツキ+ナベコネジ M4×12    | 2  |    |
| 25  |     | 150060100M | ブラケットCP; センサ         | 1  |    |
| 26  |     | WS06       | バネザガネ 2ゴウ M6         | 2  |    |
| 27  |     | NZ06       | ナット 8 2シュ M6         | 2  |    |
| 28  |     | 1500610004 | カバー; センサ             | 1  |    |
| 29  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16   | 1  |    |
| 30  |     | WRA08      | ヒラザガネ M8             | 1  |    |
| 31  |     | WRA06      | ヒラザガネ M6             | 2  |    |
| 32  |     | 150275000M | シム; 20.5×1.0         | 3  |    |
| 33  |     | 8008300000 | ワッシャ; 13×0.8         | 3  |    |

Fig.425. ネットケーシング



| No. | レベル | 部品番号       | 部品名称                 | 数量 | 備考 |
|-----|-----|------------|----------------------|----|----|
| 1   |     | 1581041004 | ネットケーシングCP           | 1  |    |
| 2   |     | 055474000M | カクネボルト 8. 8 M8×20    | 6  |    |
| 3   |     | WSA08      | バネザガネ 3ゴウ M8         | 6  |    |
| 4   |     | NSZ08      | コガタナット 8 2シュ M8      | 6  |    |
| 5   |     | WRA08      | ヒラザガネ M8             | 6  |    |
| 6   |     | 150309000M | ローラCP ; 1            | 1  |    |
| 7   |     | 146997000M | パイフランジ ヒシ PFL202     | 4  |    |
| 8   |     | JCS202LLU  | ユニットヨウベアリング CS202LLU | 2  |    |
| 9   |     | NPO6       | スプリングナット M6          | 4  |    |

Fig.426. カバー(1)



066-0068-127-01

| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考 |
|-----|-----|------------|--------------------|----|----|
| 1   |     | 165189100L | ホッパカバーCP ; L       | 1  |    |
| 2   |     | 165200100L | ホッパカバーCP ; R       | 1  |    |
| 3   |     | 1482900000 | ロックハンドル アカ         | 4  |    |
| 4   |     | 154727000M | ヒンジCP ; L 2        | 1  |    |
| 5   |     | BSZ08025   | コガタボルト 7 M8×25     | 2  |    |
| 6   |     | NSP08      | コガタスプリングナット 4 M8   | 2  |    |
| 7   |     | 044097200M | ワッシャ ; 8           | 4  |    |
| 8   |     | 165211000M | ブラケットCP ; L 1      | 1  |    |
| 9   |     | 165214000M | ブラケットCP ; L 2      | 1  |    |
| 10  |     | 165216000M | ブラケットCP ; R 1      | 2  |    |
| 11  |     | BSZ08020   | コガタボルト 7 M8×20     | 16 |    |
| 12  |     | NSP08      | コガタスプリングナット 4 M8   | 16 |    |
| 13  |     | 165447000M | バー                 | 1  |    |
| 14  |     | 000085200M | ベータピン ; 8×1. 6     | 2  |    |
| 15  |     | 165219000L | コンベアカバーCP ; L      | 1  |    |
| 16  |     | 165223000L | コンベアカバーCP ; R      | 1  |    |
| 17  |     | 1482900000 | ロックハンドル アカ         | 3  |    |
| 18  |     | 165227000M | ブラケットCP ; L 3      | 1  |    |
| 19  |     | 165231000M | ブラケットCP ; R 2      | 1  |    |
| 20  |     | BSZ08020   | コガタボルト 7 M8×20     | 8  |    |
| 21  |     | NSP08      | コガタスプリングナット 4 M8   | 8  |    |
| 22  |     | 165989000M | ステーCP              | 1  |    |
| 23  |     | 154735000M | ステーCP              | 1  |    |
| 24  |     | 165239000M | ステーCP              | 1  |    |
| 25  |     | BSZ08020   | コガタボルト 7 M8×20     | 4  |    |
| 26  |     | NSP08      | コガタスプリングナット 4 M8   | 3  |    |
| 27  |     | 165240000L | カバー                | 1  |    |
| 28  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 2  |    |
| 29  |     | 165241000L | カウンターケースカバーCP ; L  | 1  |    |
| 30  |     | 1482900000 | ロックハンドル アカ         | 1  |    |
| 31  |     | 154732000M | ブラケットCP ; L 3      | 1  |    |
| 32  |     | BSZ08020   | コガタボルト 7 M8×20     | 4  |    |
| 33  |     | NSP08      | コガタスプリングナット 4 M8   | 4  |    |
| 34  |     | 154739000M | ステーCP              | 1  |    |
| 35  |     | BZ06020    | ボルト 8. 8 M6×20     | 2  |    |
| 36  |     | WS06       | バネザガネ 2ゴウ M6       | 2  |    |
| 37  |     | WRA06      | ヒラザガネ M6           | 2  |    |
| 38  |     | 1654390004 | フレームCP             | 1  |    |
| 39  |     | 1547441004 | アングル               | 1  |    |
| 40  |     | BZ12030    | ボルト 8. 8 M12×30    | 4  |    |
| 41  |     | NZ12       | ナット 8 2シュ M12      | 4  |    |
| 42  |     | WSA12      | バネザガネ 3ゴウ M12      | 4  |    |
| 43  |     | BSPZ08025  | コガタSWツキボルト 7 M8×25 | 3  |    |
| 44  |     | 044097200M | ワッシャ ; 8           | 3  |    |
| 45  |     | NSZ08      | コガタナット 8 2シュ M8    | 1  |    |
| 46  |     | 165248000L | カウンターケースカバー        | 1  |    |
| 47  |     | BSZ08020   | コガタボルト 7 M8×20     | 8  |    |
| 48  |     | NSP08      | コガタスプリングナット 4 M8   | 8  |    |
| 49  |     | WRA08      | ヒラザガネ M8           | 6  |    |
| 50  |     | 044097200M | ワッシャ ; 8           | 2  |    |
| 51  |     | 154741200L | ステップ               | 1  |    |

---

---


---

---

---

---

Fig.427. カバー（２）



| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考 |
|-----|-----|------------|--------------------|----|----|
| 1   |     | 165259000L | フロントカバーCP；L        | 1  |    |
| 2   |     | 165263000L | フロントカバー；R          | 1  |    |
| 3   |     | 165264000L | フロントカバーCP；L O L    | 1  |    |
| 4   |     | 165269200L | フロントカバー；L O R      | 1  |    |
| 5   |     | 1482900000 | ロックハンドル アカ         | 3  |    |
| 6   |     | 154718000M | ヒンジCP；R 2          | 1  |    |
| 7   |     | 165464000M | ブラケットCP            | 1  |    |
| 8   |     | 165270000M | ブラケットCP            | 1  |    |
| 9   |     | 165273000M | ブラケットCP            | 1  |    |
| 10  |     | 165416000M | ステーCP              | 1  |    |
| 11  |     | BSZ08025   | コガタボルト 7 M8×25     | 2  |    |
| 12  |     | NSP08      | コガタスプリングナット 4 M8   | 2  |    |
| 13  |     | 044097200M | ワッシャ；8             | 2  |    |
| 14  |     | BSZ08020   | コガタボルト 7 M8×20     | 12 |    |
| 15  |     | NSP08      | コガタスプリングナット 4 M8   | 12 |    |
| 16  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 7  |    |
| 17  |     | WRA08      | ヒラザガネ M8           | 7  |    |
| 18  |     | 165277000L | タンクカバーCP           | 1  |    |
| 19  |     | 165279000M | アングル               | 1  |    |
| 20  |     | 165280000M | チャンネルCP            | 1  |    |
| 21  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 4  |    |
| 22  |     | BSZ08020   | コガタボルト 7 M8×20     | 4  |    |
| 23  |     | NSP08      | コガタスプリングナット 4 M8   | 4  |    |
| 24  |     | 165281000L | ゲートカバーCP；L         | 1  |    |
| 25  |     | 165286000L | ゲートカバーCP；R 1       | 1  |    |
| 26  |     | 165293000L | ゲートカバーCP；R 2       | 1  |    |
| 27  |     | 1482900000 | ロックハンドル アカ         | 5  |    |
| 28  |     | 150351000M | ブラケットCP；1          | 1  |    |
| 29  |     | 150354000M | ブラケットCP；2          | 1  |    |
| 30  |     | 158257000M | ブラケットCP；3          | 1  |    |
| 31  |     | 158487000M | ブラケットCP；4          | 1  |    |
| 32  |     | 150351000M | ブラケットCP；1          | 1  |    |
| 33  |     | 165299000M | ブラケットCP；R          | 1  |    |
| 34  |     | BSZ08020   | コガタボルト 7 M8×20     | 24 |    |
| 35  |     | NSP08      | コガタスプリングナット 4 M8   | 24 |    |
| 36  |     | 148022000M | ストッパCP             | 2  |    |
| 37  |     | WRA08      | ヒラザガネ M8           | 4  |    |
| 38  |     | PC032016   | ワリビン 3. 2×16       | 4  |    |
| 39  |     | 148024000L | ゲートカバー；U L         | 1  |    |
| 40  |     | 148025000L | ゲートカバー；U R         | 1  |    |
| 41  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 4  |    |
| 42  |     | WRA08      | ヒラザガネ M8           | 4  |    |
| 43  |     | 1653020004 | ゲートリヤカバー；U P       | 1  |    |
| 44  |     | 1653030004 | ゲートリヤカバー；M         | 1  |    |
| 45  |     | 1653040004 | ゲートリヤカバー；L o       | 1  |    |
| 46  |     | 159312000M | ネットガイドCP           | 1  |    |
| 47  |     | 055474000M | カクネボルト 8. 8 M8×20  | 12 |    |
| 48  |     | 059483000M | カクネボルト 8. 8 M8×25  | 2  |    |
| 49  |     | NSP08      | コガタスプリングナット 4 M8   | 14 |    |
| 50  |     | 154774000L | トップカバーCP           | 1  |    |
| 51  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 6  |    |

This is a detailed exploded view diagram of a mechanical assembly, likely a piece of industrial equipment. The diagram shows various components and their assembly sequence, indicated by numbered callouts (1 through 56) and letters (A, a). The components include structural frames, panels, and internal mechanisms. Key features include:

- Part 1:** A large rectangular panel or door.
- Part 2:** A smaller rectangular panel.
- Part 3:** A vertical rectangular panel.
- Part 4:** A rectangular panel with a central slot.
- Part 5:** A small rectangular component.
- Part 6:** A small rectangular component.
- Part 7:** A small rectangular component.
- Part 8:** A small rectangular component.
- Part 9:** A small rectangular component.
- Part 10:** A small rectangular component.
- Part 11:** A small rectangular component.
- Part 12:** A small rectangular component.
- Part 13:** A small rectangular component.
- Part 14:** A small rectangular component.
- Part 15:** A small rectangular component.
- Part 16:** A small rectangular component.
- Part 17:** A small rectangular component.
- Part 18:** A small rectangular component.
- Part 19:** A small rectangular component.
- Part 20:** A small rectangular component.
- Part 21:** A small rectangular component.
- Part 22:** A small rectangular component.
- Part 23:** A small rectangular component.
- Part 24:** A small rectangular component.
- Part 25:** A small rectangular component.
- Part 26:** A small rectangular component.
- Part 27:** A small rectangular component.
- Part 28:** A small rectangular component.
- Part 29:** A small rectangular component.
- Part 30:** A small rectangular component.
- Part 31:** A small rectangular component.
- Part 32:** A small rectangular component.
- Part 33:** A small rectangular component.
- Part 34:** A small rectangular component.
- Part 35:** A small rectangular component.
- Part 36:** A small rectangular component.
- Part 37:** A small rectangular component.
- Part 38:** A small rectangular component.
- Part 39:** A small rectangular component.
- Part 40:** A small rectangular component.
- Part 41:** A small rectangular component.
- Part 42:** A small rectangular component.
- Part 43:** A small rectangular component.
- Part 44:** A small rectangular component.
- Part 45:** A small rectangular component.
- Part 46:** A small rectangular component.
- Part 47:** A small rectangular component.
- Part 48:** A small rectangular component.
- Part 49:** A small rectangular component.
- Part 50:** A small rectangular component.
- Part 51:** A small rectangular component.
- Part 52:** A small rectangular component.
- Part 53:** A small rectangular component.
- Part 54:** A small rectangular component.
- Part 55:** A small rectangular component.
- Part 56:** A small rectangular component.

The diagram includes two callouts:


- A:** A detail view of a specific assembly point.
- a:** A detail view of a specific assembly point.

The diagram is labeled "A DETAIL" at the bottom left.

[illegible]




Fig.428. カバー(3)



066-0068-129-02

| No. | レベル | 部品番号         | 部品名称               | 数量 | 備考 |
|-----|-----|--------------|--------------------|----|----|
| 1   |     | 158260000L   | ネットカバーCP           | 1  |    |
| 2   |     | EG398182330  | グリップ               | 1  |    |
| 3   |     | EG026109103  | ワッシャ               | 2  |    |
| 4   |     | NSP08        | コガタスプリングナット 4 M8   | 2  |    |
| 5   |     | EH1382467591 | コードクランプ (8. 5ー85)  | 2  |    |
| 6   |     | BSPZ08016    | コガタSWツキボルト 7 M8×16 | 2  |    |
| 7   |     | WRA08        | ヒラザガネ M8           | 2  |    |
| 8   |     | 8030251000   | ビニルシート             | 1  |    |
| 9   |     | 147035000M   | バー; 1034×19×3      | 1  |    |
| 10  |     | BSPZ08020    | コガタSWツキボルト 7 M8×20 | 6  |    |
| 11  |     | 8029270000   | ロープ; 3. 0×380      | 2  |    |
| 12  |     | 1292520000   | ガススプリング; 20kgf     | 2  |    |
| 13  |     | BSZ10035     | コガタボルト 7 M10×35    | 2  |    |
| 14  |     | WSA10        | パネザガネ 3ゴウ M10      | 2  |    |
| 15  |     | NSZ10        | コガタナット 8 2シュ M10   | 2  |    |
| 16  |     | NNF10        | フランジナイロンナット M10    | 4  |    |
| 17  |     | 147111000M   | カラー; 10. 5×8       | 2  |    |
| 18  |     | BSZ10035     | コガタボルト 7 M10×35    | 2  |    |
| 19  |     | 044098500M   | ワッシャ; 10           | 2  |    |
| 20  |     | WSA10        | パネザガネ 3ゴウ M10      | 2  |    |
| 21  |     | NSZ10        | コガタナット 8 2シュ M10   | 2  |    |
| 22  |     | 1582631004   | ブラケットCP; L         | 1  |    |
| 23  |     | 1582651004   | ブラケットCP; R         | 1  |    |
| 24  |     | BSZ08025     | コガタボルト 7 M8×25     | 6  |    |
| 25  |     | WSA08        | パネザガネ 3ゴウ M8       | 6  |    |
| 26  |     | NSZ08        | コガタナット 8 2シュ M8    | 2  |    |
| 27  |     | 044097200M   | ワッシャ; 8            | 8  |    |
| 28  |     | 1584961004   | パイプCP              | 1  |    |
| 29  |     | 055474000M   | カクネボルト 8. 8 M8×20  | 4  |    |
| 30  |     | NSP08        | コガタスプリングナット 4 M8   | 4  |    |
| 31  |     | 165305000M   | プレートCP             | 1  |    |
| 32  |     | 165306000M   | アングル               | 1  |    |
| 33  |     | 1653070000   | ゴムプレート             | 1  |    |
| 34  |     | NSP08        | コガタスプリングナット 4 M8   | 3  |    |
| 35  |     | 165308000L   | サイドカバー             | 1  |    |
| 36  |     | BSZ10070     | コガタボルト 7 M10×70    | 2  |    |
| 37  |     | WSA10        | パネザガネ 3ゴウ M10      | 2  |    |
| 38  |     | 165309100L   | ATDカバー             | 1  |    |
| 39  |     | BSZ08020     | コガタボルト 7 M8×20     | 5  |    |
| 40  |     | NSP08        | コガタスプリングナット 4 M8   | 5  |    |
| 41  |     | 044097200M   | ワッシャ; 8            | 5  |    |
| 42  |     | BSZ08025     | コガタボルト 7 M8×25     | 1  |    |
| 43  |     | 080414100M   | ワッシャ; 8            | 2  |    |
| 44  |     | NSP08        | コガタスプリングナット 4 M8   | 1  |    |
| 45  |     | 165310200L   | サイドパネル; L          | 1  |    |
| 46  |     | 1659760000   | ラバーマグネット; 430      | 1  |    |
| 50  |     | 165115000M   | チョウバン              | 2  |    |
| 51  |     | CP06020      | +ナベコネジ M6×20       | 6  |    |

Fig.428. カバー（３）




066-0068-129-02

| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考 |
|-----|-----|------------|--------------------|----|----|
| 52  |     | NP06       | スプリングナット M6        | 6  |    |
| 53  |     | 165311200L | マフラーカバー; L o       | 1  |    |
| 54  |     | BSZ08020   | コガタボルト 7 M8×20     | 9  |    |
| 55  |     | NSP08      | コガタスプリングナット 4 M8   | 9  |    |
| 56  |     | 044097200M | ワッシャ; 8            | 3  |    |
| 57  |     | 165312000L | マフラーカバー; U         | 1  |    |
| 58  |     | 055474000M | カクネボルト 8. 8 M8×20  | 2  |    |
| 59  |     | NSP08      | コガタスプリングナット 4 M8   | 2  |    |
| 60  |     | 044097200M | ワッシャ; 8            | 2  |    |
| 61  |     | 165313000L | ブレクリーナカバーCP; L o   | 1  |    |
| 62  |     | 165317100L | ツウキカバーCP           | 1  |    |
| 63  |     | BSZ08020   | コガタボルト 7 M8×20     | 4  |    |
| 64  |     | NSP08      | コガタスプリングナット 4 M8   | 4  |    |
| 65  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 3  |    |
| 66  |     | WRA08      | ヒラザガネ M8           | 3  |    |
| 67  |     | BSZ08020   | コガタボルト 7 M8×20     | 2  |    |
| 68  |     | NSP08      | コガタスプリングナット 4 M8   | 2  |    |
| 69  |     | 165461100L | ブレクリーナカバー          | 1  |    |
| 70  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 2  |    |
| 71  |     | 044097200M | ワッシャ; 8            | 2  |    |
| 72  |     | 1653180000 | ゴムシート              | 1  |    |
| 73  |     | 165319000M | プレート               | 1  |    |
| 74  |     | BSZ08016   | コガタボルト 7 M8×16     | 2  |    |
| 75  |     | NSP08      | コガタスプリングナット 4 M8   | 2  |    |
| 76  |     | 165320000M | アングル               | 1  |    |
| 77  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 2  |    |
| 78  |     | WRA08      | ヒラザガネ M8           | 2  |    |
| 79  |     | BSZ10025   | コガタボルト 7 M10×25    | 2  |    |
| 80  |     | 044098500M | ワッシャ; 10           | 2  |    |
| 81  |     | WSA10      | バネザガネ 3ゴウ M10      | 2  |    |
| 82  |     | NSZ10      | コガタナット 8 2シュ M10   | 2  |    |
| 83  |     | 1653210004 | フードカバーCP           | 1  |    |
| 84  |     | 165327000M | プレート               | 1  |    |
| 85  |     | 1653280000 | ゴムシート              | 1  |    |
| 86  |     | BSZ08016   | コガタボルト 7 M8×16     | 3  |    |
| 87  |     | NSP08      | コガタスプリングナット 4 M8   | 3  |    |
| 88  |     | 165330000M | アングルCP             | 1  |    |
| 89  |     | 1653310000 | ゴムシート              | 1  |    |
| 90  |     | 165332000M | プレート               | 1  |    |
| 91  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 5  |    |
| 92  |     | 1653330004 | カバー                | 1  |    |
| 93  |     | BSZ08020   | コガタボルト 7 M8×20     | 3  |    |
| 94  |     | NSP08      | コガタスプリングナット 4 M8   | 3  |    |
| 95  |     | 165715000M | アングル               | 1  |    |
| 96  |     | BSZ08020   | コガタボルト 7 M8×20     | 1  |    |
| 97  |     | NSP08      | コガタスプリングナット 4 M8   | 1  |    |
| 98  |     | BSPZ08025  | コガタSWツキボルト 7 M8×25 | 1  |    |
| 99  |     | 165826000L | アングル               | 1  |    |
| 100 |     | NSP08      | コガタスプリングナット 4 M8   | 2  |    |
| 101 |     | BSZ08016   | コガタボルト 7 M8×16     | 2  |    |



Fig.429. ハシゴ



| No. | レベル | 部品番号       | 部品名称                   | 数量 | 備考 |
|-----|-----|------------|------------------------|----|----|
| 1   |     | 1651530004 | ハシゴCP ; 1              | 1  |    |
| 2   |     | 1651640004 | ハシゴCP ; 2              | 1  |    |
| 3   |     | 1651710004 | テスリCP ; L              | 1  |    |
| 4   |     | 1651740004 | テスリCP ; R              | 1  |    |
| 5   |     | 0858591000 | クッション                  | 4  |    |
| 6   |     | CAP027228  | キャップ 27. 2×2. 8        | 10 |    |
| 7   |     | 000066200M | ピン : B 12×5 5          | 2  |    |
| 8   |     | 000453000M | デルタピン : 9              | 2  |    |
| 9   |     | BZ12075    | ボルト8. 8 M 12×7 5       | 2  |    |
| 10  |     | BZ12050    | ボルト8. 8 M 12×5 0       | 2  |    |
| 11  |     | NNF12      | フランジナイロンナット M 1 2      | 4  |    |
| 12  |     | 042783600M | ワッシャ ; 12              | 2  |    |
| 13  |     | BJ10030    | サラキャップB 10. 9 M 10×3 0 | 4  |    |
| 14  |     | NNF10      | フランジナイロンナット M 1 0      | 4  |    |
| 15  |     | PC032020   | ワリピン 3. 2×2 0          | 2  |    |
| 16  |     | 042783600M | ワッシャ ; 12              | 2  |    |
| 17  |     | BSZ10025   | コガタボルト 7 M 10×2 5      | 4  |    |
| 18  |     | WSA10      | バネザガネ 3ゴウ M 1 0        | 4  |    |
| 19  |     | NSZ10      | コガタナット 8 2シュ M 1 0     | 4  |    |
| 20  |     | BZ12080    | ボルト 8. 8 M 12×8 0      | 1  |    |
| 21  |     | 0007220000 | ニギリ ; 12               | 1  |    |

---


---

---

---

---

Fig.431. 油圧(メイン)




| No. | レベル | 部品番号        | 部品名称                     | 数量 | 備考 |
|-----|-----|-------------|--------------------------|----|----|
| 1   |     | KH0402400PP | ユアツホース 1/4×2400 4-4      | 1  |    |
| 2   |     | 1577360006  | シリンダ; CWP 60×235×585     | 1  |    |
| 3   |     | 1033-04     | ホースエルボ PF1/4×PT1/4       | 2  |    |
| 4   |     | 154525100Y  | ピンCP; F 16×100           | 1  |    |
| 5   |     | KBF-2220A   | カーボンドライ B フランジツキ A 22×20 | 2  |    |
| 6   |     | 061847000M  | ワッシャ                     | 2  |    |
| 7   |     | ONA6        | グリースニップル A M6            | 2  |    |
| 8   |     | BSZ08020    | コガタボルト 7 M8×20           | 1  |    |
| 9   |     | WSA08       | バネザガネ 3ゴウ M8             | 1  |    |
| 10  |     | WRA08       | ヒラザガネ M8                 | 1  |    |
| 11  |     | 1577510004  | タンクCP; 16 L              | 1  |    |
| 12  |     | BSZ08020    | コガタボルト 7 M8×20           | 4  |    |
| 13  |     | NSP08       | コガタスプリングナット 4 M8         | 4  |    |
| 14  |     | 0009800000  | エアヌキツキチュウユセン; パッキンツキ     | 1  |    |
| 15  |     | 000338000M  | M10 プラグ                  | 1  |    |
| 16  |     | 0003390000  | パッキン (M10 プラグヨウ)         | 1  |    |
| 17  |     | 143238000M  | サクシヨンパイプCP               | 1  |    |
| 18  |     | BZ06016     | ボルト 8.8 M6×16            | 4  |    |
| 19  |     | WS06        | バネザガネ 2ゴウ M6             | 4  |    |
| 20  |     | 2096-08     | ソケット PT1/2               | 1  |    |
| 21  |     | 2083-08     | ニップル PT1/2               | 1  |    |
| 22  |     | 1432390000  | サクシヨンストレーナ               | 1  |    |
| 23  |     | 9037-08     | ホースオスメスエルボ PF1/2×PT1/2   | 1  |    |
| 24  |     | 9037-12-08  | ホースオスメスエルボ PF3/4×PT1/2   | 1  |    |
| 25  |     | 1433891000  | チューブ; φ10×60             | 1  |    |
| 26  |     | 1450280000  | ホースバンド; 8-16             | 2  |    |
| 27  |     | 1432320000  | ユアツポンプ                   | 1  |    |
| 28  |     | 1633190000  | ヘイコウキー リョウヒラ 5×5×22      | 1  |    |
| 29  |     | 1583290004  | ブーリCP; 112-C-1           | 1  |    |
| 30  |     | VLC048      | Vベルト LC-48 オレンジ          | 1  |    |
| 31  |     | 1583320004  | ジクウケCP                   | 1  |    |
| 32  |     | J6006LLU    | ボールベアリング 6006LLU         | 2  |    |
| 33  |     | 159131100M  | カラー; 30.5×23             | 1  |    |
| 34  |     | 0704210000  | シム                       | 4  |    |
| 35  |     | DHC055      | Cガタトメワ アナ 55             | 2  |    |
| 36  |     | DC030       | Cガタトメワ ジク 30             | 1  |    |
| 37  |     | 1545270004  | ブラケットCP                  | 1  |    |
| 38  |     | BSZ10045    | コガタボルト 7 M10×45          | 2  |    |
| 39  |     | WSA10       | バネザガネ 3ゴウ M10            | 2  |    |
| 40  |     | NSZ10       | コガタナット 8 2シュ M10         | 2  |    |
| 41  |     | BSZ08025    | コガタボルト 7 M8×25           | 4  |    |
| 42  |     | WSA08       | バネザガネ 3ゴウ M8             | 4  |    |
| 43  |     | 080414100M  | ワッシャ; 8                  | 4  |    |
| 44  |     | 156193000M  | ステー                      | 1  |    |
| 45  |     | BSZ08020    | コガタボルト 7 M8×20           | 2  |    |
| 46  |     | WSA08       | バネザガネ 3ゴウ M8             | 2  |    |
| 47  |     | 4043-12-08  | UNFプッシング 1 1/16-12×PT1/2 | 1  |    |
| 48  |     | 1033-12-08  | ホースエルボ PF3/4×PT1/2       | 1  |    |
| 49  |     | KH1201700PP | ユアツホース 3/4×1700 4-4      | 1  |    |
| 50  |     | 4043-10-06  | UNFプッシング UNF7/8-14×PT3/8 | 1  |    |
| 51  |     | 1033-06     | ホースエルボ PF3/8×PT3/8       | 1  |    |

Exploded view diagram of a mechanical assembly, likely a valve or actuator, showing various components and their assembly sequence. The diagram includes a main assembly view and several detailed insets labeled Fig. 409, Fig. 71, Fig. 117, and "A" DETAIL. Components are numbered 1 through 79. A "FRONT" arrow points to the right. A small inset shows a "ホース固定用" (Hose fixation) part with numbers 77 and 78. The diagram is labeled Fig.55.

| No. | レベル | 部品番号        | 部品名称                      | 数量 | 備考 |
|-----|-----|-------------|---------------------------|----|----|
| 52  |     | KH0602000PP | ユアツホース 3／8×2000 4-4       | 1  |    |
| 53  |     | 1035-06     | ホースエルボ 45 P F 3／8×P T 3／8 | 1  |    |
| 54  |     | 2091-06     | ティー P T 3／8               | 1  |    |
| 55  |     | 2081-06-04  | ブッシング P T 3／8×P T 1／4     | 1  |    |
| 56  |     | 1447690000  | アツリヨクケイ； P T 1／4          | 1  |    |
| 57  |     | 2083-06     | ニップル P T 3／8              | 1  |    |
| 58  |     | 106900000M  | ブッシング； P F 1／2×P T 3／8    | 2  |    |
| 59  |     | 1369190000  | フィルタ； 1／2-60μ             | 1  |    |
| 60  |     | 1013-06     | ホースニップル P F 3／8×P T 3／8   | 1  |    |
| 61  |     | 1016-06     | ホースオススイベル P F 3／8×P T 3／8 | 1  |    |
| 62  |     | 2088-06     | メスオスエルボ P T 3／8           | 2  |    |
| 63  |     | 1035-08-06  | ホースエルボ P F 1／2×P T 3／8    | 1  |    |
| 64  |     | KH0801350PP | ユアツホース 1／2×1350 4-4       | 1  |    |
| 65  |     | 1653770000  | デンジベン； J C B              | 1  |    |
| 66  |     | BH08075     | キャップ B 10. 9 M 8×75       | 2  |    |
| 67  |     | NSZ08       | コガタナット 8 2 シュ M 8         | 2  |    |
| 68  |     | WSA08       | バネザガネ 3ゴウ M 8             | 2  |    |
| 69  |     | 165466000M  | アングル                      | 1  |    |
| 70  |     | BSZ08020    | コガタボルト 7 M 8×20           | 2  |    |
| 71  |     | 080414100M  | ワッシャ； 8                   | 2  |    |
| 72  |     | WSA08       | バネザガネ 3ゴウ M 8             | 2  |    |
| 73  |     | NSZ08       | コガタナット 8 2 シュ M 8         | 2  |    |
| 74  |     | 0887210000  | スパイラルチューブ； 250            | -  |    |
| 75  |     | 0749681000  | スパイラルチューブ； 500            | -  |    |
| 76  |     | 0887210000  | スパイラルチューブ； 250            | -  |    |
| 77  |     | 1LT300      | インシュロックタイ 4. 8×301        | 40 |    |
| 78  |     | 1LT380      | インシュロックタイ 7. 5×382        | 30 |    |


Fig.432. 油圧(ゲート)



066-0068-131-00

| No. | レベル | 部品番号        | 部品名称                   | 数量 | 備考 |
|-----|-----|-------------|------------------------|----|----|
| 1   |     | 2082-06     | ロッカクプラグ PT3/8          | 2  |    |
| 2   |     | 1016-06     | ホースオススイベルPF3/8×PT3/8   | 1  |    |
| 3   |     | 1013-06     | ホースニップル PF3/8×PT3/8    | 1  |    |
| 4   |     | 2091-06     | ティー PT3/8              | 1  |    |
| 5   |     | 1100-06     | ブッシング PF3/8×PT3/8      | 2  |    |
| 6   |     | 1609810000  | アツリョクセンサ; Gems         | 2  |    |
| 7   |     | 2086-06-04  | エルボ PT3/8×PT1/4        | 1  |    |
| 8   |     | 2091-04     | ティー PT1/4              | 1  |    |
| 9   |     | 2088-06     | メスオスエルボ PT3/8          | 1  |    |
| 10  |     | 1016-06     | ホースオススイベルPF3/8×PT3/8   | 1  |    |
| 11  |     | 1013-06-04  | ホースニップル PF3/8×PT1/4    | 1  |    |
| 12  |     | 1125310000  | スローリターンバルブ; 1/4        | 1  |    |
| 13  |     | 2083-04     | ニップル PT1/4             | 1  |    |
| 14  |     | 0009830000  | ストップバルブ; 1/4           | 1  |    |
| 15  |     | 2086-04     | エルボ PT1/4              | 1  |    |
| 16  |     | 2091-04     | ティー PT1/4              | 1  |    |
| 17  |     | KH0402800DP | ユアツホース 1/4×2800 S901-4 | 1  |    |
| 18  |     | KH0402500BP | ユアツホース 1/4×2500 S1-4   | 1  |    |
| 19  |     | KH0404200DP | ユアツホース 1/4×4200 S901-4 | 1  |    |
| 20  |     | KH0404700DP | ユアツホース 1/4×4700 S901-4 | 1  |    |
| 21  |     | 1033-04     | ホースエルボ PF1/4×PT1/4     | 4  |    |
| 22  |     | 1265310106  | シリンダ; CWP45×490×670    | 2  |    |
| 23  |     | BZ20110     | ボルト 8.8 M20×110        | 4  |    |
| 24  |     | NN20        | ナイロンナット M20            | 4  |    |
| 25  |     | WRA20       | ヒラザガネ M20              | 8  |    |
| 26  |     | 1440761006  | ユアツモータ; MP160          | 1  |    |
| 27  |     | BZ12040     | ボルト 8.8 M12×40         | 2  |    |
| 28  |     | WRA12       | ヒラザガネ M12              | 2  |    |
| 29  |     | WSA12       | バネザガネ 3ゴウ M12          | 2  |    |
| 30  |     | NZ12        | ナット 8.2シュ M12          | 2  |    |
| 31  |     | 1013-06     | ホースニップル PF3/8×PT3/8    | 2  |    |
| 32  |     | KH0601000DP | ユアツホース 3/8×1000 S901-4 | 2  |    |
| 33  |     | 088721000   | スパイラルチューブ; 250         | -  |    |
| 34  |     | 0749681000  | スパイラルチューブ; 500         | -  |    |
| 35  |     | 0887210000  | スパイラルチューブ; 250         | -  |    |
| 36  |     | ILT300      | インシュロックタイ 4.8×301      | -  |    |
| 37  |     | ILT380      | インシュロックタイ 7.5×382      | -  |    |
| 39  |     | 106900000M  | ブッシング PF1/2×PT3/8      | 2  |    |


Fig.433. ニュウサンキン



066-0068-125-01

| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考 |
|-----|-----|------------|--------------------|----|----|
| 1   |     | 1649920004 | ベースCP              | 1  |    |
| 2   |     | BSZ10035   | コガタボルト 7 M10×35    | 2  |    |
| 3   |     | WSA10      | パネザガネ 3ゴウ M10      | 2  |    |
| 4   |     | 1649850004 | ニュウサンキンブラケットCP     | 1  |    |
| 5   |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 4  |    |
| 7   |     | 1653430004 | ガードCP              | 1  |    |
| 8   |     | 000048200M | ピン; B8×35          | 2  |    |
| 9   |     | WRA08      | ヒラザガネ M8           | 6  |    |
| 10  |     | PC032016   | ワリピン 3. 2×16       | 2  |    |
| 11  |     | 000453000M | デルタピン; 9           | 1  |    |
| 12  |     | 1649950004 | ブラケット; ポンプCP       | 1  |    |
| 13  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 4  |    |
| 15  |     | 1649750000 | ポンプ                | 1  |    |
| 16  |     | CP05020    | ナナベコネジ M5×20       | 4  |    |
| 17  |     | WRA05      | ヒラザガネ M5           | 8  |    |
| 18  |     | NP05       | スプリングナット M5        | 4  |    |
| 20  |     | 1538680000 | グロメット; マクツキφ30     | 1  |    |
| 21  |     | 1649961004 | カバー                | 1  |    |
| 22  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 3  |    |
| 24  |     | 164997000M | アングル               | 1  |    |
| 25  |     | BZ06016    | ボルト 8. 8 M6×16     | 2  |    |
| 26  |     | 091298000M | ワッシャ; 6メッキ         | 2  |    |
| 27  |     | NP06       | スプリングナット M6        | 2  |    |
| 29  |     | 1649840000 | キンセツセンサ; CS10      | 1  |    |
| 30  |     | GP03016    | ナナベコネジ M3×16       | 2  |    |
| 31  |     | WS03       | パネザガネ 2ゴウ M3       | 2  |    |
| 32  |     | NA03       | ナット 4 2シュ M3       | 2  |    |
| 33  |     | 1649630000 | タンク; 20L           | 1  |    |
| 34  |     | 1649640000 | ナット                | 1  |    |
| 35  |     | 1649650000 | パッキン               | 1  |    |
| 36  |     | 1649660000 | キャップ               | 1  |    |
| 37  |     | 1649670000 | ソケット               | 2  |    |
| 38  |     | 1649680000 | ジョイント; メス          | 1  |    |
| 39  |     | 1649690000 | ジョイント; オス          | 1  |    |
| 40  |     | 1649700000 | ホース; 250           | 1  |    |
| 41  |     | 1649710000 | ホース; 350           | 1  |    |
| 42  |     | 1649720000 | ホース; 800           | 1  |    |
| 43  |     | 1649730000 | ホース; 2800          | 1  |    |
| 44  |     | 1649740000 | ストレーナ; 80          | 1  |    |
| 45  |     | 165373000M | プレート               | 1  |    |
| 46  |     | CP03016    | ナナベコネジ M3×16       | 2  |    |
| 47  |     | WS03       | パネザガネ 2ゴウ M3       | 2  |    |
| 48  |     | NA03       | ナット 4 2シュ M3       | 2  |    |
| 49  |     | 1649760000 | ホースニップル            | 3  |    |
| 50  |     | 1649770000 | ボールバルブ             | 1  |    |
| 51  |     | 1649780000 | ニップル               | 1  |    |


Fig.433. ニュウサンキン



066-0068-125-01

| No. | レベル | 部品番号         | 部品名称                    | 数量 | 備考 |
|-----|-----|--------------|-------------------------|----|----|
| 52  |     | 1649790000   | ティー                     | 1  |    |
| 53  |     | 1649800000   | アツリョクケイ ; 1MP a         | 1  |    |
| 54  |     | 165370000M   | Uボルト ; M8 × 1 0 A       | 2  |    |
| 55  |     | NSP08        | コガタスプリングナット 4 M8        | 4  |    |
| 56  |     | 1649830000   | フナムコウ                   | 1  |    |
| 57  |     | 1649810000   | Oリング ; P 1 1            | 1  |    |
| 58  |     | 1450280000   | ホースバンド ; 8 - 1 6        | 7  |    |
| 59  |     | 165346000M   | ブラケット                   | 1  |    |
| 60  |     | BSPZ08020    | コガタSWツキボルト 7 M8 × 2 0   | 2  |    |
| 62  |     | 159122000M   | Uボルト                    | 1  |    |
| 63  |     | NSP08        | コガタスプリングナット 4 M8        | 2  |    |
| 64  |     | EH1382467591 | コードクランプ ( 8 . 5 - 8 5 ) | 4  |    |
| 65  |     | WRA08        | ヒラザガネ M8                | 3  |    |

Fig.434. マフラー




| No. | レベル | 部品番号         | 部品名称                    | 数量 | 備考 |
|-----|-----|--------------|-------------------------|----|----|
| 1   |     | 1650520000   | マフラー C P                | 1  |    |
| 2   |     | 165056000M   | ブラケット C P               | 1  |    |
| 3   |     | 165057000M   | ブラケット C P               | 1  |    |
| 4   |     | 1650580004   | ブラケット C P ; D P F       | 1  |    |
| 5   |     | 1650690004   | ステー C P                 | 1  |    |
| 6   |     | 165065000M   | ブラケット C P               | 1  |    |
| 7   |     | 165449000M   | ステー                     | 1  |    |
| 8   |     | 165450000M   | ステー                     | 1  |    |
| 9   |     | BSZ08025     | コガタボルト 7 M 8 × 2 5      | 6  |    |
| 10  |     | BSZ08020     | コガタボルト 7 M 8 × 2 0      | 4  |    |
| 11  |     | 080414100M   | ワッシャ ; 8 メッキ            | 8  |    |
| 12  |     | 044097200M   | ワッシャ ; 8                | 2  |    |
| 13  |     | WSA08        | バネザガネ 3 ゴウ M 8          | 10 |    |
| 14  |     | NSZ08        | コガタナット 8 2 シュ M 8       | 3  |    |
| 15  |     | BSZ10040     | コガタボルト 7 M 1 0 × 4 0    | 5  |    |
| 16  |     | BSZ10035     | コガタボルト 7 M 1 0 × 3 5    | 3  |    |
| 17  |     | BSZ10025     | コガタボルト 7 M 1 0 × 2 5    | 8  |    |
| 18  |     | WSA10        | バネザガネ 3 ゴウ M 1 0        | 16 |    |
| 19  |     | WRA10        | ヒラザガネ M 1 0             | 16 |    |
| 20  |     | NSZ10        | コガタナット 8 2 シュ M 1 0     | 10 |    |
| 21  |     | ILT200       | インシュロックタイ 4 . 7 × 2 0 2 | 30 |    |
| 22  |     | EH1382467591 | コードクランプ ( 8 . 5 - 8 5 ) | 1  |    |
|     |     |              |                         |    |    |
| 27  |     | 1656980000   | ダンネツザイ ; 4 0 0          | 2  |    |
| 28  |     | 1656990000   | ダンネツザイ ; 2 0 0          | 1  |    |
| 29  |     | 804372000M   | ステー ; 1                 | 1  |    |
| 30  |     | 804373000M   | ステー ; 2                 | 1  |    |
| 31  |     | BSZ08016     | コガタボルト 7 M 8 × 1 6      | 4  |    |
| 32  |     | WSA08        | バネザガネ 3 ゴウ M 8          | 4  |    |
| 33  |     | NSZ08        | コガタナット 8 2 シュ M 8       | 4  |    |



[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


Fig.436. 電装(2)



066-0068-134-01


| No. | レベル | 部品番号       | 部品名称                 | 数量 | 備考 |
|-----|-----|------------|----------------------|----|----|
| 1   |     | 1649511000 | コード; ベーラ; 1          | 1  |    |
| 2   |     | 1649520000 | コード; ベーラ; 2          | 1  |    |
| 3   |     | 164954000M | アングルCP               | 1  |    |
| 4   |     | 164955000M | プレート                 | 1  |    |
| 5   |     | 164956000M | プレート                 | 1  |    |
| 6   |     | 1649570000 | ビニルシート               | 1  |    |
| 7   |     | 1649580000 | ビニルシート               | 1  |    |
| 8   |     | 1606020000 | アンカークリップ             | 5  |    |
| 9   |     | BSPZ08020  | コガタSWツキボルト 7 M8×20   | 2  |    |
| 10  |     | 1593740000 | CANコントローラ; 426A      | 4  |    |
| 11  |     | 1481090000 | ラベル; スイッチ            | 1  |    |
| 12  |     | 1464650000 | シールプレート              | 4  |    |
| 13  |     | NNF08      | フランジナイロンナット M8       | 8  |    |
| 14  |     | 1649820000 | ラベル; スイッチ            | 1  |    |
| 15  |     | 1468180000 | キンセツスイッチ; APS4-12S-E | 3  |    |
| 16  |     | CP03016    | ナナベコネジ M3×16         | 3  |    |
| 17  |     | WS03       | バネザガネ 2ゴウ M3         | 3  |    |
| 18  |     | WRA03      | ヒラザガネ M3             | 3  |    |
| 19  |     | NA03       | ナット 4 2シュ M3         | 3  |    |
| 20  |     | 158270000M | アングル                 | 1  |    |
| 21  |     | 158480000M | センサベース               | 1  |    |
| 22  |     | 164959000M | チャンネル                | 1  |    |
| 23  |     | 166011000M | センサベース               | 1  |    |
| 24  |     | BZ06016    | ボルト 8. 8 M6×16       | 4  |    |
| 25  |     | WS06       | バネザガネ 2ゴウ M6         | 4  |    |
| 26  |     | 091298000M | ワッシャ; 6メッキ           | 6  |    |
| 27  |     | WRA06      | ヒラザガネ M6             | 6  |    |
| 28  |     | 1591240000 | リレー                  | 2  |    |
| 29  |     | NNF06      | フランジナイロンナット M6       | 2  |    |
| 30  |     | 1591250000 | ランプ                  | 1  |    |
| 31  |     | 1609800000 | キンセツセンサ; APS7        | 3  |    |
| 32  |     | 145080000M | ボルトCP; M12×40        | 2  |    |
| 33  |     | NZ12       | ナット 8 2シュ M12        | 4  |    |
| 34  |     | 1591270000 | マイクロスイッチ             | 1  |    |
| 35  |     | 159128000M | プレート                 | 1  |    |
| 36  |     | CP03016    | ナナベコネジ M3×16         | 1  |    |
| 37  |     | WRA03      | ヒラザガネ M3             | 1  |    |
| 38  |     | WS03       | バネザガネ 2ゴウ M3         | 1  |    |
| 39  |     | NA03       | ナット 4 2シュ M3         | 1  |    |
| 40  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16   | 1  |    |
| 41  |     | 165467000M | プレート                 | 1  |    |
| 47  |     | 1601340000 | リアランプ; カク            | 2  |    |
| 48  |     | 164961000M | ブラケット; リアランプ         | 2  |    |
| 49  |     | CP04025    | ナナベコネジ M4×25         | 4  |    |
| 50  |     | NNF04      | フランジナイロンナット M4       | 4  |    |
| 51  |     | BR08020    | カクネマルB 4. 6 A1 M8×20 | 4  |    |

Fig.436. 電装(2)




| No. | レベル | 部品番号         | 部品名称               | 数量 | 備考 |
|-----|-----|--------------|--------------------|----|----|
| 52  |     | WRA08        | ヒラザガネ M8           | 4  |    |
| 53  |     | NSP08        | コガタスプリングナット 4 M8   | 4  |    |
| 54  |     | 0887210000   | スパイラルチューブ          | -  |    |
| 55  |     | 1038750000   | コンベックスペース          | -  |    |
| 56  |     | EH1382467591 | コードクランプ (8. 5ー85)  | -  |    |
| 57  |     | IRF250       | リピータイ 7. 4×250     | -  |    |
| 58  |     | ILT200       | インシュロックタイ 4. 7×202 | -  |    |
| 59  |     | 1660090000   | コード; プンキ           | 1  |    |

Fig.437. 電装(3)




| No. | レベル | 部品番号         | 部品名称               | 数量 | 備考 |
|-----|-----|--------------|--------------------|----|----|
| 1   |     | 1591030000   | ボディCMP (バックカメラ)    | 1  |    |
| 2   |     | 159153000M   | プレート               | 1  |    |
| 3   |     | 159150000M   | ブラケット              | 1  |    |
| 4   |     | BSPZ08016    | コガタSWツキボルト 7 M8×16 | 4  |    |
| 5   |     | BSZ08020     | コガタボルト 7 M8×20     | 2  |    |
| 6   |     | NSP08        | コガタスプリングナット 4 M8   | 2  |    |
| 7   |     | 044097200M   | ワッシャ; 8            | 4  |    |
| 8   |     | NA05         | ナット 4 2シュ M5       | 16 |    |
| 9   |     | WS05         | バネザガネ 2ゴウ M5       | 16 |    |
| 10  |     | WRA05        | ヒラザガネ M5           | 16 |    |
| 11  |     | 164999000M   | ブラケットCP; カメラ       | 1  |    |
| 12  |     | 0887210000   | スパイラルチューブ          | -  |    |
| 13  |     | 1038750000   | コンベックスペース          | -  |    |
| 14  |     | EH1382467591 | コードクランプ (8. 5-85)  | -  |    |
| 15  |     | IRF250       | リビートタイ 7. 4×250    | -  |    |
| 16  |     | ILT200       | インシュロックタイ 4. 7×202 | -  |    |

Fig.438. ゲートロック



| No. | レベル | 部品番号       | 部品名称                | 数量 | 備考 |
|-----|-----|------------|---------------------|----|----|
| 1   |     | 157738000L | ゲートロック CP           | 1  |    |
| 2   |     | 000453000M | デルタピン; 9            | 1  |    |
| 3   |     | 0009360000 | ハンシヤラベル; Y-50100SQS | 2  |    |


Fig.439. ラベル



| No. | レベル | 部品番号       | 部品名称                        | 数量 | 備考 |
|-----|-----|------------|-----------------------------|----|----|
| 1   |     | 1589840000 | ラベル; セイソウ                   | 1  |    |
| 2   |     | 1511440000 | ラベル; ケイコク 2 3 1             | 1  |    |
| 3   |     | 1511470000 | ラベル; ケイコク 2 3 4             | 5  |    |
| 4   |     | 1511500000 | ラベル; ケイコク 2 3 7             | 2  |    |
| 5   |     | 1511510000 | ラベル; ケイコク 2 3 8             | 1  |    |
| 6   |     | 1511530000 | ラベル; ケイコク 2 4 0             | 1  |    |
| 7   |     | 1589850000 | ラベル; チョウセイ                  | 1  |    |
| 8   |     | 1064890000 | ラベル; 警告 7 5                 | 2  |    |
| 9   |     | 1065960000 | ラベル; ケイコク 1 8 2             | 2  |    |
| 10  |     | 1064140000 | ラベル; 警告 3 3                 | 2  |    |
| 11  |     | 1511000000 | ラベル; ケイコク 1 8 7             | 2  |    |
| 12  |     | 1653380000 | ラベル; ストライプ L (S T A R)      | 1  |    |
| 13  |     | 1653390000 | ラベル; ストライプ R (S T A R)      | 1  |    |
| 14  |     | 1451390000 | ラベル; ストライプ                  | 2  |    |
| 15  |     | 1339080000 | S T A Rマークラベル; 6 3 (シンボルツキ) | 1  |    |
| 16  |     | 1412920000 | ラベル; ゲートカイヘイ                | 1  |    |
| 17  |     | 1425881000 | ラベル; オイルタンク                 | 1  |    |
| 18  |     | 1468981000 | ラベル; ネットセット                 | 1  |    |
| 19  |     | 1468990000 | ラベル; キュウシ                   | 2  |    |
| 20  |     | 1653790000 | ラベル; テキゴウヒョウジ 5 0           | 1  |    |
| 21  |     | 1653410000 | ラベル; ネットマクスウ                | 1  |    |
| 22  |     | 1604860000 | ラベル; ベールイジェクタ               | 1  |    |
| 23  |     | 1657380000 | ラベル; コントローラ                 | 1  |    |
| 24  |     | 1633310000 | ラベル; カリトリカイテンスウ             | 1  |    |
| 25  |     | 1511080000 | ラベル; ケイコク 1 9 5             | 2  |    |
| 26  |     | 1064170000 | ラベル; ケイコク 3 6               | 3  |    |
| 27  |     | 1511900000 | ラベル; ケイコク 2 7 7             | 2  |    |
| 28  |     | 1511760000 | ラベル; ケイコク 2 6 3             | 1  |    |
| 29  |     | 1605640000 | ラベル; ユソウジ                   | 1  |    |
| 30  |     | 1658270000 | ラベル; ケイコクハシゴ                | 1  |    |



Fig.501. メインフレーム




066-0068-045-03

| No. | レベル | 部品番号       | 部品名称                | 数量 | 備考 |
|-----|-----|------------|---------------------|----|----|
| 1   |     | 157146400L | フレームCP              | 1  |    |
| 2   |     | 157198300L | ダクトCP               | 1  |    |
| 3   |     | BZ12030    | ボルト 8. 8 M12×30     | 8  |    |
| 4   |     | BZ12035    | ボルト 8. 8 M12×35     | 2  |    |
| 5   |     | 042783600M | ワッシャ; 12            | 2  |    |
| 6   |     | WSA12      | バネザガネ 3ゴウ M12       | 10 |    |
| 7   |     | NZ12       | ナット 8 2シュ M12       | 10 |    |
| 8   |     | 157210100L | トップカバーCP            | 1  |    |
| 9   |     | 157215000L | カバー                 | 1  |    |
| 10  |     | NNF08      | フランジナイロンナット M8      | 2  |    |
| 11  |     | 157216000M | ストッパCP              | 1  |    |
| 12  |     | BSZ08025   | コガタボルト 7 M8×25      | 1  |    |
| 13  |     | WRA08      | ヒラザガネ M8            | 1  |    |
| 14  |     | NNF08      | フランジナイロンナット M8      | 1  |    |
| 15  |     | 157218000M | チョウバンCP             | 1  |    |
| 16  |     | NSZ10      | コガタナット 8 2シュ M10    | 3  |    |
| 17  |     | WSA10      | バネザガネ 3ゴウ M10       | 3  |    |
| 18  |     | 157722000M | ピン; C12×180         | 1  |    |
| 19  |     | 000086200M | ベータピン; 12×2         | 1  |    |
| 20  |     | WRA12      | ヒラザガネ M12           | 2  |    |
| 21  |     | PC032020   | ワリピン 3. 2×20        | 1  |    |
| 22  |     | 102933100M | サイドボードフック           | 1  |    |
| 23  |     | 102317000M | ピン; 8×20            | 1  |    |
| 24  |     | DE006      | Eガタメワ 6             | 1  |    |
| 25  |     | 165144000L | シュレツダベースCP; 1       | 1  |    |
| 26  |     | BSZ10020   | コガタボルト 7 M10×20     | 6  |    |
| 27  |     | WSA10      | バネザガネ 3ゴウ M10       | 6  |    |
| 28  |     | NSZ10      | コガタナット 8 2シュ M10    | 5  |    |
| 29  |     | 165149000L | シュレツダ; A            | 1  |    |
| 31  |     | 165151000L | シュレツダ; A-2          | 1  |    |
| 32  |     | 160483000M | シム                  | 4  |    |
| 33  |     | BJ08030    | サラキャップB 10. 9 M8×30 | 6  |    |
| 34  |     | 080414100M | ワッシャ; 8             | 6  |    |
| 35  |     | WSA08      | バネザガネ 3ゴウ M8        | 6  |    |
| 36  |     | NSZ08      | コガタナット 8 2シュ M8     | 6  |    |
| 37  |     | 165147000L | シュレツダベースCP; 2       | 1  |    |
| 38  |     | BSZ10025   | コガタボルト 7 M10×25     | 2  |    |
| 39  |     | BSZ10020   | コガタボルト 7 M10×20     | 2  |    |
| 40  |     | WSA10      | バネザガネ 3ゴウ M10       | 4  |    |
| 41  |     | NSZ10      | コガタナット 8 2シュ M10    | 4  |    |
| 42  |     | 165150000L | シュレツダ; B            | 1  |    |
| 43  |     | 165152000L | シュレツダ; B-2          | 1  |    |
| 44  |     | BJ08030    | サラキャップB 10. 9 M8×30 | 4  |    |
| 45  |     | 080414100M | ワッシャ; 8             | 4  |    |
| 46  |     | WSA08      | バネザガネ 3ゴウ M8        | 4  |    |
| 47  |     | NSZ08      | コガタナット 8 2シュ M8     | 4  |    |
| 48  |     | 157235000L | ソールガードCP            | 1  |    |
| 49  |     | BSZ10025   | コガタボルト 7 M10×25     | 4  |    |
| 50  |     | WSA10      | バネザガネ 3ゴウ M10       | 4  |    |
| 51  |     | NSZ10      | コガタナット 8 2シュ M10    | 4  |    |




Fig.502. 駆動;フライホイール




| No. | レベル | 部品番号        | 部品名称                     | 数量 | 備考 |
|-----|-----|-------------|--------------------------|----|----|
| 1   |     | 157238000L  | ジクウケCP                   | 1  |    |
| 2   |     | BZ12030     | ボルト 8. 8 M12×30          | 4  |    |
| 3   |     | WSA12       | バネザガネ 3ゴウ M12            | 4  |    |
| 4   |     | 157242000L  | プーリ; 191-C-3             | 1  |    |
| 5   |     | 1572430000  | シャフト                     | 1  |    |
| 6   |     | 157709000M  | カラー; 41. 6×17            | 1  |    |
| 7   |     | KFC10080600 | ヘイコウキー リヨウマル 10×8×60     | 1  |    |
| 8   |     | 046336200M  | カシメロックナット; M40×1. 5      | 1  |    |
| 9   |     | J6308LLU    | ボールベアリング 6308LLU         | 2  |    |
| 10  |     | DHC090      | Cガタトメワ アナ 90             | 2  |    |
| 11  |     | VAGXLC078   | Vベルト LC-78 スーパーAG-X      | 3  |    |
| 12  |     | 157244000L  | プーリ; 236-C-4             | 1  |    |
| 13  |     | KFB10080650 | ヘイコウキー カタマル 10×8×65      | 1  |    |
| 14  |     | WRA30       | ヒラザガネ M30                | 1  |    |
| 15  |     | NC2L30200   | キャッスルナット 2シュヒク M30×2. 00 | 1  |    |
| 16  |     | PC063056    | ワリピン 6. 3×56             | 1  |    |
| 17  |     | VAGXLC076   | Vベルト LC-76 スーパーAG-X      | 1  |    |
| 18  |     | 157245200M  | テンションアームCP               | 1  |    |
| 19  |     | DC025       | Cガタトメワ ジク 25             | 1  |    |
| 20  |     | 70B-2525    | ドライメットブッシュ 25×28×25      | 2  |    |
| 21  |     | 157248000L  | テンションプーリCP               | 1  |    |
| 22  |     | J6305LLU    | ボールベアリング 6305LLU         | 2  |    |
| 23  |     | DHC062      | Cガタトメワ アナ 62             | 1  |    |
| 24  |     | DC025       | Cガタトメワ ジク 25             | 1  |    |
| 25  |     | 157701100M  | ロッドCP                    | 1  |    |
| 26  |     | WRA20       | ヒラザガネ M20                | 1  |    |
| 27  |     | PC040040    | ワリピン 4×40                | 1  |    |
| 28  |     | 0473370006  | スプリング; A5×26×85          | 1  |    |
| 29  |     | 099710000M  | カラー                      | 2  |    |
| 30  |     | 025266000M  | キュウメンザガネ                 | 1  |    |
| 31  |     | NZ12        | ナット 8 2シュ M12            | 2  |    |
| 32  |     | 157251000L  | プーリ; 165-C-1             | 1  |    |
| 33  |     | KFB08070350 | ヘイコウキー カタマル 8×7×35       | 1  |    |
| 34  |     | 075318000M  | ザガネ                      | 1  |    |
| 35  |     | NC2L20150   | キャッスルナット 2シュヒク M20×1. 50 | 1  |    |
| 36  |     | PC040040    | ワリピン 4×40                | 1  |    |
| 37  |     | 157252100M  | テンションアームCP               | 1  |    |
| 38  |     | DC025       | Cガタトメワ ジク 25             | 1  |    |
| 39  |     | 044214301M  | ワッシャ; 25. 5×1. 0         | 5  |    |
| 40  |     | 70B-2512    | ドライメットブッシュ 25×28×12      | 2  |    |
| 41  |     | 058296100L  | プーリ                      | 1  |    |
| 42  |     | 150275000M  | ワッシャ; 20. 5×1. 0         | 2  |    |
| 43  |     | J6204LLU    | ボールベアリング 6204LLU         | 1  |    |
| 44  |     | DHC047      | Cガタトメワ アナ 47             | 1  |    |
| 45  |     | 044098500M  | ワッシャ; 10                 | 1  |    |
| 46  |     | WSA10       | バネザガネ 3ゴウ M10            | 1  |    |
| 47  |     | NSZ10       | コガタナット 8 2シュ M10         | 1  |    |
| 48  |     | 157256000M  | ロッドCP                    | 1  |    |
| 49  |     | WRA20       | ヒラザガネ M20                | 1  |    |
| 50  |     | PC040040    | ワリピン 4×40                | 1  |    |
| 51  |     | 0473370006  | スプリング; A5×26×85          | 1  |    |

Fig.502. 駆動;フライホイール




| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考 |
|-----|-----|------------|--------------------|----|----|
| 52  |     | 099710000M | カラー                | 2  |    |
| 53  |     | 025266000M | キュウメンザガネ           | 1  |    |
| 54  |     | NZ12       | ナット 8 2シュ M12      | 2  |    |
| 55  |     | 157259000L | クドウカバーCP ; 1       | 1  |    |
| 56  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 3  |    |
| 57  |     | 080414100M | ワッシャ ; 8           | 3  |    |
| 58  |     | 154484200L | カバー ; ジョイント        | 1  |    |
| 59  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 4  |    |
| 60  |     | WRA08      | ヒラザガネ M8           | 4  |    |
| 61  |     | 157263000L | クドウカバーCP ; 2       | 1  |    |
| 62  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 2  |    |
| 63  |     | 080414100M | ワッシャ ; 8           | 2  |    |
| 64  |     | 157267100L | クドウカバーCP ; 3       | 1  |    |
| 65  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 3  |    |
| 66  |     | 080414100M | ワッシャ ; 8           | 5  |    |
| 67  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 2  |    |
| 68  |     | 157271100L | ガードCP              | 1  |    |
| 69  |     | BSZ08020   | コガタボルト 7 M8×20     | 2  |    |
| 70  |     | NSP08      | コガタスプリングナット 4 M8   | 2  |    |
| 71  |     | WRA08      | ヒラザガネ M8           | 2  |    |
| 72  |     | 157279100L | カバー ; ガード          | 1  |    |
| 73  |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 6  |    |
| 74  |     | WRA08      | ヒラザガネ M8           | 6  |    |
| 75  |     | 165005000L | ギアカバーCP            | 1  |    |
| 76  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 1  |    |
| 77  |     | WRA08      | ヒラザガネ M8           | 1  |    |
| 78  |     | JLA045ASY  | パワージョイント ; LA-45   | 1  |    |
| 79  |     | 160448000M | テンションゲージ           | 2  |    |
| 80  |     | ONB6       | グリースニップル B M6      | 2  |    |

Fig.503. リバースボックス




| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考 |
|-----|-----|------------|--------------------|----|----|
| 1   |     | 157280000L | リバースボックス           | 1  |    |
| 2   |     | BZ12030    | ボルト 8. 8 M12×30    | 4  |    |
| 3   |     | BZ12025    | ボルト 8. 8 M12×25    | 2  |    |
| 4   |     | WSA12      | バネザガネ 3ゴウ M12      | 6  |    |
| 5   |     | 157281000L | プレート               | 1  |    |
| 6   |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 6  |    |
| 7   |     | 0472650000 | ブリーザキャップ; PF1/2    | 1  |    |
| 8   |     | 1508490000 | ネジツキオイルゲージ; KMH-3  | 1  |    |
| 9   |     | 0009820000 | M10プラグ; パッキンツキ     | 1  |    |
| 10  |     | 1572820000 | ギヤ; M6×19T         | 1  |    |
| 11  |     | 1154320000 | カラー; 50. 5×19      | 1  |    |
| 12  |     | J6309      | ボールベアリング 6309      | 2  |    |
| 13  |     | DHC100     | Cガタメワ アナ 100       | 1  |    |
| 14  |     | 1572831000 | シャフト               | 1  |    |
| 15  |     | D456812    | オイルシール D45×68×12   | 1  |    |
| 16  |     | KRCA10010  | シールキャップ SC100-10   | 1  |    |
| 17  |     | 1572840000 | ギヤ; M6×20T         | 1  |    |
| 18  |     | J6309      | ボールベアリング 6309      | 1  |    |
| 19  |     | J6308      | ボールベアリング 6308      | 1  |    |
| 20  |     | DHC090     | Cガタメワ アナ 90        | 1  |    |
| 21  |     | D689012    | オイルシール D68×90×12   | 1  |    |
| 22  |     | KRCA9010   | シールキャップ SC90-10    | 1  |    |
| 23  |     | 131573000M | ロングニッブル; PT1/2×75  | 1  |    |
| 24  |     | 131566000M | ソケット               | 1  |    |

Fig.504. フライホイール




| No. | レベル | 部品番号        | 部品名称                  | 数量 | 備考 |
|-----|-----|-------------|-----------------------|----|----|
| 1   |     | 1572851000  | シャフト; フライホイール         | 1  |    |
| 2   |     | 1572860000  | チョウセイナット              | 1  |    |
| 3   |     | ORG072      | Oリング G-7 2            | 1  |    |
| 4   |     | 157287000L  | フライホイールC P            | 1  |    |
| 5   |     | KFC15100800 | ヘイコウキー リョウマル 15×10×80 | 1  |    |
| 6   |     | 157291000L  | ボスC P                 | 1  |    |
| 7   |     | J6308       | ボールベアリング 6308         | 1  |    |
| 8   |     | D9511513    | オイルシール D95×115×13     | 1  |    |
| 9   |     | DHC115      | Cガタトメワ アナ 115         | 1  |    |
| 10  |     | 1572950006  | サラバネ                  | 5  |    |
| 11  |     | 0705140000  | カラー; 45. 5×5          | 1  |    |
| 12  |     | 157296000L  | プレート                  | 1  |    |
| 13  |     | WSA12       | バネザガネ 3ゴウ M12         | 4  |    |
| 14  |     | NZ12        | ナット 8 2シュ M12         | 4  |    |
| 15  |     | 049533000M  | ワッシャ; 35. 5×6         | 1  |    |
| 16  |     | 163340000M  | カシメロックナット; M35×1. 5   | 1  |    |
| 17  |     | ONBS1       | グリースニップル B PT1/8      | 1  |    |
| 18  |     | 157297000L  | ナイフホルダ                | 12 |    |
| 19  |     | 157298000Y  | ハイテンワッシャ; 21×4. 5     | 24 |    |
| 20  |     | BZ20040     | ボルト 8. 8 M20×40       | 24 |    |
| 21  |     | 157299100L  | ナイフ                   | 12 |    |
| 22  |     | 157300000Y  | ハイテンワッシャ; 13×3. 2     | 36 |    |
| 23  |     | BZ12040     | ボルト 8. 8 M12×40       | 36 |    |
| 24  |     | 157301100L  | プレート                  | 12 |    |
| 25  |     | BZ12030     | ボルト 8. 8 M12×30       | 24 |    |
| 26  |     | WSA12       | バネザガネ 3ゴウ M12         | 24 |    |
| 27  |     | NZ12        | ナット 8 2シュ M12         | 24 |    |
| 28  |     | 165175000L  | シヤバー                  | 1  |    |
| 30  |     | BSZ10020    | コガタボルト 7 M10×20       | 4  |    |
| 31  |     | WSA10       | バネザガネ 3ゴウ M10         | 4  |    |
| 32  |     | 157304100M  | アンゼンピン                | 1  |    |
| 33  |     | BZ12035     | ボルト 8. 8 M12×35       | 1  |    |
| 34  |     | NUZ12       | Uナット M12              | 1  |    |
| 35  |     | 157305000M  | パー                    | 1  |    |
| 36  |     | 040608401M  | ワッシャ; 13×4. 5メッキ      | 1  |    |

Fig.505. シュート




| No. | レベル | 部品番号       | 部品名称             | 数量 | 備考 |
|-----|-----|------------|------------------|----|----|
| 1   |     | 158334000L | シュートCP           | 1  |    |
| 2   |     | 158336100M | プレートCP; シュート     | 1  |    |
| 3   |     | 158337000M | カラー              | 8  |    |
| 4   |     | BSZ08020   | コガタボルト 7 M8×20   | 8  |    |
| 5   |     | WSA08      | パネザガネ 3ゴウ M8     | 8  |    |
| 6   |     | 158504000L | チャンネル            | 1  |    |
| 7   |     | 055474000M | カクネボルト; M8×20    | 4  |    |
| 8   |     | 044097200M | ワッシャ; 8          | 2  |    |
| 9   |     | NSP08      | コガタスプリングナット M8   | 2  |    |
| 10  |     | NNF08      | フランジナイロンナット M8   | 2  |    |
| 11  |     | 158505000L | フィンCP            | 1  |    |
| 12  |     | BSZ10025   | コガタボルト 7 M10×25  | 2  |    |
| 13  |     | 044098500M | ワッシャ; 10         | 1  |    |
| 14  |     | WSA10      | パネザガネ 3ゴウ M10    | 1  |    |
| 15  |     | NSZ10      | コガタナット 8 2シュ M10 | 1  |    |
| 16  |     | NNF10      | フランジナイロンナット M10  | 1  |    |
| 17  |     | 157320100L | パイプCP            | 1  |    |
| 18  |     | BZ12040    | ボルト 8.8 M12×40   | 6  |    |
| 19  |     | WSA12      | パネザガネ 3ゴウ M12    | 6  |    |
| 20  |     | 042783600M | ワッシャ; 12         | 6  |    |
| 21  |     | NZ12       | ナット 8 2シュ M12    | 6  |    |
| 22  |     | BZ16065    | ボルト 8.8 M16×65   | 1  |    |
| 23  |     | WRA16      | ヒラザガネ M16        | 1  |    |
| 24  |     | NN16       | ナイロンナット M16      | 1  |    |
| 25  |     | 157515000M | ピン               | 1  |    |
| 26  |     | WRA16      | ヒラザガネ M16        | 2  |    |
| 27  |     | PC040040   | ワリピン 4×40        | 2  |    |

Fig.506. グラインダ




| No. | レベル | 部品番号       | 部品名称            | 数量 | 備考 |
|-----|-----|------------|-----------------|----|----|
| 1   |     | 157325000L | グラインダCP         | 1  |    |
| 2   |     | ONA6       | グリースニップル A M6   | 1  |    |
| 3   |     | 157686000L | メタルCP           | 1  |    |
| 4   |     | ONB6       | グリースニップル B M6   | 1  |    |
| 5   |     | 082656100M | シャフトCP          | 1  |    |
| 6   |     | 0813542000 | ブッシュ            | 1  |    |
| 7   |     | PS050012   | スプリングピン 5×12    | 1  |    |
| 8   |     | J6005Z     | ボールベアリング 6005Z  | 2  |    |
| 9   |     | AN05       | ベアリングナット; AN05  | 1  |    |
| 10  |     | AW05       | ベアリングワッシャ; AW05 | 1  |    |
| 11  |     | 157329000M | ピンCP            | 1  |    |
| 12  |     | 081353000M | スプリング; A        | 1  |    |
| 13  |     | PS050025   | スプリングピン 5×25    | 2  |    |
| 14  |     | WRA16      | ヒラザガネ M16       | 1  |    |
| 15  |     | NZ12       | ナット 8 2シュ M12   | 6  |    |

Fig.507. クラッチボックス(1)



| No. | レベル | 部品番号       | 部品名称                | 数量 | 備考                                                                    |
|-----|-----|------------|---------------------|----|-----------------------------------------------------------------------|
| 1   |     | 157332100L | ギヤケース ; R           | 1  |                                                                       |
| 2   |     | 157333100L | ギヤケース ; L           | 1  |                                                                       |
| 3   |     | 165007000M | アングル C P            | 1  |                                                                       |
| 4   |     | WSA10      | バネザガネ 3ゴウ M10       | 7  |                                                                       |
| 5   |     | BSZ10040   | コガタボルト 7 M10×40     | 7  |                                                                       |
| 6   |     | BJ10070    | サラキャップB 10.9 M10×70 | 1  |                                                                       |
| 7   |     | PS080020   | スプリングピン 8×20        | 2  |                                                                       |
| 8   |     | BZ12040    | ボルト 8.8 M12×40      | 4  |                                                                       |
| 9   |     | WSA12      | バネザガネ 3ゴウ M12       | 4  |                                                                       |
| 10  |     | NZ12       | ナット 8.2シュ M12       | 4  |                                                                       |
| 11  |     | BSZ10020   | コガタボルト 7 M10×20     | 4  |                                                                       |
| 12  |     | WSA10      | バネザガネ 3ゴウ M10       | 4  |                                                                       |
| 13  |     | 157334000L | プレート                | 1  |                                                                       |
| 14  |     | WSA08      | バネザガネ 3ゴウ M8        | 6  |                                                                       |
| 15  |     | BSZ08020   | コガタボルト 7 M8×20      | 4  |                                                                       |
| 16  |     | 1573350000 | シャフト                | 1  |                                                                       |
| 17  |     | J6207      | ボールベアリング 6207       | 2  |                                                                       |
| 18  |     | DHC072     | Cガタメワ アナ 72         | 2  |                                                                       |
| 19  |     | D407210    | オイルシール D40×72×10    | 1  |                                                                       |
| 20  |     | 0814240000 | カラー                 | 1  |                                                                       |
| 21  |     | ORG030     | Oリング G-30           | 1  |                                                                       |
| 22  |     | 1573360000 | ベベルギヤ ; M5×15T      | 1  |                                                                       |
| 23  |     | DC035      | Cガタメワ ジク 35         | 1  |                                                                       |
| 24  |     | 1573370000 | シャフト                | 1  |                                                                       |
| 25  |     | 1573380000 | ベベルギヤ ; M5×35T      | 1  |                                                                       |
| 26  |     | DC035      | Cガタメワ ジク 35         | 1  |                                                                       |
| 27  |     | J6207      | ボールベアリング 6207       | 1  |                                                                       |
| 28  |     | J6206LLU   | ボールベアリング 6206LLU    | 1  |                                                                       |
| 29  |     | DHC062     | Cガタメワ アナ 62         | 1  |                                                                       |
| 30  |     | D35558     | オイルシール D35×55×8     | 1  |                                                                       |
| 31  |     | D35628     | オイルシール D35×62×8     | 1  |                                                                       |
| 32  |     | BSZ08025   | コガタボルト 7 M8×25      | 2  |                                                                       |
| 33  |     | 044097200M | ワッシャ ; 8            | 2  |                                                                       |
| ASY |     | 1657000000 | クラッチボックス ASSY       | 1  | Fig. 507 No.1~7、13~33、<br>Fig. 508 No.1~50、<br>Fig. 509 No.1~2、27~30付 |

Fig.508. クラッチボックス(2)




| No. | レベル | 部品番号       | 部品名称                     | 数量 | 備考 |
|-----|-----|------------|--------------------------|----|----|
| 1   |     | DC030      | Cガタトメワ ジク 30             | 2  |    |
| 2   |     | 157339000M | カラー; 30. 5×4. 5          | 2  |    |
| 3   |     | 157340000L | ギヤ; M4×19T               | 1  |    |
| 4   |     | 157341000L | ギヤ; M4×17T               | 1  |    |
| 5   |     | 056984000M | クリップ; 17×3               | 2  |    |
| 6   |     | 157342000L | ギヤ; M4×20T               | 1  |    |
| 7   |     | 157343000L | ギヤ; M4×16T               | 1  |    |
| 8   |     | 1573440000 | シャフト                     | 1  |    |
| 9   |     | J6206      | ボールベアリング 6206            | 1  |    |
| 10  |     | J6306LLU   | ボールベアリング 6306LLU         | 1  |    |
| 11  |     | D50729     | オイルシール D50×72×9          | 1  |    |
| 12  |     | 1573450000 | カラー                      | 1  |    |
| 13  |     | ORG035     | Oリング G-35                | 1  |    |
| 14  |     | 0814280000 | ギヤ; 19T                  | 1  |    |
| 15  |     | 0814320000 | ギヤ; 24T                  | 1  |    |
| 16  |     | 1577150000 | シャフト                     | 1  |    |
| 17  |     | 0825750000 | ギヤ; 18T                  | 1  |    |
| 18  |     | 0814310000 | ギヤ; 15T                  | 1  |    |
| 19  |     | 0814300000 | カラー                      | 1  |    |
| 20  |     | 0814340000 | ワッシャ; 36×2               | 1  |    |
| 21  |     | 059312200M | カラー                      | 1  |    |
| 22  |     | J6206      | ボールベアリング 6206            | 2  |    |
| 23  |     | 0814350000 | ギヤ; 14T                  | 1  |    |
| 24  |     | JK303520   | ニードルベアリング K303520        | 1  |    |
| 25  |     | 0872231000 | シャフト; アイドラ               | 1  |    |
| 26  |     | ORG030     | Oリング G-30                | 1  |    |
| 27  |     | 0825802000 | ギヤスプロケットCP               | 1  |    |
| 28  |     | DHC062     | Cガタトメワ アナ 62             | 2  |    |
| 29  |     | J6206LLU   | ボールベアリング 6206LLU         | 2  |    |
| 30  |     | 075318000M | ザガネ                      | 2  |    |
| 31  |     | NC2L20150  | キャッスルナット 2シュヒク M20×1. 50 | 2  |    |
| 32  |     | PC040040   | ワリピン 4×40                | 2  |    |
| 33  |     | 1573460000 | ギヤ; M5×15T               | 1  |    |
| 34  |     | 1573470000 | カラー                      | 1  |    |
| 35  |     | ORG030     | Oリング G-30                | 1  |    |
| 36  |     | D40558     | オイルシール D40×55×8          | 1  |    |
| 37  |     | 1573480000 | シャフト                     | 1  |    |
| 38  |     | J6206      | ボールベアリング 6206            | 2  |    |
| 39  |     | DC030      | Cガタトメワ ジク 30             | 1  |    |
| 40  |     | 0814370000 | ギヤ; 19T                  | 1  |    |
| 41  |     | 0814380000 | ギヤ; 24T                  | 1  |    |
| 42  |     | 0706431000 | ブッシュ                     | 2  |    |
| 43  |     | JWS81106   | ニードルラストベアリング用内輪; WS81106 | 2  |    |
| 44  |     | 0814390000 | クラッチ                     | 1  |    |
| 45  |     | 1651850000 | シフトCP                    | 1  |    |
| 46  |     | ORP020     | Oリング P-20                | 2  |    |
| 47  |     | 165182000M | シフトアームCP                 | 1  |    |
| 48  |     | 165188000M | スプリング×A4×24×30           | 1  |    |
| 49  |     | WRA16      | ヒラザガネ M16                | 2  |    |
| 50  |     | NN16       | ナイロンナット M16              | 1  |    |
| 51  |     | 079013000M | カラー                      | 1  |    |
| 52  |     | 000761100M | ワッシャ; 16                 | 1  |    |




| No. | レベル | 部品番号       | 部品名称                   | 数量 | 備考        |
|-----|-----|------------|------------------------|----|-----------|
| 1   |     | 0814421000 | デンドウシリンド               | 1  |           |
| 2   |     | 000066200M | ピン; B 1 2 × 5 5        | 2  |           |
| 3   |     | WRA12      | ヒラザガネ M 1 2            | 1  |           |
| 4   |     | 000085200M | ベータピン; 8 × 1. 6        | 2  |           |
| 5   |     | 081176100L | スプロケット; 2 5 T          | 1  |           |
| 6   |     | LA50040    | ローラチェーン; 5 0 × 4 0 L   | 1  | No. 30付   |
| 7   |     | 081175300L | シャーボルトホルダ              | 1  |           |
| 8   |     | 0446912000 | シャーボルト; M 8 × 3 2      | 4  | No. 9・10付 |
| 9   |     | WSA08      | バネザガネ 3ゴウ M 8          | 4  |           |
| 10  |     | NSZ08      | コガタナット 8 2 シュ M 8      | 4  |           |
| 11  |     | 0811771000 | ブッシュ                   | 1  |           |
| 12  |     | 1573490000 | シャフト                   | 1  |           |
| 13  |     | 082583200L | メタル; カウンタ              | 1  |           |
| 14  |     | DC030      | Cガタトメワ ジク 3 0          | 1  |           |
| 15  |     | J6206LLU   | ボールベアリング 6 2 0 6 L L U | 2  |           |
| 16  |     | DHC062     | Cガタトメワ アナ 6 2          | 1  |           |
| 17  |     | ONA6       | グリースニップル A M 6         | 2  |           |
| 18  |     | BZ12025    | ボルト 8. 8 M 1 2 × 2 5   | 1  |           |
| 19  |     | WSA12      | バネザガネ 3ゴウ M 1 2        | 1  |           |
| 20  |     | 0826620002 | カラー                    | 1  |           |
| 21  |     | WRA30      | ヒラザガネ M 3 0            | 1  |           |
| 22  |     | 0669544006 | ジョイントAS; 2             | 2  |           |
| 23  |     | 1573500000 | シャフトCP                 | 2  |           |
| 24  |     | 0665764006 | ジョイントAS; 1             | 2  |           |
| 25  |     | BZ12045    | ボルト 8. 8 M 1 2 × 4 5   | 6  |           |
| 26  |     | WSA12      | バネザガネ 3ゴウ M 1 2        | 6  |           |
| 27  |     | ONA6       | グリースニップル A M 6         | 2  |           |
| 28  |     | 0007170000 | チュウユセン; 2 3            | 2  |           |
| 29  |     | 0009820000 | M 1 0 プラグ; パッキンツキ      | 4  |           |
| 30  |     | AA050      | ツギテ 5 0                | 1  |           |

Fig.510. ロール; L o



| No. | レベル | 部品番号       | 部品名称             | 数量 | 備考         |
|-----|-----|------------|------------------|----|------------|
| 1   |     | 1573521004 | ロールフレームCP; L     | 1  |            |
| 2   |     | 1573571004 | ロールフレームCP; R     | 1  |            |
| 3   |     | 1573620004 | ガード              | 1  |            |
| 4   |     | 000450000M | カクネボルト; M10×20   | 4  |            |
| 5   |     | WSA10      | バネザガネ 3ゴウ M10    | 4  |            |
| 6   |     | NSZ10      | コガタナット 8 2シュ M10 | 4  |            |
| 7   |     | 157363000M | アングル; L          | 1  |            |
| 8   |     | 157364000M | アングル; R          | 1  |            |
| 9   |     | 000450000M | カクネボルト; M10×20   | 4  |            |
| 10  |     | WSA10      | バネザガネ 3ゴウ M10    | 4  |            |
| 11  |     | NSZ10      | コガタナット 8 2シュ M10 | 4  |            |
| 12  |     | 065257000M | カラー; 12×12       | 2  |            |
| 13  |     | 044372101M | カクネサラボルト; M12×45 | 2  | No. 15・16付 |
| 14  |     | 042783600M | ワッシャ; 12         | 2  |            |
| 15  |     | WSA12      | バネザガネ 3ゴウ M12    | 2  |            |
| 16  |     | NZ12       | ナット 8 2シュ M12    | 2  |            |
| 17  |     | 1583181004 | ブレンロールCP         | 1  |            |
| 18  |     | WSA10      | バネザガネ 3ゴウ M10    | 6  |            |
| 19  |     | NSZ10      | コガタナット 8 2シュ M10 | 6  |            |
| 20  |     | 1573941004 | メタルCP            | 2  |            |
| 21  |     | J6206LLU   | ボールベアリング 6206LLU | 2  |            |
| 22  |     | DHC062     | Cガタメワ アナ 62      | 4  |            |
| 23  |     | DC030      | Cガタメワ ジク 30      | 2  |            |
| 24  |     | 157371000M | カラー              | 4  |            |
| 25  |     | 1583200004 | スプロケット; 50×17T   | 1  | No. 47付    |
| 26  |     | 1648640000 | シールチェーン; 50LX×50 | 1  |            |
| 27  |     | 1583210004 | フロントロールCP        | 1  |            |
| 28  |     | WSA10      | バネザガネ 3ゴウ M10    | 6  |            |
| 29  |     | NSZ10      | コガタナット 8 2シュ M10 | 6  |            |
| 30  |     | 1573941004 | メタルCP            | 2  |            |
| 31  |     | J6206LLU   | ボールベアリング 6206LLU | 2  |            |
| 32  |     | DHC062     | Cガタメワ アナ 62      | 4  |            |
| 33  |     | DC030      | Cガタメワ ジク 30      | 4  |            |
| 34  |     | 157371000M | カラー              | 3  |            |
| 35  |     | 1583230004 | スプロケット; 50×36T   | 1  |            |
| 36  |     | 1573800004 | スクレーパ            | 1  |            |
| 37  |     | 075290100M | ワッシャ; 10         | 2  |            |
| 38  |     | BSZ10035   | コガタボルト 7 M10×35  | 2  |            |
| 39  |     | WSA10      | バネザガネ 3ゴウ M10    | 2  |            |
| 40  |     | NUZ10      | Uナット 8 M10       | 2  |            |
| 41  |     | BSZ10025   | コガタボルト 7 M10×25  | 4  |            |
| 42  |     | 044098500M | ワッシャ; 10         | 4  |            |
| 43  |     | WSA10      | バネザガネ 3ゴウ M10    | 4  |            |
| 44  |     | NSZ10      | コガタナット 8 2シュ M10 | 4  |            |
| 45  |     | WSA10      | バネザガネ 3ゴウ M10    | 6  |            |
| 46  |     | BSZ10025   | コガタボルト 7 M10×25  | 6  |            |
| 47  |     | 1570200000 | シールチェーンツギテ; 50LX | 1  |            |


Fig.511. ロール; U



| No. | レベル | 部品番号        | 部品名称                | 数量 | 備考      |
|-----|-----|-------------|---------------------|----|---------|
| 1   |     | 1573811004  | ロールフレームCP; U        | 1  |         |
| 2   |     | BSZ10025    | コガタボルト 7 M10×25     | 3  |         |
| 3   |     | WSA10       | バネザガネ 3ゴウ M10       | 3  |         |
| 4   |     | WRA10       | ヒラザガネ M10           | 3  |         |
| 5   |     | 1574000004  | ガイドアームCP; L         | 1  |         |
| 6   |     | 1574060004  | ガイドアームCP; R         | 1  |         |
| 7   |     | 1574071004  | フィードロールCP           | 1  |         |
| 8   |     | 1576980000  | ブッシュ                | 2  |         |
| 9   |     | 157699000M  | カラー; 30×15          | 1  |         |
| 10  |     | 096104100M  | ワッシャ                | 2  |         |
| 11  |     | DC030       | Cガタトメワ ジク 30        | 4  |         |
| 12  |     | 157427000M  | ワッシャ                | 1  |         |
| 13  |     | 1574140004  | スプロケット; 50×23T      | 1  |         |
| 14  |     | KFD08070200 | ヘイコウキー リョウヒラ 8×7×20 | 1  |         |
| 15  |     | 1574152004  | リヤロールCP             | 1  |         |
| 16  |     | 1576980000  | ブッシュ                | 2  |         |
| 17  |     | 157699000M  | カラー; 30×15          | 1  |         |
| 18  |     | 096104100M  | ワッシャ                | 3  |         |
| 19  |     | DC030       | Cガタトメワ ジク 30        | 4  |         |
| 20  |     | 1573720004  | スプロケット; 50×17T      | 1  |         |
| 21  |     | KFD08070200 | ヘイコウキー リョウヒラ 8×7×20 | 1  |         |
| 22  |     | LA50046     | ローラチェーン; 50×46L     | 1  | No. 53付 |
| 23  |     | 1574210004  | ロールアームCP; L         | 1  |         |
| 24  |     | 1574250004  | ロールアームCP; R         | 1  |         |
| 25  |     | 058125200M  | ワッシャ; 26×2. 3       | 4  |         |
| 26  |     | 1576901004  | メタルCP               | 2  |         |
| 27  |     | 055474000M  | カクネボルト; M8×20       | 4  |         |
| 28  |     | WSA08       | バネザガネ 3ゴウ M8        | 4  |         |
| 29  |     | NSZ08       | コガタナット 8 2シュ M8     | 4  |         |
| 30  |     | PS060040W   | スプリングピン ダブルヨウ 6×40  | 1  |         |
| 31  |     | 1574280004  | リフトアーム              | 2  |         |
| 32  |     | 058125200M  | ワッシャ; 26×2. 3       | 4  |         |
| 33  |     | 0814042000  | ブッシュ                | 4  |         |
| 34  |     | PC050045    | ワリピン 5×45           | 4  |         |
| 35  |     | 0814090006  | スプリング               | 2  |         |
| 36  |     | 070286100M  | スプリングホルダー           | 2  |         |
| 37  |     | 025266000M  | キュウメンザガネ            | 2  |         |
| 38  |     | BX112070    | ボルト 10. 9 ゼン M12×70 | 2  |         |
| 39  |     | NZ12        | ナット 8 2シュ M12       | 2  |         |
| 40  |     | 157429000M  | アングル                | 2  |         |
| 41  |     | 055474000M  | カクネボルト; M8×20       | 4  |         |
| 42  |     | NSP08       | コガタスプリングナット 4 M8    | 4  |         |
| 43  |     | 157430000M  | アングル                | 2  |         |
| 44  |     | BSZ08020    | コガタボルト 7 M8×20      | 4  |         |
| 45  |     | NNF08       | フランジナイロンナット M8      | 4  |         |
| 46  |     | 1574310000  | プレート                | 2  |         |
| 47  |     | BJ08025     | サラキャップB 10. 9 M8×25 | 4  |         |
| 48  |     | NSP08       | コガタスプリングナット 4 M8    | 4  |         |
| 49  |     | 157432000L  | カバーCP; R            | 1  |         |
| 50  |     | 157435000L  | カバーCP; L            | 1  |         |
| 51  |     | BSPZ08016   | コガタSWツキボルト 7 M8×16  | 2  |         |


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Fig.512. カリトリフレーム




| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考         |
|-----|-----|------------|--------------------|----|------------|
| 1   |     | 1574374004 | カリトリフレームCP         | 1  |            |
| 2   |     | 157713000M | ピン; C30×110        | 2  |            |
| 3   |     | BSZ08045   | コガタボルト 7 M8×45     | 4  |            |
| 4   |     | NNF08      | フランジナロンナット M8      | 4  |            |
| 5   |     | 154441000M | プレート               | 2  |            |
| 6   |     | BZ12060    | ボルト 8.8 M12×60     | 2  |            |
| 7   |     | NNF12      | フランジナロンナット M12     | 2  |            |
| 8   |     | 1574810004 | ポイントCP; L3S        | 1  |            |
| 9   |     | BZ12030    | ボルト 8.8 M12×30     | 4  |            |
| 10  |     | WSA12      | バネザガネ 3ゴウ M12      | 4  |            |
| 11  |     | 042783600M | ワッシャ; 12           | 4  |            |
| 12  |     | NZ12       | ナット 8.2シュ M12      | 4  |            |
| 13  |     | 1575000004 | ポイントCP; R3S        | 1  |            |
| 14  |     | BZ12030    | ボルト 8.8 M12×30     | 4  |            |
| 15  |     | WSA12      | バネザガネ 3ゴウ M12      | 4  |            |
| 16  |     | 042783600M | ワッシャ; 12           | 4  |            |
| 17  |     | NZ12       | ナット 8.2シュ M12      | 4  |            |
| 18  |     | 1575100004 | ポイントCP; CE         | 1  |            |
| 19  |     | 000452000M | カクネボルト; M12×30     | 1  | No. 21・22付 |
| 20  |     | BZ12025    | ボルト 8.8 M12×25     | 1  |            |
| 21  |     | WSA12      | バネザガネ 3ゴウ M12      | 2  |            |
| 22  |     | NZ12       | ナット 8.2シュ M12      | 1  |            |
| 23  |     | 1575140004 | ソールCP              | 2  |            |
| 24  |     | BZ12030    | ボルト 8.8 M12×30     | 4  |            |
| 25  |     | WSA12      | バネザガネ 3ゴウ M12      | 4  |            |
| 26  |     | 042783600M | ワッシャ; 12           | 4  |            |
| 27  |     | 157718100L | カバーCP; ジョイント       | 1  |            |
| 28  |     | BSPZ08020  | コガタSWツキボルト 7 M8×20 | 4  |            |
| 29  |     | 080414100M | ワッシャ; 8            | 4  |            |
| 30  |     | 157721000L | カバーCP; U           | 1  |            |
| 31  |     | BZ06012    | ボルト 8.8 M6×12      | 2  |            |
| 32  |     | WS06       | バネザガネ 2ゴウ M6       | 2  |            |
| 33  |     | 1181490000 | ニギリ; M8            | 1  |            |
| 34  |     | WCR1H08    | サラバネザガネ 1シュジュウ M8  | 1  |            |
| 35  |     | 0006890000 | ニギリ; 24            | 1  |            |

Fig.513. 駆動;ドラム



| No. | レベル | 部品番号        | 部品名称                 | 数量 | 備考 |
|-----|-----|-------------|----------------------|----|----|
| 1   |     | 1575161004  | シャフトCP               | 1  |    |
| 2   |     | 0007301004  | メタル; UC206           | 1  |    |
| 3   |     | ONB6        | グリースニップル B M6        | 1  |    |
| 4   |     | 000473000M  | メタルカバー               | 1  |    |
| 5   |     | BSZ10030    | コガタボルト 7 M10×30      | 3  |    |
| 6   |     | WSA10       | バネザガネ 3ゴウ M10        | 3  |    |
| 7   |     | NSZ10       | コガタナット 8 2シュ M10     | 3  |    |
| 8   |     | 081114100M  | プレート                 | 1  |    |
| 9   |     | CP06012     | ナナベコネジ M6×12         | 3  |    |
| 10  |     | WS06        | バネザガネ 2ゴウ M6         | 3  |    |
| 11  |     | 1575190004  | プーリ; 236-B-2N        | 1  |    |
| 12  |     | KFB08070350 | ヘイコウキー カタマル 8×7×35   | 1  |    |
| 13  |     | DC030       | Cガタトメワ ジク 30         | 1  |    |
| 14  |     | VAGXLB075   | Vベルト LB-75 スーパーAG-X  | 2  |    |
| 15  |     | 157520200M  | テンションアームCP           | 1  |    |
| 16  |     | 147088000M  | ボルト; M8×100          | 1  |    |
| 17  |     | NSZ08       | コガタナット 2シュ M8        | 2  |    |
| 18  |     | 079375100M  | スプリング                | 1  |    |
| 19  |     | DC025       | Cガタトメワ ジク 25         | 1  |    |
| 20  |     | 0971760000  | シム; 25.5×1.0         | 2  |    |
| 21  |     | 70B-2525    | ドライメットブッシュ 25×28×25  | 2  |    |
| 22  |     | 1307270000  | テンションプーリ; φ80×47     | 1  |    |
| 23  |     | J6203LLU    | ボールベアリング 6203LLU     | 2  |    |
| 24  |     | DHC040      | Cガタトメワ アナ 40         | 1  |    |
| 25  |     | 044098500M  | ワッシャ; 10             | 1  |    |
| 26  |     | WSA10       | バネザガネ 3ゴウ M10        | 1  |    |
| 27  |     | NSZ10       | コガタナット 8 2シュ M10     | 1  |    |
| 28  |     | 1575230004  | プーリ; 140-B-2         | 1  |    |
| 29  |     | JCS206LLU   | ユニットヨウベアリング CS206LLU | 2  |    |
| 30  |     | 043224101M  | バイフランジ               | 4  |    |
| 31  |     | 043067900M  | カクネボルト 8.8 M10×30    | 6  |    |
| 32  |     | WSA10       | バネザガネ 3ゴウ M10        | 6  |    |
| 33  |     | NSZ10       | コガタナット 8 2シュ M10     | 6  |    |
| 34  |     | 1575240000  | シャフト                 | 1  |    |
| 35  |     | KFB08070650 | ヘイコウキー カタマル 8×7×65   | 1  |    |
| 36  |     | KFB08070300 | ヘイコウキー カタマル 8×7×30   | 1  |    |
| 37  |     | 157525000M  | カラー; 30.5×12.5       | 2  |    |
| 38  |     | 1575260004  | プーリ; 236-B-1         | 2  |    |
| 39  |     | DC030       | Cガタトメワ ジク 30         | 2  |    |
| 40  |     | VAGXLB055   | Vベルト LB-55 スーパーAG-X  | 2  |    |
| 41  |     | 157527000M  | テンションアームCP           | 2  |    |
| 42  |     | 080103100M  | ボルト; M8              | 2  |    |
| 43  |     | NSZ08       | コガタナット 2シュ M8        | 4  |    |
| 44  |     | 079375100M  | スプリング                | 2  |    |
| 45  |     | DC025       | Cガタトメワ ジク 25         | 2  |    |
| 46  |     | J6205LLU    | ボールベアリング 6205LLU     | 4  |    |
| 47  |     | DC020       | Cガタトメワ ジク 20         | 2  |    |
| 48  |     | WRA20       | ヒラザラネ M20            | 2  |    |
| 49  |     | 157530100L  | カバーCP; A1            | 1  |    |
| 50  |     | BSPZ08016   | コガタSWツキボルト 7 M8×16   | 4  |    |
| 51  |     | 157533100L  | カバーCP; A2            | 1  |    |


Fig.513. 駆動;ドラム



| No. | レベル | 部品番号       | 部品名称                | 数量 | 備考 |
|-----|-----|------------|---------------------|----|----|
| 52  |     | BSPZ08020  | コガタ SWツキボルト 7 M8×20 | 2  |    |
| 53  |     | 157536000L | カバー CP ; B 1        | 1  |    |
| 54  |     | 157539000L | カバー CP ; B 2        | 1  |    |
| 55  |     | BSPZ08016  | コガタ SWツキボルト 7 M8×16 | 3  |    |
| 56  |     | 044097200M | ワッシャ ; 8            | 3  |    |
| 57  |     | 157540000L | カバー ; C             | 1  |    |
| 58  |     | BSPZ08016  | コガタ SWツキボルト 7 M8×16 | 3  |    |
| 59  |     | 157786000L | カバー ; UL 1          | 1  |    |
| 60  |     | 157787000L | カバー ; UL 2          | 1  |    |
| 61  |     | BSZ08016   | コガタボルト 7 M8×16      | 3  |    |
| 62  |     | NSP08      | コガタスプリングナット 4 M8    | 3  |    |
| 63  |     | BSZ10020   | コガタボルト 7 M10×20     | 1  |    |
| 64  |     | WSA10      | バネザガネ 3ゴウ M10       | 1  |    |
| 65  |     | 157542100L | カバー CP ; L o L      | 1  |    |
| 66  |     | BSPZ08020  | コガタ SWツキボルト 7 M8×20 | 1  |    |
| 67  |     | BSZ10020   | コガタボルト 7 M10×20     | 1  |    |
| 68  |     | WSA10      | バネザガネ 3ゴウ M10       | 1  |    |
| 69  |     | 157788000L | カバー ; UR 1          | 1  |    |
| 70  |     | 157789000L | カバー ; UR 2          | 1  |    |
| 71  |     | BSZ08016   | コガタボルト 7 M8×16      | 4  |    |
| 72  |     | NSP08      | コガタスプリングナット 4 M8    | 4  |    |
| 73  |     | BSZ10020   | コガタボルト 7 M10×20     | 1  |    |
| 74  |     | WSA10      | バネザガネ 3ゴウ M10       | 1  |    |
| 75  |     | 157544100L | カバー CP ; L o R      | 1  |    |
| 76  |     | BSPZ08016  | コガタ SWツキボルト 7 M8×16 | 1  |    |
| 77  |     | BSZ10020   | コガタボルト 7 M10×20     | 1  |    |
| 78  |     | WSA10      | バネザガネ 3ゴウ M10       | 1  |    |
| 79  |     | 157545000L | カバー CP ; L          | 1  |    |
| 80  |     | BSPZ08016  | コガタ SWツキボルト 7 M8×16 | 1  |    |
| 81  |     | 157549000L | カバー CP ; R          | 1  |    |
| 82  |     | BSPZ08016  | コガタ SWツキボルト 7 M8×16 | 1  |    |
| 83  |     | 1573240004 | スペーサ                | 2  |    |
| 84  |     | ONB6       | グリースニップル B M6       | 1  |    |
| 85  |     | BSPZ08020  | コガタ SWツキボルト 7 M8×20 | 1  |    |
| 86  |     | WRA08      | ヒラザラネ M8            | 4  |    |



Fig.514. ベベルボックス




"A" DETAIL

| No. | レベル | 部品番号        | 部品名称                      | 数量 | 備考 |
|-----|-----|-------------|---------------------------|----|----|
| 1   |     | 157553000L  | ベベルボックス                   | 2  |    |
| 2   |     | 1575580000  | ベベルシャフト; L o              | 2  |    |
| 3   |     | J6007LU     | ボールベアリング 6 0 0 7 L U      | 2  |    |
| 4   |     | J6206       | ボールベアリング 6 2 0 6          | 2  |    |
| 5   |     | DHC062      | C ガタトメワ アナ 6 2            | 2  |    |
| 6   |     | D35628      | オイルシール D 3 5 × 6 2 × 8    | 2  |    |
| 7   |     | 1575570000  | ベベルギヤ; 1 5 T              | 2  |    |
| 8   |     | DC030       | C ガタトメワ ジク 3 0            | 2  |    |
| 9   |     | 1575560000  | ベベルギヤ; 2 1 T              | 2  |    |
| 10  |     | 1575550000  | ベベルシャフト; U                | 2  |    |
| 11  |     | J6205       | ボールベアリング 6 2 0 5          | 2  |    |
| 12  |     | J6206       | ボールベアリング 6 2 0 6          | 2  |    |
| 13  |     | DC035       | C ガタトメワ ジク 3 5            | 2  |    |
| 14  |     | DHC052      | C ガタトメワ アナ 5 2            | 2  |    |
| 15  |     | DHC062      | C ガタトメワ アナ 6 2            | 2  |    |
| 16  |     | KRCA5210    | シールキャップ                   | 2  |    |
| 17  |     | D30627      | オイルシール D 3 0 × 6 2 × 7    | 2  |    |
| 18  |     | 129689000L  | プレート                      | 2  |    |
| 19  |     | BSPZ08020   | コガタ SW ツキボルト 7 M 8 × 2 0  | 8  |    |
| 20  |     | 0472650000  | ブリーザキャップ; P F 1 / 2       | 2  |    |
| 21  |     | 0009820000  | M 1 0 プラグ; パッキンツキ         | 6  |    |
| 22  |     | BSZ10025    | コガタボルト 7 M 1 0 × 2 5      | 8  |    |
| 23  |     | WSA10       | バネザガネ 3 ゴウ M 1 0          | 8  |    |
| 24  |     | WRA10       | ヒラザガネ M 1 0               | 8  |    |
| 25  |     | 1575540004  | ブーリ; 1 4 5 - B - 1        | 2  |    |
| 26  |     | KFB08070200 | ヘイコウキー カタマル 8 × 7 × 2 0   | 2  |    |
| 27  |     | 157697000M  | カラー; 2 5. 5 × 1 0         | 2  |    |
| 28  |     | 075320000M  | ワッシャ                      | 2  |    |
| 29  |     | NZ16150     | ナット 8 2 シュ M 1 6 × 1. 5 0 | 2  |    |
| 30  |     | WSA16       | バネザガネ 3 ゴウ M 1 6          | 2  |    |




Fig.515. ユウセイボックス




| No. | レベル | 部品番号       | 部品名称                         | 数量 | 備考 |
|-----|-----|------------|------------------------------|----|----|
| 1   |     | 1575590000 | シャフト ; U                     | 2  |    |
| 2   |     | 157560000L | ジョイント                        | 2  |    |
| 3   |     | DHC032     | Cガタトメワ アナ 3 2                | 2  |    |
| 4   |     | 157561000L | パイプCP                        | 2  |    |
| 5   |     | BZ12035    | ボルト 8. 8 M 1 2 × 3 5         | 8  |    |
| 6   |     | WSA12      | バネザガネ 3ゴウ M 1 2              | 8  |    |
| 7   |     | NZ12       | ナット 8 2シュ M 1 2              | 8  |    |
| 8   |     | BZ12030    | ボルト 8. 8 M 1 2 × 3 0         | 8  |    |
| 9   |     | WSA12      | バネザガネ 3ゴウ M 1 2              | 8  |    |
| 10  |     | 157565000L | ギヤケース ; U                    | 2  |    |
| 11  |     | 0591333000 | チェックプラグAS                    | 2  |    |
| 12  |     | D35628     | オイルシール D 3 5 × 6 2 × 8       | 2  |    |
| 13  |     | DC035      | Cガタトメワ ジク 3 5                | 2  |    |
| 14  |     | J6207      | ボールベアリング 6 2 0 7             | 2  |    |
| 15  |     | 1575660000 | プレート                         | 2  |    |
| 16  |     | 1575670000 | ギヤ ; M 3 × 1 8 T             | 2  |    |
| 17  |     | KBW-3660   | カーボンドライB スラストワッシャ 3 6 × 6 0  | 2  |    |
| 18  |     | KBW-3254   | カーボンドライB スラストワッシャ 3 2 × 5 4  | 2  |    |
| 19  |     | 1575680000 | ギヤ ; M 3 × 3 3 T             | 12 |    |
| 20  |     | JNK2020    | ニードルベアリング NK 2 0 / 2 0       | 12 |    |
| 21  |     | KBW-2036   | カーボンドライB スラストワッシャ 2 0 × 3 6  | 12 |    |
| 22  |     | KBW-2238   | カーボンドライB スラストワッシャ 2 2 × 3 8  | 12 |    |
| 23  |     | 1575691000 | ピン                           | 12 |    |
| 24  |     | DC016      | Cガタトメワ ジク 1 6                | 12 |    |
| 25  |     | 1575700000 | カラー ; 9. 2 × 2 3. 5          | 12 |    |
| 26  |     | RBT08040   | ボタンB 1 0. 9 M 8 × 4 0        | 12 |    |
| 27  |     | 1575710000 | プレート                         | 2  |    |
| 28  |     | 1575720000 | プレート                         | 2  |    |
| 29  |     | 1575730000 | ギヤ ; M 3 × 1 8 T             | 2  |    |
| 30  |     | KBW-3254   | カーボンドライB スラストワッシャ 3 2 × 5 4  | 2  |    |
| 31  |     | 1585600000 | プレート                         | 2  |    |
| 32  |     | BH08020    | キャップB 1 0. 9 M 8 × 2 0       | 20 |    |
| 33  |     | 157575000L | ギヤ ; M 3 × 8 4 T             | 4  |    |
| 34  |     | 157576000L | フランジ ; ユウセイ                  | 2  |    |
| 35  |     | BSZ10100   | コガタボルト 7 M 1 0 × 1 0 0       | 20 |    |
| 36  |     | WSA10      | バネザガネ 3ゴウ M 1 0              | 20 |    |
| 37  |     | NSZ10      | コガタナット 8 2シュ M 1 0           | 20 |    |
| 38  |     | 157577000L | ギヤケース ; L o                  | 2  |    |
| 39  |     | 1575780000 | ジョイント ; カッター                 | 2  |    |
| 40  |     | 1565780000 | ワンウェイクラッチ                    | 2  |    |
| 41  |     | J6005      | ボールベアリング 6 0 0 5             | 2  |    |
| 42  |     | J6908      | ボールベアリング 6 9 0 8             | 2  |    |
| 43  |     | 158561100L | フランジCP ; ドラム                 | 2  |    |
| 44  |     | J6920LLU   | ボールベアリング 6 9 2 0 L L U       | 2  |    |
| 45  |     | D11014014  | オイルシール D 1 1 0 × 1 4 0 × 1 4 | 4  |    |
| 46  |     | DC100      | Cガタトメワ ジク 1 0 0              | 2  |    |
| 47  |     | DHC140     | Cガタトメワ アナ 1 4 0              | 2  |    |
| 48  |     | 1646820000 | シャフト ; L O                   | 2  |    |
| 49  |     | J6210      | ボールベアリング 6 2 1 0             | 2  |    |
| 50  |     | D659013    | オイルシール D 6 5 × 9 0 × 1 3     | 4  |    |
| 51  |     | DHC090     | Cガタトメワ アナ 9 0                | 2  |    |

066-0062-0026-01



| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考 |
|-----|-----|------------|--------------------|----|----|
| 52  |     | 1575840000 | カラー                | 2  |    |
| 53  |     | ORG045     | Ｏリング G－4 5         | 2  |    |
| 54  |     | 157585100L | フランジＣＰ；カッター        | 2  |    |
| 55  |     | 164683000L | ジクウケＣＰ             | 2  |    |
| 56  |     | BZ12030    | ボルト 8. 8 M12×30    | 8  |    |
| 57  |     | WSA12      | バネザガネ 3ゴウ M12      | 8  |    |
| 58  |     | J6308LLU   | ボールベアリング 6308LLU   | 4  |    |
| 59  |     | DHC090     | Ｃガタトメワ アナ 90       | 2  |    |
| 60  |     | 158640000M | カシメロックナット M40×1. 5 | 2  |    |
| 61  |     | 0009820000 | M10プラグ；バックシツキ      | 2  |    |
| 62  |     | 164685000M | カラー；40. 5×12       | 2  |    |
| 63  |     | 164686000M | ワッシャ；40. 5×4. 5    | 2  |    |

Fig.516. ドラム



| No. | レベル | 部品番号       | 部品名称             | 数量 | 備考 |
|-----|-----|------------|------------------|----|----|
| 1   |     | 157592000L | ギヤザリングドラムCP; L   | 1  |    |
| 2   |     | BZ12030    | ボルト 8. 8 M12×30  | 4  |    |
| 3   |     | WSA12      | バネザガネ 3ゴウ M12    | 4  |    |
| 4   |     | NZ12       | ナット 8 2シュ M12    | 4  |    |
| 5   |     | 158501100M | シム               | 16 |    |
| 6   |     | 157601000L | ギヤザリングドラムCP; R   | 1  |    |
| 7   |     | BZ12030    | ボルト 8. 8 M12×30  | 4  |    |
| 8   |     | WSA12      | バネザガネ 3ゴウ M12    | 4  |    |
| 9   |     | NZ12       | ナット 8 2シュ M12    | 4  |    |
| 10  |     | 158501100M | シム               | 16 |    |
| 11  |     | 157610100L | ドラムカバーCP         | 2  |    |
| 12  |     | 157614100L | カバー; ドラム         | 2  |    |
| 13  |     | BSPZ08016  | コガタSWツキボルト M8×16 | 14 |    |
| 14  |     | 157615200L | スクレーパカバー; L      | 1  |    |
| 15  |     | 055474000M | カクネボルト M8×20     | 2  |    |
| 16  |     | 044097200M | ワッシャ; 8          | 2  |    |
| 17  |     | WSA08      | バネザガネ 3ゴウ M8     | 2  |    |
| 18  |     | NSZ08      | コガタナット 8 2シュ M8  | 2  |    |
| 19  |     | 157616200L | スクレーパカバー; R      | 1  |    |
| 20  |     | 055474000M | カクネボルト M8×20     | 2  |    |
| 21  |     | 044097200M | ワッシャ; 8          | 2  |    |
| 22  |     | WSA08      | バネザガネ 3ゴウ M8     | 2  |    |
| 23  |     | NSZ08      | コガタナット 8 2シュ M8  | 2  |    |
| 24  |     | 157617100L | ドラムスクレーパCP; L1   | 1  |    |
| 25  |     | 157620200L | ドラムスクレーパCP; L2   | 1  |    |
| 26  |     | 157623100L | プレート; 3          | 1  |    |
| 27  |     | 157624000L | スクレーパCP; L4      | 1  |    |
| 28  |     | 058338100M | カクネボルト; M12×35   | 2  |    |
| 29  |     | BZ12070    | ボルト 8. 8 M12×70  | 2  |    |
| 30  |     | BZ12045    | ボルト 8. 8 M12×45  | 1  |    |
| 31  |     | NZ12       | ナット 8 2シュ M12    | 2  |    |
| 32  |     | WSA12      | バネザガネ 3ゴウ M12    | 5  |    |
| 33  |     | 1489080000 | シム; 0. 6         | 4  |    |
| 34  |     | 158502000M | シム; 2. 3         | 2  |    |
| 35  |     | 157627000L | アングル; L          | 1  |    |
| 36  |     | BSZ10020   | コガタボルト 7 M10×20  | 2  |    |
| 37  |     | WSA10      | バネザガネ 3ゴウ M10    | 2  |    |
| 38  |     | NSZ10      | コガタナット 8 2シュ M10 | 2  |    |
| 39  |     | 157628100L | ドラムスクレーパCP; R1   | 1  |    |
| 40  |     | 157629200L | ドラムスクレーパCP; R2   | 1  |    |
| 41  |     | 157623100L | プレート; 3          | 1  |    |
| 42  |     | 157630000L | スクレーパCP; R4      | 1  |    |
| 43  |     | 058338100M | カクネボルト; M12×35   | 2  |    |
| 44  |     | BZ12070    | ボルト 8. 8 M12×70  | 2  |    |
| 45  |     | BZ12045    | ボルト 8. 8 M12×45  | 1  |    |
| 46  |     | NZ12       | ナット 8 2シュ M12    | 2  |    |
| 47  |     | WSA12      | バネザガネ 3ゴウ M12    | 5  |    |
| 48  |     | 1489080000 | シム; 0. 6         | 4  |    |
| 49  |     | 158502000M | シム; 2. 3         | 2  |    |
| 50  |     | 157632000L | アングル; R          | 1  |    |
| 51  |     | BSZ10020   | コガタボルト 7 M10×20  | 2  |    |

Fig.516. ドラム




[illegible]

Fig.517. カッター



| No. | レベル | 部品番号       | 部品名称             | 数量 | 備考 |
|-----|-----|------------|------------------|----|----|
| 1   |     | 1576330006 | ディスク             | 2  |    |
| 2   |     | BSZ10025   | コガタボルト 7 M10×25  | 12 |    |
| 3   |     | WSA10      | バネザガネ 3ゴウ M10    | 12 |    |
| 4   |     | NSZ10      | コガタナット 8 2シュ M10 | 12 |    |
| 5   |     | 157634000Z | カッタ; L           | 2  |    |
| 6   |     | 157635000Z | カッタ; R           | 2  |    |
| 7   |     | 1576340006 | カッタ; L           | 6  |    |
| 8   |     | 1576350006 | カッタ; R           | 6  |    |
| 9   |     | 153834000M | プレート; カッタホルダ     | 16 |    |
| 10  |     | 000450000M | カクネボルト; M10×20   | 56 |    |
| 11  |     | WRA10      | ヒラザガネ M10        | 56 |    |
| 12  |     | NUZ10      | Uナット 8 M10       | 56 |    |
| 13  |     | 8037830006 | スマツシャ            | 4  |    |
| 14  |     | 153837000M | プレート; スマツシャホルダ   | 4  |    |
| 15  |     | 803779000Y | カクネボルト; M10×30   | 8  |    |
| 16  |     | 157636000Y | カクネボルト; M10×25   | 4  |    |
| 17  |     | 075290100M | ワッシャ; 10         | 4  |    |
| 18  |     | NUX10      | Uナット 10 M10      | 12 |    |

Fig.518. デバイダ




| No. | レベル | 部品番号       | 部品名称             | 数量 | 備考 |
|-----|-----|------------|------------------|----|----|
| 1   |     | 1583940004 | デバイダフレームCP ; L   | 1  |    |
| 2   |     | 1583981004 | デバイダフレームCP ; R   | 1  |    |
| 3   |     | 159055000M | スぺーサCP ; U       | 2  |    |
| 4   |     | 159058000M | スぺーサCP ; LO      | 2  |    |
| 5   |     | BSZ10055   | コガタボルト 7 M10×55  | 10 |    |
| 6   |     | WSA10      | バネザガネ 3ゴウ M10    | 10 |    |
| 7   |     | NSZ10      | コガタナット 8 2シュ M10 | 4  |    |
| 8   |     | 044098500M | ワッシャ ; 10        | 4  |    |
| 9   |     | 158385000L | デバイダカバー          | 2  |    |
| 10  |     | RBT08020   | ボタンB 10. 9 M8×20 | 12 |    |
| 11  |     | WSA08      | バネザガネ 3ゴウ M8     | 12 |    |
| 12  |     | 044097200M | ワッシャ ; 8         | 8  |    |
| 13  |     | 158401100M | サポートプレート         | 2  |    |
| 14  |     | BZ12030    | ボルト 8. 8 M12×30  | 4  |    |
| 15  |     | WSA12      | バネザガネ 3ゴウ M12    | 4  |    |
| 16  |     | NZ12       | ナット 8 2シュ M12    | 4  |    |
| 17  |     | 158386000P | デバイダCP ; L       | 1  |    |
| 18  |     | 158390000P | デバイダCP ; R       | 1  |    |
| 19  |     | BZ12030    | ボルト 8. 8 M12×30  | 4  |    |
| 20  |     | NNF12      | フランジナイロンナット M12  | 4  |    |
| 21  |     | 1583830004 | ガイドプレート ; L      | 1  |    |
| 22  |     | 1583840004 | ガイドプレート ; R      | 1  |    |
| 23  |     | 000450000M | カクネボルト : M10×20  | 6  |    |
| 24  |     | WSA10      | バネザガネ 3ゴウ M10    | 6  |    |
| 25  |     | NSZ10      | コガタナット 8 2シュ M10 | 6  |    |

This exploded perspective view illustrates the assembly of a mechanical component. The main structure consists of a base frame (1) and a vertical support (2). A horizontal rod (5) is shown in two positions: one attached to the base frame and another attached to the vertical support. The rod (5) is secured by a nut (4) and a washer (3). A separate assembly (Fig. 512) is shown to the right, which includes a vertical support (2) and a horizontal rod (5). This assembly is also secured by a nut (4) and a washer (3). The exploded view shows the relationship between the main assembly and the separate assembly, with dashed lines indicating the alignment of the components. The callouts 1 through 7 identify the various parts and their assembly sequence.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Fig.520. 給油



| No. | レベル | 部品番号       | 部品名称                      | 数量 | 備考 |
|-----|-----|------------|---------------------------|----|----|
| 1   |     | 0993660000 | リザーブオイルタンク                | 1  |    |
| 2   |     | 1089730000 | サクシヨンストレーナ                | 1  |    |
| 3   |     | 1089741000 | ホースアダプター; P T 1 / 8       | 1  |    |
| 4   |     | 099386100M | ブラケット C P                 | 1  |    |
| 5   |     | BSPZ08016  | コガタ S W ツキボルト 7 M 8 × 1 6 | 2  |    |
| 6   |     | 166006000M | ポンプベース C P                | 1  |    |
| 7   |     | BSZ08025   | コガタボルト 7 M 8 × 2 5        | 2  |    |
| 8   |     | WSA08      | バネザガネ 3 ゴウ M 8            | 2  |    |
| 9   |     | NSZ08      | コガタナット 8 2 シュ M 8         | 2  |    |
| 10  |     | 1468960000 | デンドウポンプ                   | 1  |    |
| 11  |     | BP06016    | S W ツキボルト 4. 6 M 6 × 1 6  | 2  |    |

|    |            |                          |   |  |
|----|------------|--------------------------|---|--|
| 18 | 1003751000 | ブンバイキ; 5                 | 1 |  |
| 19 | BPZ06030   | S W ツキボルト 8. 8 M 6 × 3 0 | 2 |  |
| 21 | 1315430000 | チューブ; 4 5 0              | 1 |  |
| 22 | 1003771000 | チューブ; 5 5 0              | 2 |  |
| 23 | 1021541000 | チューブ; 2 7 5              | 2 |  |
| 24 | 1447460000 | チューブ; 1 5 0 0            | 1 |  |
| 25 | 0993870000 | ブラシ                      | 4 |  |
| 26 | 099388000M | プレート                     | 4 |  |
| 27 | 157676000M | ブラケット; 1                 | 1 |  |
| 28 | 157677000M | ブラケット; 2                 | 1 |  |
| 29 | 166008000M | ブラケット; 3                 | 1 |  |
| 30 | 157796000M | ブラケット; 4                 | 1 |  |


|    |           |                           |   |  |
|----|-----------|---------------------------|---|--|
| 33 | NSP08     | コガタスプリングナット 4 M 8         | 1 |  |
| 34 | BSPZ08016 | コガタ S W ツキボルト 7 M 8 × 1 6 | 1 |  |
| 35 | BSZ08025  | コガタボルト 7 M 8 × 2 5        | 1 |  |
| 36 | BZ06016   | ボルト 8. 8 M 6 × 1 6        | 4 |  |
| 37 | NP06      | スプリングナット M 6              | 4 |  |
| 38 | ILT150    | インシュロックタイ 3. 5 × 1 5 2    | 4 |  |
| 39 | WRA06     | ヒラザガネ M 6                 | 5 |  |

066-0068-064-04

備考  
No.39のザガネはNo.18ブンバイキの付属ナットを一度取り外してその下に取り付けます




Fig.521. 給脂




| No. | レベル | 部品番号       | 部品名称                   | 数量 | 備考 |
|-----|-----|------------|------------------------|----|----|
| 1   |     | 157681000M | ブロック                   | 1  |    |
| 2   |     | ONA6       | グリースニップル A M6          | 14 |    |
| 3   |     | EWK864106  | S F ツギテ M6             | 14 |    |
| 4   |     | BSPZ08020  | コガタ SW ツキボルト 7 M8 × 20 | 2  |    |
| 5   |     | EWK864106  | S F ツギテ M6             | 7  |    |
| 6   |     | EWK864206  | L F ツギテ M6             | 7  |    |
| 7   |     | 8037150000 | キュウユホース CP ; 520       | 1  |    |
| 8   |     | 1422200000 | キュウユホース CP ; 650       | 3  |    |
| 9   |     | 1159610000 | キュウユホース CP ; 700       | 3  |    |
| 10  |     | 0674891000 | キュウユホース CP ; 800       | 3  |    |
| 11  |     | 0674881000 | キュウユホース CP ; 1400      | 1  |    |
| 12  |     | 1577160000 | キュウユホース CP ; 1600      | 2  |    |
| 13  |     | 1577170000 | キュウユホース CP ; 1800      | 1  |    |
| 14  |     | 157683000L | カバー CP                 | 1  |    |
| 15  |     | BSPZ08016  | コガタ SW ツキボルト 7 M8 × 16 | 4  |    |
| 16  |     | ILT150     | インシュロックタイ 3.5 × 152    | 2  |    |
| 17  |     | 1562630000 | コルゲートチューブ ; 150        | 2  |    |

Fig.522. インジケーター



| No. | レベル | 部品番号       | 部品名称               | 数量 | 備考 |
|-----|-----|------------|--------------------|----|----|
| 1   |     | 157667000L | ヒョウジブラケット          | 1  |    |
| 2   |     | BSPZ08016  | コガタSWツキボルト 7 M8×16 | 2  |    |
| 3   |     | WRA08      | ヒラザガネ M8           | 2  |    |
| 4   |     | 157668000M | ロッドCP              | 1  |    |
| 5   |     | 1576690004 | ソリCP               | 1  |    |
| 6   |     | WRA08      | ヒラザガネ M8           | 1  |    |
| 7   |     | PC032016   | ワリピン 3. 2×16       | 1  |    |
| 8   |     | 157673000M | カラー；25. 5×33       | 1  |    |
| 9   |     | 125961000M | ピンCP；F25×100       | 1  |    |
| 10  |     | BSZ10020   | コガタボルト 7 M10×20    | 1  |    |
| 11  |     | WSA10      | バネザガネ 3ゴウ M10      | 1  |    |
| 12  |     | WRA10      | ヒラザガネ M10          | 1  |    |
| 13  |     | 1316910006 | スプリング；ソール          | 1  |    |
| 14  |     | 1578020000 | ラベル；インジケーター        | 1  |    |
| 15  |     | ONB6       | グリースニップル B M6      | 1  |    |

Fig.523.ハリマーク



| No. | レベル | 部品番号       | 部品名称             | 数量 | 備考 |
|-----|-----|------------|------------------|----|----|
| 1   |     | 1511430000 | ラベル ; ケイコク 2 3 0 | 2  |    |
| 2   |     | 1511450000 | ラベル ; ケイコク 2 3 2 | 2  |    |
| 3   |     | 1511460000 | ラベル ; ケイコク 2 3 3 | 2  |    |
| 4   |     | 1511480000 | ラベル ; ケイコク 2 3 5 | 2  |    |
| 5   |     | 1511490000 | ラベル ; ケイコク 2 3 6 | 2  |    |
| 6   |     | 1511520000 | ラベル ; ケイコク 2 3 9 | 2  |    |
| 7   |     | 1511470000 | ラベル ; ケイコク 2 3 4 | 4  |    |
| 8   |     | 1589860000 | ラベル ; トウニュウキンシ   | 1  |    |
| 9   |     | 1578010000 | ラベル ; カイテンホウコウ   | 1  |    |
| 10  |     | 1511760000 | ラベル ; ケイコク 2 6 3 | 1  |    |
| 11  |     | 1658370000 | ラベル ; セツダンチュウ    | 1  |    |





|     |           |
|-----|-----------|
| 調 整 | S-250707D |
|-----|-----------|

千 歳 本 社 066-8555 千 歳 市 上 長 都 1 0 6 1 番 地 2  
TEL 0123-26-1123  
FAX 0123-26-2412

千 歳 営 業 所 066-8555 千 歳 市 上 長 都 1 0 6 1 番 地 2  
TEL 0123-22-5131  
FAX 0123-26-2035

豊 富 営 業 所 098-4100 天 塩 郡 豊 富 町 字 上 サ ロ ベ ツ 1 1 9 1 番 地 4 4  
TEL 0162-82-1932  
FAX 0162-82-1696

帯 広 営 業 所 080-2462 帯 広 市 西 2 2 条 北 1 丁 目 1 2 番 地 4  
TEL 0155-37-3080  
FAX 0155-37-5187

中 標 津 営 業 所 086-1152 標 津 郡 中 標 津 町 北 町 2 丁 目 1 6 番 2  
TEL 0153-72-2624  
FAX 0153-73-2540

花 巻 営 業 所 028-3172 岩 手 県 花 巻 市 石 鳥 谷 町 北 寺 林 第 1 1 地 割 1 2 0 番 3  
TEL 0198-46-1311  
FAX 0198-45-5999

仙 台 営 業 所 984-0032 宮 城 県 仙 台 市 若 林 区 荒 井 5 丁 目 2 1 - 1  
TEL 022-353-6039  
FAX 022-353-6040

小 山 営 業 所 323-0158 栃 木 県 小 山 市 梁 2 5 1 2 - 1  
TEL 0285-49-1500  
FAX 0285-49-1560

東 海 営 業 所 485-0081 愛 知 県 小 牧 市 横 内 字 立 野 6 7 8 - 1  
TEL 0568-75-3561  
FAX 0568-75-3563

岡 山 営 業 所 700-0973 岡 山 県 岡 山 市 北 区 下 中 野 7 0 4 - 1 0 3  
TEL 086-243-1147  
FAX 086-243-1269

熊 本 営 業 所 861-8030 熊 本 県 熊 本 市 東 区 小 山 町 1 6 3 9 - 1  
TEL 096-389-6650  
FAX 096-389-6710

都 城 営 業 所 885-1202 宮 崎 県 都 城 市 高 城 町 穂 満 坊 1 0 0 3 - 2  
TEL 0986-53-2222  
FAX 0986-53-2233